



Sun protection and curtain technology

GARDINIA®

Sun and Privacy protection

CONTENT

Roller Blind	05
	43
EASYFIX Roman blind	44
	44
Flexible sun protection	45
	45
Pleated Blind	47
	72
Venetian Blind	73
	82
Vertical Blind	85
	88
Window film	89
	94

GARDINENTECHNIK

Panel fabric	95
	123
Curtain Rail	125
	159
Clamping system / Bistro program	161
	182
High sliding rail Luxor	185
	190
Curtain Technology Ø 12 mm	191
	194
Curtain Technology ø 16 mm	195
	218
Curtain Technology ø 19 mm	219
	260
Curtain Technology ø 20 mm	261
	323
Curtain Technology ø 25 mm	324
	365
Curtain Technology ø 28 mm	357
	365
U-type sliding rail	366
	368
Tension Wire Set	369
	373
Accessories	375
	389

INFORMATION



Roller Blind
Visual contact to the outside



Double Roller Blind
Optional visual contact with the outside



Roman Blind
Visual contact to the outside



Pleated Blinds
Visual contact to the outside



Roller Blind
Privacy shield with dimming



Pleated Blinds
Privacy shield with dimming



Roller Blind
Almost 100% dimming of the room



Roller Blind
Almost 100% dimming of the room
Energy-saving effect



Pleated Blinds
Almost 100% dimming of the room



Suitable for brushing



Suitable for wiping when damp



Suitable for shortening

Mounting films

Scan the QR code and select the corresponding product mounting film.






ROLLER BLIND

Colour and design quick-finder


EASYFIX Roller Blind Uni

Pages 9 - 13



EASYFIX Roller Blind Decor

Pages 13 - 20




EASYFIX Roller Blind Magic Screen

Page 21




EASYFIX Roller Blind Thermal ENERGY SAVING

Pages 22 - 25




EASYFIX Soft-Roller Blind Thermo

Page 26



EASYFIX Double Roller Blind

Pages 26 - 31




Side-pull Roller Blind TRANSLUCENT



612 plain white 715 plain champagne 820 plain grey 909 grey 525 silvalin natural

Pages 33 - 35

Side-pull Roller Blind SHADING



390 white 391 cream 341 mocca 241 dark blue 096 Grey

Pages 35 - 37


Side-pull Roller Blind Thermal ENERGY-SAVING



441 white 920 cream 495 stripes white 494 textured natural

Pages 38 - 39

Double roller blind with cassette



white

Page 42


Roller Blind Comfort Move



white green

Page 43


EASYFIX Roman blind



white grey

Page 44

Flexible sun protection and Blackout Curtain Travel



nero grigio

Page 45

EASYFIX Roller Blind Uni

The EASYFIX roller blind Plain can be attached to the window casement without drilling or screwing. The adjustable clamping bracket can be adapted and mounted to fit on almost any casement. Adhesive mounting is also possible. The fabric is opaque but translucent. The EASYFIX roller blind Plain is rolled up and down by means of a chain. The chain can be mounted on the left or right-hand side.

300 white



Fabric 100% polyester, translucent, with side-pull drive, mini roller shaft Ø 18 mm, glueing or clamping for easy mounting on the window casement, adjustable clamping bracket (15-22 mm), screw mounting possible, side-pull gear can be mounted on right or left.

roller blind width - approx. 3 cm = fabric dimension

Info: Clamp bracket only suitable for windows with rubber seal.

			Art. Nr.	EAN
300 white	1 x 1	45 x 150	31185	4 003018 275565
	1 x 1	60 x 150	10012495	4 003018 190240
	1 x 1	75 x 150	10012496	4 003018 190257
	1 x 1	100 x 150	10012497	4 003018 190264
	1 x 1	120 x 150	30750	4 003018 262831
	1 x 1	90 x 210	31300	4 003018 279556

508 pure white structured



Fabric 100% polyester, translucent, with side-pull drive, mini roller shaft Ø 18 mm, glueing or clamping for easy mounting on the window casement, adjustable clamping bracket (15-22 mm), screw mounting possible, side-pull gear can be mounted on right or left.


roller blind width - approx. 3 cm = fabric dimension

Info: Clamp bracket only suitable for windows with rubber seal.

			Art. Nr.	EAN
508 pure white structured	1 x 1	45 x 150	32250	4 003018 329749
	1 x 1	60 x 150	32251	4 003018 329756
	1 x 1	75 x 150	32252	4 003018 329763
	1 x 1	100 x 150	32253	4 003018 329770
	1 x 1	120 x 150	32254	4 003018 329787
	1 x 1	90 x 210	32255	4 003018 329794



EASYFIX ROLLER BLIND

510 light grey structured




Fabric 100% polyester, translucent, with side-pull drive, mini roller shaft Ø 18 mm, glueing or clamping for easy mounting on the window casement, adjustable clamping bracket (15-22 mm), screw mounting possible, side-pull gear can be mounted on right or left.
roller blind width - approx. 3 cm = fabric dimension

Info: Clamp bracket only suitable for windows with rubber seal.



		$\leftrightarrow x \updownarrow$ (cm)	Art. Nr.	EAN
510 light grey structured	1 x 1	45 x 150	32256	4 003018 329800
	1 x 1	60 x 150	32257	4 003018 329817
	1 x 1	75 x 150	32258	4 003018 329824
	1 x 1	100 x 150	32259	4 003018 329831
	1 x 1	120 x 150	32260	4 003018 329848
	1 x 1	90 x 210	32261	4 003018 329855

502 brown structured




Fabric 100% polyester, translucent, with side-pull drive, mini roller shaft Ø 18 mm, glueing or clamping for easy mounting on the window casement, adjustable clamping bracket (15-22 mm), screw mounting possible, side-pull gear can be mounted on right or left.
roller blind width - approx. 3 cm = fabric dimension

Info: Clamp bracket only suitable for windows with rubber seal.



		$\leftrightarrow x \updownarrow$ (cm)	Art. Nr.	EAN
502 brown structured	1 x 1	45 x 150	31190	4 003018 275619
	1 x 1	60 x 150	10012510	4 003018 190394
	1 x 1	75 x 150	10012511	4 003018 190400
	1 x 1	100 x 150	10012512	4 003018 190417
	1 x 1	120 x 150	30754	4 003018 262879
	1 x 1	90 x 210	31305	4 003018 279600

503 orange structured



Fabric 100% polyester, translucent, with side-pull drive, mini roller shaft Ø 18 mm, glueing or clamping for easy mounting on the window casement, adjustable clamping bracket (15-22 mm), screw mounting possible, side-pull gear can be mounted on right or left.
roller blind width - approx. 3 cm = fabric dimension

Info: Clamp bracket only suitable for windows with rubber seal.

		$\leftrightarrow x \updownarrow$ (cm)	Art. Nr.	EAN
503 orange structured	1 x 1	45 x 150	31189	4 003018 275602
	1 x 1	60 x 150	10012504	4 003018 190332
	1 x 1	75 x 150	10012505	4 003018 190349
	1 x 1	100 x 150	10012506	4 003018 190356
	1 x 1	120 x 150	30751	4 003018 262848
	1 x 1	90 x 210	31304	4 003018 279594

504 apple structured



Fabric 100% polyester, translucent, with side-pull drive, mini roller shaft Ø 18 mm, glueing or clamping for easy mounting on the window casement, adjustable clamping bracket (15-22 mm), screw mounting possible, side-pull gear can be mounted on right or left.
roller blind width - approx. 3 cm = fabric dimension

Info: Clamp bracket only suitable for windows with rubber seal.

		\leftrightarrow x \updownarrow (cm)	Art. Nr.	EAN
504 apple structured	1 x 1	45 x 150	31188	4 003018 275596
	1 x 1	60 x 150	10012507	4 003018 190363
	1 x 1	75 x 150	10012508	4 003018 190370
	1 x 1	100 x 150	10012509	4 003018 190387
	1 x 1	120 x 150	30752	4 003018 262855
	1 x 1	90 x 210	31303	4 003018 279587

320 dark blue



Fabric 100% polyester, translucent, with side-pull drive, mini roller shaft Ø 18 mm, glueing or clamping for easy mounting on the window casement, adjustable clamping bracket (15-22 mm), screw mounting possible, side-pull gear can be mounted on right or left.
roller blind width - approx. 3 cm = fabric dimension

Info: Clamp bracket only suitable for windows with rubber seal.

		\leftrightarrow x \updownarrow (cm)	Art. Nr.	EAN
320 dark blue	1 x 1	45 x 150	31187	4 003018 275589
	1 x 1	60 x 150	10012501	4 003018 190301
	1 x 1	75 x 150	10012502	4 003018 190318
	1 x 1	100 x 150	10012503	4 003018 190325
	1 x 1	120 x 150	30755	4 003018 262886
	1 x 1	90 x 210	31302	4 003018 279570

stonegrey



Fabric 100% polyester, translucent, with side-pull drive and ball chain, mini roller shaft Ø 18 mm, glueing or clamping for easy mounting on the window casement, adjustable clamping bracket (15-22 mm), screw mounting possible, can be easily shortened in width, side-pull gear can be mounted on right or left.
roller blind width - approx. 3 cm = fabric dimension

Info: Clamp bracket only suitable for windows with rubber seal.

		\leftrightarrow x \updownarrow (cm)	Art. Nr.	EAN
stonegrey	1 x 1	45 x 150	32897	4 003018 352440
	1 x 1	60 x 150	32898	4 003018 352457
	1 x 1	75 x 150	32899	4 003018 352464
	1 x 1	100 x 150	32900	4 003018 352471
	1 x 1	120 x 150	32967	4 003018 357094
	1 x 1	90 x 210	32968	4 003018 357100




EASYFIX ROLLER BLIND

Mother-of pearl pink



Fabric 100% polyester, translucent, with side-pull drive and ball chain, mini roller shaft Ø 18 mm, glueing or clamping for easy mounting on the window casement, adjustable clamping bracket (15-22 mm), screw mounting possible, can be easily shortened in width, side-pull gear can be mounted on right or left. roller blind width - approx. 3 cm = fabric dimension

Info: Clamp bracket only suitable for windows with rubber seal.




		 (cm)	Art. Nr.	EAN
Mother-of pearl pink	1 x 1	45 x 150	32901	4 003018 352488
	1 x 1	60 x 150	32902	4 003018 352495
	1 x 1	75 x 150	32903	4 003018 352501
	1 x 1	100 x 150	32904	4 003018 352518
	1 x 1	120 x 150	32971	4 003018 357131
	1 x 1	90 x 210	32972	4 003018 357148

smoky blue



Fabric 100% polyester, translucent, with side-pull drive and ball chain, mini roller shaft Ø 18 mm, glueing or clamping for easy mounting on the window casement, adjustable clamping bracket (15-22 mm), screw mounting possible, can be easily shortened in width, side-pull gear can be mounted on right or left. roller blind width - approx. 3 cm = fabric dimension

Info: Clamp bracket only suitable for windows with rubber seal.




		 (cm)	Art. Nr.	EAN
smoky blue	1 x 1	45 x 150	32905	4 003018 352525
	1 x 1	60 x 150	32906	4 003018 352532
	1 x 1	75 x 150	32907	4 003018 352549
	1 x 1	100 x 150	32908	4 003018 352556
	1 x 1	120 x 150	32969	4 003018 357117
	1 x 1	90 x 210	32970	4 003018 357124

mint green



Fabric 100% polyester, translucent, with side-pull drive and ball chain, mini roller shaft Ø 18 mm, glueing or clamping for easy mounting on the window casement, adjustable clamping bracket (15-22 mm), screw mounting possible, can be easily shortened in width, side-pull gear can be mounted on right or left.
roller blind width - approx. 3 cm = fabric dimension

Info: Clamp bracket only suitable for windows with rubber seal.

		 (cm)	Art. Nr.	EAN
mint green	1 x 1	45 x 150	36163	4 003018 359562
	1 x 1	60 x 150	36164	4 003018 359579
	1 x 1	75 x 150	36165	4 003018 359586
	1 x 1	100 x 150	36166	4 003018 359593

EASYFIX Roller Blind Decor




The EASYFIX Decor roller blind can be attached to the window casement without drilling or screwing. The adjustable clamping bracket can be adapted and mounted to fit on almost any casement. Adhesive mounting is also possible. The fabric is opaque but translucent. The EASYFIX Decor roller blind is rolled up and down by means of a chain. The chain can be mounted on the left or right-hand side.

668 seasons white/white



Fabric 100% polyester, translucent, with side-pull drive, mini roller shaft Ø 18 mm, glueing or clamping for easy mounting on the window casement, adjustable clamping bracket (15-22 mm), screw mounting possible, side-pull gear can be mounted on right or left.
roller blind width - approx. 3 cm = fabric dimension

Info: Clamp bracket only suitable for windows with rubber seal.

		 (cm)	Art. Nr.	EAN
668 seasons white/white	1 x 1	60 x 150	31234	4 003018 278405
	1 x 1	75 x 150	31235	4 003018 278412
	1 x 1	100 x 150	31236	4 003018 278429
	1 x 1	120 x 150	31237	4 003018 278436

EASYFIX ROLLER BLIND

100 Scandinavian white/natural



Fabric 100% polyester, translucent, with side-pull drive, mini roller shaft Ø 18 mm, glueing or clamping for easy mounting on the window casement, adjustable clamping bracket (15-22 mm), screw mounting possible, side-pull gear can be mounted on right or left.

roller blind width - approx. 3 cm = fabric dimension

Info: Clamp bracket only suitable for windows with rubber seal.

			Art. Nr.	EAN
100 Scandinavian white/natural	1 x 1	45 x 150	32330	4 003018 330592
	1 x 1	60 x 150	33029	4 003018 285847
	1 x 1	75 x 150	33030	4 003018 285854
	1 x 1	100 x 150	33031	4 003018 285861
	1 x 1	120 x 150	33032	4 003018 285878

101 Stripes white/white



Fabric 100% polyester, translucent, with side-pull drive, mini roller shaft Ø 18 mm, glueing or clamping for easy mounting on the window casement, adjustable clamping bracket (15-22 mm), screw mounting possible, side-pull gear can be mounted on right or left.

roller blind width - approx. 3 cm = fabric dimension

Info: Clamp bracket only suitable for windows with rubber seal.

			Art. Nr.	EAN
101 Stripes white/white	1 x 1	60 x 150	33025	4 003018 285809
	1 x 1	75 x 150	33026	4 003018 285816
	1 x 1	100 x 150	33027	4 003018 285823
	1 x 1	120 x 150	33028	4 003018 285830

721 embroidery silver



Fabric 100% polyester, translucent, with side-pull drive, mini roller shaft Ø 18 mm, glueing or clamping for easy mounting on the window casement, adjustable clamping bracket (15-22 mm), screw mounting possible, side-pull gear can be mounted on right or left.

roller blind width - approx. 3 cm = fabric dimension

Info: Clamp bracket only suitable for windows with rubber seal.

			Art. Nr.	EAN
721 embroidery silver	1 x 1	45 x 150	33300	4 003018 291824
	1 x 1	60 x 150	33301	4 003018 291831
	1 x 1	75 x 150	33302	4 003018 291848
	1 x 1	100 x 150	33303	4 003018 291855
	1 x 1	120 x 150	33304	4 003018 291862
	1 x 1	90 x 210	33305	4 003018 291879

Triangle



Fabric 100% polyester, translucent, with side-pull drive and ball chain, mini roller shaft Ø 18 mm, glueing or clamping for easy mounting on the window casement, adjustable clamping bracket (15-22 mm), screw mounting possible, can be easily shortened in width, side-pull gear can be mounted on right or left.
roller blind width - approx.
3 cm = fabric dimension

Info: Clamp bracket only suitable for windows with rubber seal.

		\leftrightarrow x \updownarrow (cm)	Art. Nr.	EAN
Triangle	1 x 1	45 x 150	32973	4 003018 357155
	1 x 1	60 x 150	32974	4 003018 357162
	1 x 1	75 x 150	32975	4 003018 357179
	1 x 1	100 x 150	32976	4 003018 357186
	1 x 1	120 x 150	32977	4 003018 357193

EASYFIX Roller Blind Decor Natural Camouflage

The EASYFIX Roller Blind Decor Natural Camouflage can be attached to the window casement without drilling or screwing. The adjustable clamp brackets can be adapted and mounted to fit on almost any casement. The fabric is opaque but translucent. The EASYFIX roller blind Decor Natural Camouflage is rolled up and down by means of a chain. The chain can be mounted on the left or right-hand side.

Light grey/taupe



Fabric 100% polyester, translucent, with side-pull gear and ball chain, mini roller blind Ø 18 mm, incl. mounting accessories for clamping for easy mounting on the window casement, adjustable clamp bracket (adjustment range 8-30 mm), screw mounting possible, easy to shorten in width, side-pull gear can be mounted either on the right or left
Roller blind width - approx.
3 cm = fabric width

Info: Clamp bracket only suitable for windows with rubber seal.

		\leftrightarrow x \updownarrow (cm)	Art. Nr.	EAN
Light grey/taupe	1 x 1	45 x 150	36167	4 003018 359692
	1 x 1	60 x 150	36168	4 003018 359708
	1 x 1	75 x 150	36169	4 003018 359715
	1 x 1	100 x 150	36170	4 003018 359722

EASYFIX ROLLER BLIND

chocolate/sand



Fabric 100% polyester, translucent, with side-pull gear and ball chain, mini roller blind Ø 18 mm, incl. mounting accessories for clamping for easy mounting on the window casement, adjustable clamp bracket (adjustment range 8-30 mm), screw mounting possible, easy to shorten in width, side-pull gear can be mounted either on the right or left

Roller blind width - approx. 3 cm = fabric width


Info: Clamp bracket only suitable for windows with rubber seal.

			Art. Nr.	EAN
chocolate/sand	1 x 1	45 x 150	36171	4 003018 359739
	1 x 1	60 x 150	36172	4 003018 359746
	1 x 1	75 x 150	36173	4 003018 359753
	1 x 1	100 x 150	36174	4 003018 359760

EASYFIX Roller Blind Marrakech

The EASYFIX roller blind Marrakech can be attached to the window casement without drilling or screwing. The adjustable clamp brackets can be adjusted to fit almost any window casement and mounted on it. Adhesive mounting is also possible. The fabric is opaque but translucent and designed in the style of oriental tile patterns. The EASYFIX roller blind Marrakech is rolled up and down using a chain. The chain can be mounted on the right or left.

rose



Fabric 100% polyester, translucent, with side-pull drive, mini roller shaft Ø 18 mm, glueing or clamping for easy mounting on the window casement, adjustable clamping bracket (15-22 mm), screw mounting possible, side-pull gear can be mounted on right or left.

roller blind width - approx. 3 cm = fabric dimension

Info: Clamp bracket only suitable for windows with rubber seal.

			Art. Nr.	EAN
rose	1 x 1	45 x 150	32682	4 003018 341871
	1 x 1	60 x 150	32683	4 003018 341888
	1 x 1	75 x 150	32684	4 003018 341895
	1 x 1	100 x 150	32685	4 003018 341901

EASYFIX Roller Blind Nature

The EASYFIX roller blind Nature can be attached to the window casement without drilling or screwing. The adjustable clamping bracket can be adapted and mounted to fit on almost any casement. Adhesive mounting is also possible. The fabric is opaque but translucent. The EASYFIX roller blind Nature is rolled up and down by means of a chain. The chain can be mounted on the left or right-hand side.

117 White



Fabric 25% Polyester, 75% paper, natural optics, translucent, mini roller shaft Ø 18 mm, glueing or clamping for easy mounting on the window casement, clamp bracket adjustable (15-22 mm), screw mounting possible, side-pull drive mounted on the right or left roller blind width - approx. 3 cm = fabric dimension

Info: Clamp bracket only suitable for windows with rubber seal.

			Art. Nr.	EAN
117 White	1 x 1	45 x 150	32226	4 003018 329541
	1 x 1	60 x 150	30711	4 003018 262435
	1 x 1	75 x 150	30712	4 003018 262442
	1 x 1	100 x 150	30713	4 003018 262459
	1 x 1	120 x 150	30714	4 003018 275060

116 Nougat



Fabric 25% Polyester, 75% paper, natural optics, translucent, mini roller shaft Ø 18 mm, glueing or clamping for easy mounting on the window casement, clamp bracket adjustable (15-22 mm), screw mounting possible, side-pull drive mounted on the right or left roller blind width - approx. 3 cm = fabric dimension

Info: Clamp bracket only suitable for windows with rubber seal.

			Art. Nr.	EAN
116 Nougat	1 x 1	45 x 150	32225	4 003018 329534
	1 x 1	60 x 150	30707	4 003018 262404
	1 x 1	75 x 150	30708	4 003018 262411
	1 x 1	100 x 150	30709	4 003018 262428
	1 x 1	120 x 150	30710	4 003018 275053




EASYFIX ROLLER BLIND

115 Black & white



Fabric 25% Polyester, 75% paper, natural optics, translucent, mini roller shaft Ø 18 mm, glueing or clamping for easy mounting on the window casement, clamp bracket adjustable (15-22 mm), screw mounting possible, side-pull drive mounted on the right or left roller blind width - approx. 3 cm = fabric dimension

Info: Clamp bracket only suitable for windows with rubber seal.




		 (cm)	Art. Nr.	EAN
115 Black & white	1 x 1	45 x 150	32224	4 003018 329527
	1 x 1	60 x 150	30703	4 003018 262374
	1 x 1	75 x 150	30704	4 003018 262381
	1 x 1	100 x 150	30705	4 003018 262398
	1 x 1	120 x 150	30706	4 003018 275046

119 grey melange



Fabric 25% polyester, 75% paper, natural look, translucent, mini roller shaft Ø 18 mm, gluing or clamping for easy mounting on the window casement, clamp bracket adjustable (15-22 mm), screw mounting possible, side-pull drive mounted on the right or left roller blind width - approx. 3 cm = fabric dimension

Info: Clamp bracket only suitable for windows with rubber seal.

		 (cm)	Art. Nr.	EAN
119 grey melange	1 x 1	45 x 150	36316	4 003018 364528
	1 x 1	60 x 150	36317	4 003018 364535
	1 x 1	75 x 150	36318	4 003018 364542
	1 x 1	100 x 150	36319	4 003018 364559

EASYFIX Roller Blind Napoli








The EASYFIX roller blind Napoli can be attached to the window casement without drilling or screwing. The adjustable clamp brackets can be adjusted to fit almost any window casement and mounted on it. Adhesive mounting is also possible. The fabric is slightly structured, opaque but translucent. The EASYFIX roller blind Napoli is rolled up and down using a chain. The chain can be mounted on the right or left. For maintenance, the fabric can be brushed off with a brush or feather duster or carefully wiped with a damp cloth (without detergent).

732 grey



Fabric 100% polyester, translucent, with side-pull drive, mini roller shaft Ø 18 mm, glueing or clamping for easy mounting on the window casement, adjustable clamping bracket (15-22 mm), screw mounting possible, side-pull gear can be mounted on right or left.
roller blind width - approx. 3 cm = fabric dimension

Info: Clamp bracket only suitable for windows with rubber seal.








		 (cm)	Art. Nr.	EAN
732 grey	1 x 1	45 x 150	32089	
	1 x 1	60 x 150	32090	
	1 x 1	75 x 150	32091	
	1 x 1	100 x 150	32092	

737 brown



Fabric 100% polyester, translucent, with side-pull drive, mini roller shaft Ø 18 mm, glueing or clamping for easy mounting on the window casement, adjustable clamping bracket (15-22 mm), screw mounting possible, side-pull gear can be mounted on right or left.
roller blind width - approx. 3 cm = fabric dimension

Info: Clamp bracket only suitable for windows with rubber seal.

		 (cm)	Art. Nr.	EAN
737 brown	1 x 1	45 x 150	32081	
	1 x 1	60 x 150	32082	
	1 x 1	75 x 150	32083	
	1 x 1	100 x 150	32084	

EASYFIX ROLLER BLIND

EASYFIX Roller Blind Shaun









The EASYFIX roller blind Shaun can be attached to the window casement without drilling or screwing. The adjustable clamp brackets can be adjusted to fit almost any window casement and mounted on it. Adhesive mounting is also possible. The fabric is opaque but translucent. The EASYFIX roller blind Shaun is rolled up and down using a chain. The chain can be mounted on the right or left. The high-quality fabric makes the EASYFIX roller blind Shaun look particularly elegant. With its diamond pattern, the fabric is reminiscent of wool and creates a particularly cosy, homely atmosphere.

white



Fabric 100% polyester, translucent, with side-pull drive and ball chain, mini roller shaft Ø 18 mm, gluing or clamping for easy mounting on the window casement, adjustable clamp bracket (15-22 mm), screw mounting possible, side-pull gear can be mounted on right or left
Roller blind width - approx. 3 cm = fabric dimension

Info: Clamp bracket only suitable for windows with rubber seal.









		 (cm)	Art. Nr.	EAN
white	1 x 1	45 x 160	36358	
	1 x 1	60 x 160	36359	
	1 x 1	75 x 160	36360	
	1 x 1	100 x 160	36361	
	1 x 1	120 x 160	36362	

Light grey



Fabric 100% polyester, translucent, with side-pull drive and ball chain, mini roller shaft Ø 18 mm, gluing or clamping for easy mounting on the window casement, adjustable clamp bracket (15-22 mm), screw mounting possible, side-pull gear can be mounted on right or left
Roller blind width - approx. 3 cm = fabric dimension

Info: Clamp bracket only suitable for windows with rubber seal.

		 (cm)	Art. Nr.	EAN
Light grey	1 x 1	45 x 160	36363	
	1 x 1	60 x 160	36364	
	1 x 1	75 x 160	36365	
	1 x 1	100 x 160	36366	
	1 x 1	120 x 160	36367	

EASYFIX Roller Blind Magic Screen








The EASYFIX roller blind Magic Screen can be attached to the window casement without drilling or screwing. The adjustable clamp brackets can be adjusted to fit almost any window casement and mounted on it. Adhesive mounting is also possible. The mounting rail means that the roller blind can be installed particularly quickly. The fabric is ideal for glare protection and at the same time provides a good view of the outside. From the outside, the roller blind still offers privacy during the day. The EASYFIX roller blind Magic Screen is rolled up and down using a chain. The chain can be mounted on the right or left.

white




Fabric 30% Polyester, 70% PVC, translucent, easy-care fabric with a damp cloth, glare and heat protection, yet a good view to the outside, daytime privacy, mini roller shaft Ø 18 mm, blind pre-mounted on mounting rail, glueing or clamping for easy installation on the window sash, clamp brackets adjustable (14-25 mm), screw mounting possible, side-pull drive either right or left-hand side roller blind width - approx. 3 cm = fabric dimension

Info: Clamp bracket only suitable for windows with rubber seal.








		 (cm)	Art. Nr.	EAN
white	1 x 1	45 x 150	32100	
	1 x 1	60 x 150	32101	
	1 x 1	75 x 150	32102	
	1 x 1	100 x 150	32103	

Grey



Fabric 30% Polyester, 70% PVC, translucent, easy-care fabric with a damp cloth, glare and heat protection, yet a good view to the outside, daytime privacy, mini roller shaft Ø 18 mm, blind pre-mounted on mounting rail, glueing or clamping for easy installation on the window sash, clamp brackets adjustable (14-25 mm), screw mounting possible, side-pull drive either right or left-hand side roller blind width - approx. 3 cm = fabric dimension

Info: Clamp bracket only suitable for windows with rubber seal.

		 (cm)	Art. Nr.	EAN
Grey	1 x 1	45 x 150	32112	
	1 x 1	60 x 150	32113	
	1 x 1	75 x 150	32114	
	1 x 1	100 x 150	32115	

EASYFIX Roller Blind Thermal ENERGY SAVING

The EASYFIX roller blind Thermo can be attached to the window casement without drilling or screwing. The adjustable clamping bracket can be adapted and mounted to fit on almost any casement. Adhesive mounting is also possible. The fabric is opaque and energy-saving in cold months and heat-repellent in warm months due to its aluminium-coated reverse side. The EASYFIX Thermo roller blind is rolled up and down by means of a chain. The chain can be mounted on the left or right-hand side.

244 white



Fabric 100% polyester, opaque, with side-pull drive, highest light reflection, thermal rear side aluminium-coated, mini roller shaft Ø 18 mm, glueing or clamping for easy mounting on the window casement, adjustable clamping bracket (15-22 mm), screw mounting possible, side-pull drive can be mounted on right or left.
roller blind width - approx. 3 cm = fabric dimension

Info: Clamp bracket only suitable for windows with rubber seal.

			Art. Nr.	EAN
244 white	1 x 1	45 x 150	31180	4 003018 275510
	1 x 1	60 x 150	12550	4 003018 198659
	1 x 1	75 x 150	12551	4 003018 198666
	1 x 1	100 x 150	12552	4 003018 198673
	1 x 1	120 x 150	30740	4 003018 262770
	1 x 1	90 x 210	31544	4 003018 283744

345 natural



Fabric 100% polyester, opaque, with side-pull drive, highest light reflection, thermal rear side aluminium-coated, mini roller shaft Ø 18 mm, glueing or clamping for easy mounting on the window casement, adjustable clamping bracket (15-22 mm), screw mounting possible, side-pull drive can be mounted on right or left.
roller blind width - approx. 3 cm = fabric dimension

Info: Clamp bracket only suitable for windows with rubber seal.

			Art. Nr.	EAN
345 natural	1 x 1	45 x 150	31194	4 003018 275657
	1 x 1	60 x 150	12585	4 003018 201311
	1 x 1	75 x 150	12586	4 003018 201328
	1 x 1	100 x 150	12587	4 003018 201335
	1 x 1	120 x 150	30744	4 003018 262817
	1 x 1	90 x 210	31545	4 003018 283751



909 grey



Fabric 100% polyester, opaque, with side-pull drive, highest light reflection, thermal rear side aluminum-coated, mini roller shaft Ø 18 mm, glueing or clamping for easy mounting on the window casement, adjustable clamping bracket (15-22 mm), screw mounting possible, side-pull drive can be mounted on right or left.
roller blind width - approx. 3 cm = fabric dimension

Info: Clamp bracket only suitable for windows with rubber seal.

		↔ x ↑ (cm)	Art. Nr.	EAN
909 grey	1 x 1	45 x 150	32262	4 003018 329862
	1 x 1	60 x 150	32263	4 003018 329879
	1 x 1	75 x 150	32264	4 003018 329886
	1 x 1	100 x 150	32265	4 003018 329893
	1 x 1	120 x 150	32266	4 003018 329909
	1 x 1	90 x 210	32267	4 003018 329916

245 purple



Fabric 100% polyester, opaque, with side-pull drive, highest light reflection, thermal rear side aluminum-coated, mini roller shaft Ø 18 mm, glueing or clamping for easy mounting on the window casement, adjustable clamping bracket (15-22 mm), screw mounting possible, side-pull drive can be mounted on right or left.
roller blind width - approx. 3 cm = fabric dimension

Info: Clamp bracket only suitable for windows with rubber seal.

		↔ x ↑ (cm)	Art. Nr.	EAN
245 purple	1 x 1	45 x 150	31182	4 003018 275534
	1 x 1	60 x 150	12547	4 003018 236160
	1 x 1	75 x 150	12548	4 003018 236177
	1 x 1	100 x 150	12549	4 003018 236184
	1 x 1	120 x 150	30743	4 003018 262800
	1 x 1	90 x 210	31547	4 003018 283775




EASYFIX ROLLER BLIND

247 apple



Fabric 100% polyester, opaque, with side-pull drive, highest light reflection, thermal rear side aluminum-coated, mini roller shaft Ø 18 mm, glueing or clamping for easy mounting on the window casement, adjustable clamping bracket (15-22 mm), screw mounting possible, side-pull drive can be mounted on right or left.
roller blind width - approx. 3 cm = fabric dimension

Info: Clamp bracket only suitable for windows with rubber seal.




		 (cm)	Art. Nr.	EAN
247 apple	1 x 1	45 x 150	31183	4 003018 275541
	1 x 1	60 x 150	12559	4 003018 198741
	1 x 1	75 x 150	12560	4 003018 198758
	1 x 1	100 x 150	12561	4 003018 198765
	1 x 1	120 x 150	30742	4 003018 262794
	1 x 1	90 x 210	31546	4 003018 283768

246 Slate



Fabric 100% polyester, opaque, with side-pull drive, highest light reflection, thermal rear side aluminum-coated, mini roller shaft Ø 18 mm, glueing or clamping for easy mounting on the window casement, adjustable clamping bracket (15-22 mm), screw mounting possible, side-pull drive can be mounted on right or left.
roller blind width - approx. 3 cm = fabric dimension

Info: Clamp bracket only suitable for windows with rubber seal.

		 (cm)	Art. Nr.	EAN
246 Slate	1 x 1	45 x 150	31181	4 003018 275527
	1 x 1	60 x 150	12544	4 003018 236139
	1 x 1	75 x 150	12545	4 003018 236146
	1 x 1	100 x 150	12546	4 003018 236153
	1 x 1	120 x 150	30745	4 003018 262824
	1 x 1	90 x 210	31548	4 003018 283794



254 blue



Fabric 100% polyester, opaque, with side-pull drive, highest light reflection, thermal rear side aluminum-coated, mini roller shaft Ø 18 mm, glueing or clamping for easy mounting on the window casement, adjustable clamping bracket (15-22 mm), screw mounting possible, side-pull drive can be mounted on right or left.
roller blind width - approx. 3 cm = fabric dimension

Info: Clamp bracket only suitable for windows with rubber seal.

		\leftrightarrow x \updownarrow (cm)	Art. Nr.	EAN
254 blue	1 x 1	60 x 150	30746	4 003018 276500
	1 x 1	75 x 150	30747	4 003018 276517
	1 x 1	100 x 150	30748	4 003018 276524
	1 x 1	120 x 150	30749	4 003018 276531

dots grey



Fabric 100% polyester, opaque, with side-pull drive, highest light reflection, thermal rear side aluminum-coated, mini roller shaft Ø 18 mm, glueing or clamping for easy mounting on the window casement, adjustable clamping bracket (15-22 mm), screw mounting possible, side-pull drive can be mounted on right or left.
roller blind width - approx. 3 cm = fabric dimension

Info: Clamp bracket only suitable for windows with rubber seal.

		\leftrightarrow x \updownarrow (cm)	Art. Nr.	EAN
dots grey	1 x 1	45 x 150	36368	4 003018 366140
	1 x 1	60 x 150	36369	4 003018 366157
	1 x 1	75 x 150	36370	4 003018 366164
	1 x 1	100 x 150	36371	4 003018 366171
	1 x 1	120 x 150	36372	4 003018 366188

EASYFIX ROLLER BLIND

EASYFIX Soft-Roller Blind Thermo




The EASYFIX soft roller blind Thermo can be attached to the window casement without drilling or screwing. The adjustable clamp brackets can be adjusted to fit almost any window casement and mounted on it. Screw mounting is also possible. The fabric is opaque and its aluminium-coated back saves energy in cold months and repels heat in warm months. The roller blind can be locked in any height by hand. The innovative technology of the EASYFIX soft roller blind Thermo makes it roll up as if by itself. The roll-up speed can be regulated via an adjustment wheel.

244 white



Fabric 100% polyester, opaque, back with thermal coating, mini roller shaft Ø 18 mm, for clamping for easy installation on the window casement, clamp bracket adjustable (12-24 mm), screw mounting possible, bracket white, operating handle transparent, with pre-assembled spring, locking at any height, roll-up speed adjustable via adjusting wheel
Roller blind width - approx. 3 cm = fabric size

Info: Clamp bracket only suitable for windows with rubber seal.

		 (cm)	Art. Nr.	EAN
244 white	1 x 1	45 x 150	32026	4 003018 325567
	1 x 1	60 x 150	32027	4 003018 325574
	1 x 1	75 x 150	32028	4 003018 325581
	1 x 1	100 x 150	32029	4 003018 325598
	1 x 1	120 x 150	32030	4 003018 325604

EASYFIX Double Roller Blind




The EASYFIX Double roller blind can be mounted on the window casement without drilling or screwing. The adjustable clamping bracket can be adapted and mounted to fit on almost any window casement. Adhesive mounting is also possible. The fabric is woven in alternating transparent and opaque stripes which run against each other twice. Vision and light can therefore be very precisely metered. The EASYFIX Double roller blind is rolled up and down by means of a chain. The chain can be mounted on the right or left-hand side.

white



Fabric 100% polyester, fabric woven in segments for adjustable light dosage, mini roller shaft Ø 18 mm, glueing or clamping for easy mounting on the window casement, clamping bracket adjustable (15-22 mm), screw mounting possible, side-pull drive can be mounted on the right or left
roller blind width - approx. 5 cm = fabric dimension

Info: Clamp bracket only suitable for windows with rubber seal.




		 (cm)	Art. Nr.	EAN
white	1 x 1	45 x 150	33680	4 003018 297581
	1 x 1	60 x 150	31080	4 003018 272724
	1 x 1	75 x 150	31081	4 003018 272731
	1 x 1	100 x 150	31082	4 003018 272748
	1 x 1	120 x 150	31083	4 003018 272755
	1 x 1	90 x 220	31310	4 003018 279785

cream



Fabric 100% polyester, fabric woven in segments for adjustable light dosage, mini roller shaft Ø 18 mm, glueing or clamping for easy mounting on the window casement, clamping bracket adjustable (15-22 mm), screw mounting possible, side-pull drive can be mounted on the right or left roller blind width - approx. 5 cm = fabric dimension

Info: Clamp bracket only suitable for windows with rubber seal.




		 (cm)	Art. Nr.	EAN
cream	1 x 1	45 x 150	33681	4 003018 297598
	1 x 1	60 x 150	31084	4 003018 272762
	1 x 1	75 x 150	31085	4 003018 272779
	1 x 1	100 x 150	31086	4 003018 272786
	1 x 1	120 x 150	31087	4 003018 272793
	1 x 1	90 x 220	31311	4 003018 279792

Mocca



Fabric 100% polyester, fabric woven in segments for adjustable light dosage, mini roller shaft Ø 18 mm, glueing or clamping for easy mounting on the window casement, clamping bracket adjustable (15-22 mm), screw mounting possible, side-pull drive can be mounted on the right or left roller blind width - approx. 5 cm = fabric dimension

Info: Clamp bracket only suitable for windows with rubber seal.




		 (cm)	Art. Nr.	EAN
Mocca	1 x 1	45 x 150	33682	4 003018 297604
	1 x 1	60 x 150	31088	4 003018 272809
	1 x 1	75 x 150	31089	4 003018 272816
	1 x 1	100 x 150	31090	4 003018 272823
	1 x 1	120 x 150	31091	4 003018 272830
	1 x 1	90 x 220	31312	4 003018 279808

Light grey



Fabric 100% polyester, fabric woven in segments for adjustable light dosage, mini roller shaft Ø 18 mm, glueing or clamping for easy mounting on the window casement, clamping bracket adjustable (15-22 mm), screw mounting possible, side-pull drive can be mounted on the right or left roller blind width - approx. 5 cm = fabric dimension

Info: Clamp bracket only suitable for windows with rubber seal.

		 (cm)	Art. Nr.	EAN
Light grey	1 x 1	60 x 150	32984	4 003018 358121
	1 x 1	75 x 150	32985	4 003018 358138
	1 x 1	100 x 150	32986	4 003018 358145

EASYFIX ROLLER BLIND

EASYFIX Double Roller Blind Checked








The EASYFIX double roller blind Checked can be attached to the window casement without drilling and screwing. The adjustable clamp bracket can be adapted and mounted to fit on almost any casement. Adhesive mounting is also possible. The roller blind is very quickly fitted by means of the mounting rail. The fabric is woven in alternating transparent and opaque stripes which run against each other twice. Vision and light can therefore be very precisely metered. The EASYFIX double roller blind Checked is rolled up and down by means of a chain. The chain can be mounted on the left or right-hand side. For care, the fabric can be brushed off with a brush or feather duster or carefully wiped with a damp cloth (without detergent).

white




Fabric 100% polyester, fabric woven in segments for adjustable light dosage, mini roller shaft Ø 18 mm, glueing or clamping for easy mounting on the window casement, clamping bracket adjustable (14-25 mm), screw mounting possible, side-pull drive can be mounted on the right or left
roller blind width - approx. 3 cm = fabric dimension

Info: Clamp bracket only suitable for windows with rubber seal.








		 (cm)	Art. Nr.	EAN
white	1 x 1	45 x 150	33910	
	1 x 1	60 x 150	33911	
	1 x 1	75 x 150	33912	
	1 x 1	100 x 150	33913	

graphite



Fabric 100% polyester, fabric woven in segments for adjustable light dosage, mini roller shaft Ø 18 mm, glueing or clamping for easy mounting on the window casement, clamping bracket adjustable (14-25 mm), screw mounting possible, side-pull drive can be mounted on the right or left
roller blind width - approx. 3 cm = fabric dimension

Info: Clamp bracket only suitable for windows with rubber seal.

		 (cm)	Art. Nr.	EAN
graphite	1 x 1	45 x 150	33914	
	1 x 1	60 x 150	33915	
	1 x 1	75 x 150	33916	
	1 x 1	100 x 150	33917	

EASYFIX Double Roller Blind Triangle











The EASYFIX double roller blind Triangle can be attached to the window casement without drilling and screwing. The adjustable clamp brackets can be adapted to fit on almost any window casement and mounted on it. Adhesive mounting is also possible. The roller blind is very quickly fitted by means of the mounting rail. The fabric is woven in alternating transparent and opaque segments which run against each other twice. Visibility and light can therefore be very precisely metered. The EASYFIX double roller blind Triangle is rolled up and down by means of a chain. The chain can be mounted on the left or right-hand side. For care, the fabric can be brushed off with a brush or feather duster or carefully wiped with a damp cloth (without detergent).

white/grey



Fabric 100% polyester, fabric woven in segments for adjustable light dosage, an extraordinary effect is created in every operating position, mini roller shaft Ø 18 mm, glueing or clamping for easy mounting on the window casement, clamping bracket adjustable (14-25 mm), screw mounting possible, side-pull drive can be mounted on the right or left roller blind width - approx. 3 cm = fabric dimension

Info: Clamp bracket only suitable for windows with rubber seal.

		 x  (cm)	Art. Nr.	EAN
white/grey	1 x 1	45 x 150	32404	
	1 x 1	60 x 150	32405	
	1 x 1	75 x 150	32406	
	1 x 1	100 x 150	32407	
	1 x 1	120 x 150	32408	
	1 x 1	90 x 220	32409	

EASYFIX ROLLER BLIND

EASYFIX Double Roller Blind Cut-Out

The EASYFIX double roller blind Cut-Out can be attached to the window casement without drilling or screwing. The adjustable clamp brackets can be adjusted to fit almost any window casement and mounted on it. Adhesive mounting is also possible. The fabric runs double against each other. Alternating woven areas and areas cut out in geometric shapes create a special play of light. Visibility and light can thus be very precisely metered. The EASYFIX double roller blind Cut-Out is rolled up and down using a chain. The chain can be mounted on the right or left. For care, the fabric can be brushed off with a brush or feather duster or carefully wiped with a damp cloth (without detergent).

Triangle white



Fabric 100% polyester, the fabric is woven with alternating open and closed areas and runs double against each other, an extraordinary effect is created in every operating position, mini roller shaft Ø 18 mm, with mounting rail, gluing or clamping for easy installation on the window casement, clamp bracket with adjustment range 14-25 mm, screw mounting possible, side wind gear can be mounted either on the right or left Roller blind width - approx. 3 cm = fabric dimension

Info: Clamp bracket only suitable for windows with rubber seal.

			Art. Nr.	EAN
Triangle white	1 x 1	45 x 150	32530	4 003018 334927
	1 x 1	60 x 150	32531	4 003018 334934
	1 x 1	75 x 150	32532	4 003018 334941
	1 x 1	100 x 150	32533	4 003018 334958



Square white



Fabric 100% polyester, the fabric is woven with alternating open and closed areas and runs double against each other, an extraordinary effect is created in every operating position, mini roller shaft Ø 18 mm, with mounting rail, gluing or clamping for easy installation on the window casement, clamp bracket with adjustment range 14-25 mm, screw mounting possible, side wind gear can be mounted either on the right or left Roller blind width - approx. 3 cm = fabric dimension

Info: Clamp bracket only suitable for windows with rubber seal.

			Art. Nr.	EAN
Square white	1 x 1	45 x 150	32534	4 003018 334965
	1 x 1	60 x 150	32535	4 003018 334972
	1 x 1	75 x 150	32536	4 003018 334989
	1 x 1	100 x 150	32537	4 003018 334996






Circle white



Fabric 100% polyester, the fabric is woven with alternating open and closed areas and runs double against each other, an extraordinary effect is created in every operating position, mini roller shaft Ø 18 mm, with mounting rail, gluing or clamping for easy installation on the window casement, clamp bracket with adjustment range 14-25 mm, screw mounting possible, side wind gear can be mounted either on the right or left Roller blind width - approx. 3 cm = fabric dimension

Info: Clamp bracket only suitable for windows with rubber seal.

		 (cm)	Art. Nr.	EAN
Circle white	1 x 1	45 x 150	32538	4 003018 335009
	1 x 1	60 x 150	32539	4 003018 335016
	1 x 1	75 x 150	32540	4 003018 335023
	1 x 1	100 x 150	32541	4 003018 335030






Accessories for EASYFIX Roller Blind

Additional optional accessories for GARDINIA EASYFIX roller blinds are side profiles as tilt protection and for side darkening, an EASYFIX adhesive and clamping set and the EASYFIX design set in transparent.

Side profile for roller blind



Plastic, for blocking light along the sides, self-adhesive, profile width 20 x 15 mm, prevents the blind from swinging when the window is tilted

		 (cm)	Art. Nr.	EAN
white	1 x 1 Pair	150	12930	4 003018 235651
	1 x 1 Pair	210	31550	4 003018 283782







EASYFIX ROLLER BLIND

EASYFIX bond and clamp set



Simple mounting directly to window casement without drilling or use of screws, adjustable clamping bracket, adjustment range: 15-22 mm, clamping bracket can also be used as adhesive support by snapping off the clamping bracket





			Art. Nr.	EAN
white	6 x 1 Set		30350	

Info: Clamp bracket only suitable for windows with rubber seal.

EASYFIX Design Set



Side-pull conversion kit made of plastic for EASYFIX roller blinds with metal shaft Ø 18 mm, glue or clamp directly onto the window casement, without drilling or screws, incl. 2 brackets, side-pull drive with chain length of 100 cm (working length) and counter-weight with adapter and covers, adhesive plates, adjustable clamping bracket (15-22 mm), safety chain connector and chain weight, side-pull drive can be mounted on the right or left

			Art. Nr.	EAN
transparent	6 x 1 Set		33070	

Info: Clamp bracket only suitable for windows with rubber seal.

Side-pull Roller Blind TRANSLUCENT




The side-wind roller blind TRANSLUCENT is attached with screws to the wall, ceiling or in the window recess. The fabric is opaque but translucent. The side-wind roller blind is rolled up and down by means of a chain. The chain can be mounted on the left or right-hand side. The white end profile ensures a high-quality look.

612 plain white



Fabric 100% polyester, translucent, with side-pull gear GT-1, metal shaft Ø 25 mm, incl. mounting material for ceiling, wall or niche mounting, side-pull drive can be mounted on right or left, closure profile in white
roller blind width - approx. 4 cm = fabric dimension

Tip: installation without drilling or use of screws with clamping bracket, art. no. 7063.

		 (cm)	Art. Nr.	EAN
612 plain white	1 x 1	52 x 180	6612052180	4 003018 239871
	1 x 1	62 x 180	6612062180	4 003018 733034
	1 x 1	82 x 180	6612082180	4 003018 733058
	1 x 1	92 x 180	6612092180	4 003018 733065
	1 x 1	102 x 180	6612102180	4 003018 733072
	1 x 1	112 x 180	6612112180	4 003018 733089
	1 x 1	122 x 180	6612122180	4 003018 733096
	1 x 1	142 x 180	6612142180	4 003018 733119
	1 x 1	162 x 180	6612162180	4 003018 733133
	1 x 1	182 x 180	6612182180	4 003018 733157
	1 x 1	202 x 180	6612202180	4 003018 733171
	1 x 1	82 x 230	6612082230	4 003018 733300
	1 x 1	102 x 230	6612102230	4 003018 733324

715 plain champagne



Fabric 100% polyester, translucent, with side-pull gear GT-1, metal shaft Ø 25 mm, incl. mounting material for ceiling, wall or niche mounting, side-pull drive can be mounted on right or left, closure profile in white
roller blind width - approx. 4 cm = fabric dimension

Tip: installation without drilling or use of screws with clamping bracket, art. no. 7063.

		 (cm)	Art. Nr.	EAN
715 plain champagne	1 x 1	52 x 180	6715052180	4 003018 239888
	1 x 1	62 x 180	6715062180	4 003018 592273
	1 x 1	82 x 180	6715082180	4 003018 592280
	1 x 1	92 x 180	6715092180	4 003018 592297
	1 x 1	102 x 180	6715102180	4 003018 592303
	1 x 1	112 x 180	6715112180	4 003018 592310
	1 x 1	122 x 180	6715122180	4 003018 592327
	1 x 1	142 x 180	6715142180	4 003018 592341
	1 x 1	162 x 180	6715162180	4 003018 592365
	1 x 1	182 x 180	6715182180	4 003018 592372
	1 x 1	202 x 180	6715202180	4 003018 592389
	1 x 1	102 x 230	6715102230	4 003018 592693

SIDE-PULL ROLLER BLIND

820 plain grey



Fabric 100% polyester, translucent, with side-pull gear GT-1, metal shaft Ø 25 mm, incl. mounting material for ceiling, wall or niche mounting, side-pull drive can be mounted on right or left, closure profile in white
roller blind width - approx. 4 cm = fabric dimension

Tip: installation without drilling or use of screws with clamping bracket, art. no. 7063.

			Art. Nr.	EAN
820 plain grey	1 x 1	52 x 180	6820052180	4 003018 244240
	1 x 1	62 x 180	6820062180	4 003018 244257
	1 x 1	82 x 180	6820082180	4 003018 244264
	1 x 1	92 x 180	6820092180	4 003018 244271
	1 x 1	102 x 180	6820102180	4 003018 244288
	1 x 1	112 x 180	6820112180	4 003018 244295
	1 x 1	122 x 180	6820122180	4 003018 244301
	1 x 1	142 x 180	6820142180	4 003018 244318
	1 x 1	162 x 180	6820162180	4 003018 244325

909 uni light grey



Fabric 100% polyester, translucent, with side-pull gear GT-1, metal shaft Ø 25 mm, incl. mounting material for ceiling, wall or niche mounting, side-pull drive can be mounted on right or left, closure profile in white
roller blind width - approx. 4 cm = fabric dimension

Tip: installation without drilling or use of screws with clamping bracket, art. no. 7063.

			Art. Nr.	EAN
909 uni light grey	1 x 1	82 x 180	6909082180	4 003018 342939
	1 x 1	92 x 180	6909092180	4 003018 342946
	1 x 1	102 x 180	6909102180	4 003018 342953
	1 x 1	112 x 180	6909112180	4 003018 342960
	1 x 1	122 x 180	6909122180	4 003018 342977
	1 x 1	142 x 180	6909142180	4 003018 342984

525 silvalin natural



Fabric 100% polyester, translucent, with side-pull gear GT-1, metal shaft Ø 25 mm, incl. mounting material for ceiling, wall or niche mounting, side-pull drive can be mounted on right or left, closure profile in white
roller blind width - approx. 4 cm = fabric dimension

Tip: installation without drilling or use of screws with clamping bracket, art. no. 7063.

			Art. Nr.	EAN
525 silvalin natural	1 x 1	52 x 180	6525052180	4 003018 715968
	1 x 1	62 x 180	6525062180	4 003018 715975
	1 x 1	82 x 180	6525082180	4 003018 715982
	1 x 1	92 x 180	6525092180	4 003018 715989
	1 x 1	102 x 180	6525102180	4 003018 715995
	1 x 1	112 x 180	6525112180	4 003018 715996
	1 x 1	122 x 180	6525122180	4 003018 715997
	1 x 1	142 x 180	6525142180	4 003018 715993
	1 x 1	162 x 180	6525162180	4 003018 716013

525 silvalin natural



Fabric 100% polyester, translucent, with side-pull gear GT-1, metal shaft Ø 25 mm, incl. mounting material for ceiling, wall or niche mounting, side-pull drive can be mounted on right or left, closure profile in white
roller blind width - approx. 4 cm = fabric dimension

Tip: installation without drilling or use of screws with clamping bracket, art. no. 7063.

			Art. Nr.	EAN
	1 x 1	182 x 180	6525182180	4 003018 716037
	1 x 1	202 x 180	6525202180	4 003018 716051
	1 x 1	82 x 230	6525082230	4 003018 594789
	1 x 1	102 x 230	6525102230	4 003018 594802

Side-pull Roller Blind SHADING

The side-wind roller blind SHADING is attached with screws to the wall, ceiling or in the window recess. The fabric is opaque and – through its colour-matched special coating on the reverse side of the fabric – provides perfect shading of the room. The roller blind is rolled up and down by means of a chain. The chain can be mounted on the left or right-hand side. The white end profile ensures a high-quality look.

390 white



Fabric 100% polyester, opaque, with side-pull gear GT-1, rear side with special coating colourmatched, metal shaft Ø 25 mm, incl. mounting material for ceiling, wall or recess mounting, side-pull drive can be mounted on right or left, closure profile in white
roller blind width - approx. 4 cm = fabric dimension

Tip: installation without drilling or use of screws with clamping bracket, art. no. 7063.

			Art. Nr.	EAN
390 white	1 x 1	52 x 180	6390052180	4 003018 240204
	1 x 1	62 x 180	6390062180	4 003018 702269
	1 x 1	82 x 180	6390082180	4 003018 702283
	1 x 1	92 x 180	6390092180	4 003018 702290
	1 x 1	102 x 180	6390102180	4 003018 702306
	1 x 1	112 x 180	6390112180	4 003018 702313
	1 x 1	122 x 180	6390122180	4 003018 702320
	1 x 1	142 x 180	6390142180	4 003018 702344
	1 x 1	162 x 180	6390162180	4 003018 702368
	1 x 1	182 x 180	6390182180	4 003018 702382
	1 x 1	202 x 180	6390202180	4 003018 702405
	1 x 1	82 x 230	6390082230	4 003018 197663
	1 x 1	102 x 230	6390102230	4 003018 197706

SIDE-PULL ROLLER BLIND

391 cream



Fabric 100% polyester, opaque, with side-pull gear GT-1, rear side with special coating colourmatched, metal shaft Ø 25 mm, incl. mounting material for ceiling, wall or recess mounting, side-pull drive can be mounted on right or left, closure profile in white
roller blind width - approx. 4 cm = fabric dimension

Tip: installation without drilling or use of screws with clamping bracket, art. no. 7063.

		 (cm)	Art. Nr.	EAN
391 cream	1 x 1	52 x 180	6391052180	4 003018 240211
	1 x 1	62 x 180	6391062180	4 003018 702450
	1 x 1	82 x 180	6391082180	4 003018 702474
	1 x 1	92 x 180	6391092180	4 003018 702481
	1 x 1	102 x 180	6391102180	4 003018 702498
	1 x 1	112 x 180	6391112180	4 003018 702504
	1 x 1	122 x 180	6391122180	4 003018 702511
	1 x 1	142 x 180	6391142180	4 003018 702535
	1 x 1	162 x 180	6391162180	4 003018 702559

341 mocca



Fabric 100% polyester, opaque, with side-pull gear GT-1, rear side with special coating colourmatched, metal shaft Ø 25 mm, incl. mounting material for ceiling, wall or recess mounting, side-pull drive can be mounted on right or left, closure profile in white
roller blind width - approx. 4 cm = fabric dimension

Tip: installation without drilling or use of screws with clamping bracket, art. no. 7063.




		 (cm)	Art. Nr.	EAN
341 mocca	1 x 1	52 x 180	6341052180	4 003018 240235
	1 x 1	62 x 180	6341062180	4 003018 194798
	1 x 1	82 x 180	6341082180	4 003018 194804
	1 x 1	92 x 180	6341092180	4 003018 194811
	1 x 1	102 x 180	6341102180	4 003018 194828
	1 x 1	112 x 180	6341112180	4 003018 194835
	1 x 1	122 x 180	6341122180	4 003018 194842
	1 x 1	142 x 180	6341142180	4 003018 194859
	1 x 1	162 x 180	6341162180	4 003018 194866

241 dark blue



Fabric 100% polyester, opaque, with side-pull gear GT-1, rear side with special coating colourmatched, metal shaft Ø 25 mm, incl. mounting material for ceiling, wall or recess mounting, side-pull drive can be mounted on right or left, closure profile in white
roller blind width - approx. 4 cm = fabric dimension

Tip: installation without drilling or use of screws with clamping bracket, art. no. 7063.

		 (cm)	Art. Nr.	EAN
241 dark blue	1 x 1	52 x 180	6241052180	4 003018 240280
	1 x 1	62 x 180	6241062180	4 003018 785521
	1 x 1	82 x 180	6241082180	4 003018 785538
	1 x 1	92 x 180	6241092180	4 003018 785545
	1 x 1	102 x 180	6241102180	4 003018 785552
	1 x 1	112 x 180	6241112180	4 003018 785569



SIDE-PULL ROLLER BLIND

GARDINIA®

241 dark blue



Fabric 100% polyester, opaque, with side-pull gear GT-1, rear side with special coating colourmatched, metal shaft Ø 25 mm, incl. mounting material for ceiling, wall or recess mounting, side-pull drive can be mounted on right or left, closure profile in white
roller blind width - approx. 4 cm = fabric dimension

Tip: installation without drilling or use of screws with clamping bracket, art. no. 7063.

			Art. Nr.	EAN
	1 x 1	122 x 180	6241122180	4 003018 785576
	1 x 1	142 x 180	6241142180	4 003018 785590
	1 x 1	162 x 180	6241162180	4 003018 785613

096 Grey



Fabric 100% polyester, opaque, with side-pull gear GT-1, rear side with special coating colourmatched, metal shaft Ø 25 mm, incl. mounting material for ceiling, wall or recess mounting, side-pull drive can be mounted on right or left, closure profile in white
roller blind width - approx. 4 cm = fabric dimension

Tip: installation without drilling or use of screws with clamping bracket, art. no. 7063.

			Art. Nr.	EAN
096 Grey	1 x 1	52 x 180	6096052180	4 003018 297154
	1 x 1	62 x 180	6096062180	4 003018 297161
	1 x 1	82 x 180	6096082180	4 003018 288893
	1 x 1	92 x 180	6096092180	4 003018 288909
	1 x 1	102 x 180	6096102180	4 003018 288916
	1 x 1	112 x 180	6096112180	4 003018 288923
	1 x 1	122 x 180	6096122180	4 003018 288930
	1 x 1	142 x 180	6096142180	4 003018 288947
	1 x 1	162 x 180	6096162180	4 003018 297178

SIDE-PULL ROLLER BLIND

Side-pull Roller Blind Thermal ENERGY-SAVING

The roller blind Thermo ENERGY SAVING is fastened with screws to the wall, ceiling or in the window recess. The material is opaque and – through its colour-matched special coating on the reverse side of the fabric – provides perfect darkening of the room. The aluminium coating is also energy-saving in cold months and heat-repellent in warm months. The roller blind is rolled up and down by means of a chain. The chain can be mounted on the left or right-hand side. The white end profile ensures a high-quality look.

441 white



Fabric 100% polyester, opaque, with side-pull gear GT-1, highest light reflection, thermal rear side aluminium-coated, metal shaft Ø 25 mm, incl. mounting material for ceiling, wall or recess mounting, side-pull drive can be mounted on right or left, closure profile in white
roller blind width - approx. 4 cm = fabric dimension

Tip: installation without drilling or use of screws with clamping bracket, art. no. 7063.

		 (cm)	Art. Nr.	EAN
441 white	1 x 1	52 x 180	6441052180	4 003018 240297
	1 x 1	62 x 180	6441062180	4 003018 708636
	1 x 1	82 x 180	6441082180	4 003018 708650
	1 x 1	92 x 180	6441092180	4 003018 708667
	1 x 1	102 x 180	6441102180	4 003018 708674
	1 x 1	112 x 180	6441112180	4 003018 708681
	1 x 1	122 x 180	6441122180	4 003018 708698
	1 x 1	142 x 180	6441142180	4 003018 708711
	1 x 1	162 x 180	6441162180	4 003018 708735

920 cream




Fabric 100% polyester, opaque, with side-pull gear GT-1, highest light reflection, thermal rear side aluminium-coated, metal shaft Ø 25 mm, incl. mounting material for ceiling, wall or recess mounting, side-pull drive can be mounted on right or left, closure profile in white
roller blind width - approx. 4 cm = fabric dimension

Tip: installation without drilling or use of screws with clamping bracket, art. no. 7063.

		 (cm)	Art. Nr.	EAN
920 cream	1 x 1	52 x 180	6920052180	4 003018 244387
	1 x 1	62 x 180	6920062180	4 003018 244394
	1 x 1	82 x 180	6920082180	4 003018 244400
	1 x 1	92 x 180	6920092180	4 003018 244417
	1 x 1	102 x 180	6920102180	4 003018 244424
	1 x 1	112 x 180	6920112180	4 003018 244431
	1 x 1	122 x 180	6920122180	4 003018 244448
	1 x 1	142 x 180	6920142180	4 003018 244455
	1 x 1	162 x 180	6920162180	4 003018 244462

495 stripes white



Fabric 100% polyester, opaque, with side-pull gear GT-1, highest light reflection, thermal rear side aluminium-coated, metal shaft Ø 25 mm, incl. mounting material for ceiling, wall or recess mounting, side-pull drive can be mounted on right or left, closure profile in white
roller blind width - approx. 4 cm = fabric dimension

Tip: installation without drilling or use of screws with clamping bracket, art. no. 7063.

			Art. Nr.	EAN
495 stripes white	1 x 1	52 x 180	6495052180	4 003018 240303
	1 x 1	62 x 180	6495062180	4 003018 712596
	1 x 1	82 x 180	6495082180	4 003018 712619
	1 x 1	92 x 180	6495092180	4 003018 712626
	1 x 1	102 x 180	6495102180	4 003018 712633
	1 x 1	112 x 180	6495112180	4 003018 712640
	1 x 1	122 x 180	6495122180	4 003018 712657
	1 x 1	142 x 180	6495142180	4 003018 712671
	1 x 1	162 x 180	6495162180	4 003018 712695
	1 x 1	182 x 180	6495182180	4 003018 712718
	1 x 1	202 x 180	6495202180	4 003018 712732

494 textured natural



Fabric 100% polyester, opaque, with side-pull gear GT-1, highest light reflection, thermal rear side aluminium-coated, metal shaft Ø 25 mm, incl. mounting material for ceiling, wall or recess mounting, side-pull drive can be mounted on right or left, closure profile in white
roller blind width - approx. 4 cm = fabric dimension

Tip: installation without drilling or use of screws with clamping bracket, art. no. 7063.

			Art. Nr.	EAN
494 textured natural	1 x 1	52 x 180	6494052180	4 003018 240310
	1 x 1	62 x 180	6494062180	4 003018 712404
	1 x 1	82 x 180	6494082180	4 003018 712428
	1 x 1	92 x 180	6494092180	4 003018 712435
	1 x 1	102 x 180	6494102180	4 003018 712442
	1 x 1	112 x 180	6494112180	4 003018 712459
	1 x 1	122 x 180	6494122180	4 003018 712466
	1 x 1	142 x 180	6494142180	4 003018 712480
	1 x 1	162 x 180	6494162180	4 003018 712503
	1 x 1	182 x 180	6494182180	4 003018 712527
	1 x 1	202 x 180	6494202180	4 003018 712541

SIDE-PULL ROLLER BLIND





Accessories for Side-Wind Roller Blind

The optional accessories for GARDINIA side-wind roller blinds include brackets for screwing, clamp brackets, side-wind conversion kits and a chain weight.

Roller blind support for GT-1







Support kit GT-1, white plastic, for ceiling, wall or niche mounting, for middle and side window roller blinds up to 202 cm in width

			Art. Nr.	EAN
white	10 x 1 Pair		33650	

Roller blind conversion kit GT-1







Plastic, drive with chain 100 cm. For ceiling, wall or niche mounting. Can be used with roller blinds with metal shaft Ø 25 mm up to a width of 202 cm

			Art. Nr.	EAN
white	5 x 1		33651	

Bracket for roller blind



Roller blind brackets, galvanised, with deco cap in white, for ceiling, wall or recess mounting, for middle and side-pull roller blinds up to width of 202 cm

			Art. Nr.	EAN
white	10 x 1 Pair		6996	

Side-pull conversion kit



Plastic/metal, drive with 100 cm chain and chain bracket. Brackets with deco caps for ceiling, wall or niche mounting. Can be used for roller blinds with metal shaft Ø 25 mm up to a width of 202 cm

			Art. Nr.	EAN
white	5 x 1		6990	

Clamping bracket, plastic



Plastic, for middle and side-pull roller blinds for mounting on the window casement without drilling or the use of screws, for windows with rubber seal, adjustment range approx. 6-30 mm


			Art. Nr.	EAN
white	10 x 2		7063	

Universal clamping bracket, metal



Metal/plastic, in connection with all standard support systems, for mounting on the window casement without drilling or the use of screws, for windows with rubber seal, simple attachment of the bracket systems through innovative catch mechanism, adjustment range approx. 6-28 mm






		 (cm)	Art. Nr.	EAN
white	10 x 2		10004205	5 050685 142057

Universal clamping bracket, plastic



Plastic, in combination with all standard bracket systems, for installation on the window casement without drilling and screws, for windows with rubber seals, adjustment range approx. 6-30 mm






		 (cm)	Art. Nr.	EAN
white	10 x 2		7059	4 003018 070597

Universal clamping holder






Plastic, in combination with all standard bracket systems, for installation on the window casement without drilling and screws, for windows with rubber seals, adjustment range approx. 15-25 mm

		 (cm)	Art. Nr.	EAN
white	10 x 2		31200	4 003018 276678

Chain weight, round




Plastic, to tighten the roller blind chain

		 (cm)	Art. Nr.	EAN
transparent/white	5 x 1	2,5 x 10	33067	4 003018 289029

DOUBLE ROLLER BLIND WITH CASSETTE









The double roller blind with cassette is attached with screws to the wall or ceiling. The fabric is woven in alternating transparent and opaque stripes which run against each other twice. The visibility and light can therefore be very precisely metered. The double roller blind with cassette is rolled up and down by means of a chain. The white cartridge ensures a high-quality look and protects the fabric from dust.

white



Fabric 100% polyester, room lighting can be individually adjusted via alternating translucent (height 5cm) and non-transparent (height 7.5cm) strips, aluminium cassette and bottom bar in white, chain pull drive unit on the right, incl. mounting material for ceiling and wall mounting
roller blind width - ca. 2 cm = fabric dimension

Tip: mounting without drilling or screws with clamping bracket art.no. 10004205.

		 (cm)	Art. Nr.	EAN
white	1 x 1	60 x 160	12940	
	1 x 1	80 x 160	12941	
	1 x 1	100 x 160	12942	
	1 x 1	120 x 160	12943	
	1 x 1	140 x 160	12944	





Accessories for Double Roller Blind

The optional accessories for the GARDINIA double roller blind with cassette include clamp brackets and chain weights.

Universal clamping bracket, metal







Metal/plastic, in connection with all standard support systems, for mounting on the window casement without drilling or the use of screws, for windows with rubber seal, simple attachment of the bracket systems through innovative catch mechanism, adjustment range approx. 6-28 mm

		 (cm)	Art. Nr.	EAN
white	10 x 2		10004205	

Chain weight, round



Plastic, to tighten the roller blind chain

		 (cm)	Art. Nr.	EAN
transparent/white	5 x 1	2,5 x 10	33067	

The Comfort Move roller blind can be attached to the window casement by gluing or clamping. Ceiling, wall and niche mounting with screws is also possible. The fabric is opaque but translucent. The Comfort Move roller blind is operated via the bottom rail; the roller blind can be locked at the desired height by pulling or raising it by hand. The roll-up speed can be regulated via an adjustment wheel on the roller blind shaft. The absence of an operating chain not only brings visual advantages and makes operation more convenient - the roller blind is also absolutely childproof according to EN 13120.









white



Fabric 100% polyester, translucent, gluing or clamping for easy installation on the window casement, clamp bracket adjustable (8-23 mm), incl. fastening material for ceiling, wall or niche installation, roller blind pre-assembled on mounting rail, without operating chain, locking at any height via roller bottom rail, roll-up speed adjustable via adjusting wheel
Roller blind width - approx. 3 cm = fabric dimension

SMOOTH OPERATION VIA
ROLLER BOTTOM RAIL

Info: Clamp bracket only suitable for windows with rubber seal.

			Art. Nr.	EAN
white	1 x 1	45 x 150	36180	
	1 x 1	60 x 150	36181	
	1 x 1	75 x 150	36182	
	1 x 1	100 x 150	36183	
	1 x 1	120 x 150	36184	











Green



Fabric 100% polyester, translucent, gluing or clamping for easy installation on the window casement, clamp bracket adjustable (8-23 mm), incl. fastening material for ceiling, wall or niche installation, roller blind pre-assembled on mounting rail, without operating chain, locking at any height via roller bottom rail, roll-up speed adjustable via adjusting wheel
Roller blind width - approx. 3 cm = fabric dimension

SMOOTH OPERATION VIA
ROLLER BOTTOM RAIL

Info: Clamp bracket only suitable for windows with rubber seal.

			Art. Nr.	EAN
Green	1 x 1	45 x 150	36185	
	1 x 1	60 x 150	36186	
	1 x 1	75 x 150	36187	
	1 x 1	100 x 150	36188	
	1 x 1	120 x 150	36189	






EASYFIX Roman Blind with 2 operating rails

The EASYFIX Roman blind with 2 operating rails can be mounted on the window casement without drilling or screwing. The adjustable clamp brackets can be adjusted to fit almost any window casement and mounted on it. The EASYFIX Roman blind is tensioned and thus fixed even when the window is tilted. The height of the Roman blind can be adjusted individually using the 2 operating rails. The fabric is attached to the operating rails with Velcro tape and can be easily removed for washing (30° C on a gentle cycle).

white



Fabric 100% polyester woven, transparent, the fabric is attached to the operating rails by means of Velcro tape and is washable at 30° on a gentle cycle, Roman blind individually height-adjustable via 2 aluminium operating rails, including 2 operating handles and 4 plastic clamp brackets for easy installation on the window casement, clamp brackets continuously adjustable (adjustment range approx. 10-35 mm), the carrier system avoids the need to tie the cords again if necessary, tensioned Roman blind can also be fixed when the window is tilted

		 (cm)	Art. Nr.	EAN
white	1 x 1	50 x 140	33920	4 003018 318491
	1 x 1	60 x 140	33921	4 003018 318507
	1 x 1	70 x 140	33922	4 003018 318514
	1 x 1	80 x 140	33923	4 003018 318521
	1 x 1	90 x 140	33924	4 003018 318538
	1 x 1	100 x 140	33925	4 003018 318545

Info: Clamp bracket only suitable for windows with rubber seal.




EASYFIX Roman blind magnetic

The EASYFIX Roman blind magnetic can be attached without drilling and screwing. It can be attached directly to the window casement with the enclosed Velcro tape or hung on a curtain rod with the help of the sewn tunnel. The EASYFIX Roman blind can be adjusted in steps using magnetic profiles. The fabric is opaque and washable at 30° C on a gentle cycle. The cordless operation makes it 100% childproof.

Grey



Fabric 100 % polyester, opaque, adjustable in steps via magnetic profiles, fasten directly to the window casement with the enclosed Velcro tape or hang on a curtain rod with the aid of the sewn tunnel, installation without drilling or screws, 100 % childproof due to cordless operation, washable at 30° C in gentle cycle

		 (cm)	Art. Nr.	EAN
Grey	1 x 1	50 x 140	32741	4 003018 342755
	1 x 1	60 x 140	32742	4 003018 342762
	1 x 1	70 x 140	32743	4 003018 342779
	1 x 1	80 x 140	32744	4 003018 342786
	1 x 1	90 x 140	32745	4 003018 342793
	1 x 1	100 x 140	32746	4 003018 342809

Flexible sun protection

The flexible sunshade is attached to the window by means of suction pads. As quickly as the flexible sunshade is attached, it is also removed again without leaving any residue. The black screen fabric can be easily cut to size. This makes it suitable for all types of windows: whether in the car, camper van, caravan, garden shed, on the skylight or in the home. The fabric serves as glare and heat protection, but still allows a good view to the outside.

Black



Screen fabric 100% polyester, translucent, easy-care fabric, can be wiped clean with a damp cloth, glare and heat protection and still a good view of the outside, privacy screen during the day, suitable for all windows, including roof and car windows, the fabric can easily be shortened to fit any window size, the fabric is held in place by transparent suction pads

			Art. Nr.	EAN
Black	1 x 1	40 x 80	32570	4 003018 335931
	1 x 1	60 x 120	32571	4 003018 335948
	1 x 1	100 x 150	32572	4 003018 335955
	1 x 1	100 x 200	32966	4 003018 357087

Number of suction pads	
40 x 80 cm	4 pieces
60 x 120 cm	6 pieces
100 x 150 cm	8 pieces
100 x 200 cm	10 pieces

Blackout Curtain Travel

The flexible blackout curtain is the ideal solution for everyone who wants a perfectly darkened room, not only at home. The high-quality fabric is used for darkening for a good night's sleep or also as heat protection during the day. You want your child to have a restful nap even on holiday, but there is no possibility to darken the room in your holiday apartment, flat or hotel room? The flexible blackout curtain (almost) always fits. Quick and easy to install, it is also ideal for travelling. The suction pads offer maximum flexibility - the size can be adjusted by positioning them. It can be decorated as a curtain or Roman blind. The suction pads mean that no tools or curtain rod are needed and the curtain can be removed and reattached at any time without leaving any residue.

Grey



Blackout curtain, 100% polyester, opaque, easy-care fabric, washable, easy to adjust to any window size, easy to attach, fabric is held in place by transparent suction pads

			Art. Nr.	EAN
Grey	1 x 1	200 x 130	36310	4 003018 364214

Number of suction pads = 22 pieces

Note: Suction pads suitable for glass and similar smooth surfaces.






PLEATED BLIND

Color and Design quick-finder

EASYFIX Pleated Blinds Pages 49 - 51



white ivory slate taupe Bordeaux red

EASYFIX Thermal Pleated Blind Page 52



white ivory

EASYFIX Pleated Blind Devoré Page 53



Flower white Dot white

EASYFIX Pleated Blind Decor Page 54



curl grey

EASYFIX Pleated Blind Greta Pages 55 - 56



stonegrey Mother-of pearl pink smoky blue mint green

EASYFIX Pleated Blind Cara Page 57



grey beige

EASYFIX Pleated Blind Maja Page 58



white graphite

EASYFIX Pleated Blind Katy Page 58



Wave white

EASYFIX Pleated Blind Day + Night Page 59




white

Pleated Blind Concept Daylight Page 60 - 61



white grey ivory taupe

Honeycomb Pleated Blind Concept Daylight Page 62



white

Honeycomb Pleated Blind Concept Thermal Dimming Page 63



white

Pleated Blind Concept Lilly Green Page 65




grey

Pleated Blind Concept Lissy Page 66



white

Pleated Blind Concept Flowers and Plants Pages 67- 68



Flower Branch

Pleated Blind Solo with sucker



white creme grey

Skylight Sun Pages 69 - 72



white grey

EASYFIX Pleated Blind with 2 operating rails

The EASYFIX Pleated top-down bottom-up blind with 2 operating rails can be mounted on the window casement without drilling or screwing. The adjustable clamping bracket can be adapted and mounted to fit on almost any casement. Adhesive and glazing rebate mounting is also possible (optional accessory). The fabric is opaque but translucent. The EASYFIX Pleated blind can be positioned by hand anywhere on the window by means of the operating rails.

white



Crush fabric 100% polyester, opaque, 20 mm pleat fold, individually adjustable height via 2 aluminium operating rails, including 2 operating handles and 4 premium clamping brackets for easy installation on the window casement (adjustment range approx. 6-30 mm), clamping brackets made of UV-resistant plastic, braced pleating for fixing to tilted window, easily shortenable in width, 100 % child-proof according to EN 13120

Tip: Bracket for rabbet mounting art.no. 33420 or adhesive support for adhesive mounting on the window casement art.no. 33421.

Info: Clamp bracket only suitable for windows with rubber seal.

			Art. Nr.	EAN
white	1 x 1	40 x 130	33400	4 003018 292609
	1 x 1	45 x 130	32617	4 003018 339632
	1 x 1	50 x 130	31256	4 003018 279006
	1 x 1	55 x 130	32618	4 003018 339649
	1 x 1	60 x 130	31257	4 003018 279013
	1 x 1	65 x 130	32619	4 003018 339656
	1 x 1	70 x 130	31258	4 003018 279020
	1 x 1	75 x 130	32620	4 003018 339663
	1 x 1	80 x 130	31259	4 003018 279037
	1 x 1	85 x 130	32621	4 003018 339670
	1 x 1	90 x 130	31260	4 003018 279044
	1 x 1	95 x 130	32622	4 003018 339687
	1 x 1	100 x 130	31261	4 003018 279051
	1 x 1	90 x 210	33087	4 003018 289227

PLEATED BLINDS

ivory



Crush fabric 100% polyester, opaque, 20 mm pleat fold, individually adjustable height via 2 aluminium operating rails, including 2 operating handles and 4 premium clamping brackets for easy installation on the window casement (adjustment range approx. 6-30 mm), clamping brackets made of UV-resistant plastic, braced pleating for fixing to tilted window, easily shortenable in width, 100 % child-proof according to EN 13120

Tip: Bracket for rabbit mounting art.no. 33420 or adhesive support for adhesive mounting on the window casement art.no. 33421.

Info: Clamp bracket only suitable for windows with rubber seal.

		\leftrightarrow x \updownarrow (cm)	Art. Nr.	EAN
ivory	1 x 1	40 x 130	33401	4 003018 292616
	1 x 1	45 x 130	32623	4 003018 339694
	1 x 1	50 x 130	31262	4 003018 279068
	1 x 1	55 x 130	32624	4 003018 339700
	1 x 1	60 x 130	31263	4 003018 279075
	1 x 1	65 x 130	32625	4 003018 339717
	1 x 1	70 x 130	31264	4 003018 279082
	1 x 1	75 x 130	32626	4 003018 339724
	1 x 1	80 x 130	31265	4 003018 279099
	1 x 1	85 x 130	32627	4 003018 339731
	1 x 1	90 x 130	31266	4 003018 279105
	1 x 1	95 x 130	32628	4 003018 339748
	1 x 1	100 x 130	31267	4 003018 279112
	1 x 1	90 x 210	33088	4 003018 289234

Slate



Crush fabric 100% polyester, opaque, 20 mm pleat fold, individually adjustable height via 2 aluminium operating rails, including 2 operating handles and 4 premium clamping brackets for easy installation on the window casement (adjustment range approx. 6-30 mm), clamping brackets made of UV-resistant plastic, braced pleating for fixing to tilted window, easily shortenable in width, 100 % child-proof according to EN 13120

Tip: Bracket for rabbit mounting art.no. 33420 or adhesive support for adhesive mounting on the window casement art.no. 33421.

Info: Clamp bracket only suitable for windows with rubber seal.

		\leftrightarrow x \updownarrow (cm)	Art. Nr.	EAN
Slate	1 x 1	40 x 130	33402	4 003018 292623
	1 x 1	45 x 130	32629	4 003018 339755
	1 x 1	50 x 130	31390	4 003018 280781
	1 x 1	55 x 130	32630	4 003018 339762
	1 x 1	60 x 130	31391	4 003018 280798
	1 x 1	65 x 130	32631	4 003018 339779
	1 x 1	70 x 130	31392	4 003018 280804
	1 x 1	75 x 130	32632	4 003018 339786
	1 x 1	80 x 130	31393	4 003018 280811
	1 x 1	85 x 130	32633	4 003018 339793
	1 x 1	90 x 130	31394	4 003018 280828
	1 x 1	95 x 130	32634	4 003018 339809
	1 x 1	100 x 130	31395	4 003018 280835
	1 x 1	90 x 210	32635	4 003018 339816

taupe



Crush fabric 100% polyester, opaque, 20 mm pleat fold, individually adjustable height via 2 aluminium operating rails, including 2 operating handles and 4 premium clamping brackets for easy installation on the window casement (adjustment range approx. 6-30 mm), clamping brackets made of UV-resistant plastic, braced pleating for fixing to tilted window, easily shortenable in width, 100 % child-proof according to EN 13120

Tip: Bracket for rabbit mounting art.no. 33420 or adhesive support for adhesive mounting on the window casement art.no. 33421.

Info: Clamp bracket only suitable for windows with rubber seal.

			Art. Nr.	EAN
taupe	1 x 1	40 x 130	33403	4 003018 292630
	1 x 1	45 x 130	32636	4 003018 339823
	1 x 1	50 x 130	33075	4 003018 289104
	1 x 1	55 x 130	32637	4 003018 339830
	1 x 1	60 x 130	33076	4 003018 289111
	1 x 1	65 x 130	32638	4 003018 339847
	1 x 1	70 x 130	33077	4 003018 289128
	1 x 1	75 x 130	32639	4 003018 339854
	1 x 1	80 x 130	33078	4 003018 289135
	1 x 1	85 x 130	32640	4 003018 339861
	1 x 1	90 x 130	33079	4 003018 289142
	1 x 1	95 x 130	32641	4 003018 339878
	1 x 1	100 x 130	33080	4 003018 289159
	1 x 1	90 x 210	32642	4 003018 339885

Bordeaux red



Crush fabric 100% polyester, opaque, 20 mm pleat fold, individually adjustable height via 2 aluminium operating rails, including 2 operating handles and 4 premium clamping brackets for easy installation on the window casement (adjustment range approx. 6-30 mm), clamping brackets made of UV-resistant plastic, braced pleating for fixing to tilted window, easily shortenable in width, 100 % child-proof according to EN 13120

Tip: Bracket for rabbit mounting art.no. 33420 or adhesive support for adhesive mounting on the window casement art.no. 33421.

Info: Clamp bracket only suitable for windows with rubber seal.

			Art. Nr.	EAN
Bordeaux red	1 x 1	40 x 130	33724	4 003018 308010
	1 x 1	50 x 130	33081	4 003018 289166
	1 x 1	60 x 130	33082	4 003018 289173
	1 x 1	70 x 130	33083	4 003018 289180
	1 x 1	80 x 130	33084	4 003018 289197
	1 x 1	90 x 130	33085	4 003018 289203
	1 x 1	100 x 130	33086	4 003018 289210

PLEATED BLINDS




EASYFIX Thermal Pleated Blind with 2 operating rails

The EASYFIX Thermal-Pleated with 2 operating rails can be mounted on the window casement without drilling or screwing. The adjustable clamping bracket can be adapted and mounted to fit on almost any casement. Adhesive and glazing rebate mounting is also possible (optional accessory). The fabric is opaque and energy-saving in cold months and heat-repellent in warm months due to its aluminium-coated reverse side. The EASYFIX Thermal-Pleated can be positioned by hand anywhere on the window by means of the operating rails.

white



Fabric 100% polyester, opaque, rear side aluminium-coated, energy-saving, insulating properties: protection from heat and cold, 20 mm pleating, individually adjustable along 2 aluminium operating rails, including 2 operating handles and 4 premium clamping brackets for easy installation on the window casement (Adjustment range approx 6-30 mm), support beams made of UV-resistant plastic, braced pleating for fixing even with tilted window, easily shortenable in width, 100 % child-proof according to EN 13120

		 (cm)	Art. Nr.	EAN
white	1 x 1	40 x 130	33404	4 003018 292647
	1 x 1	50 x 130	33405	4 003018 292654
	1 x 1	60 x 130	33406	4 003018 292661
	1 x 1	70 x 130	33407	4 003018 292678
	1 x 1	80 x 130	33408	4 003018 292685
	1 x 1	90 x 130	33409	4 003018 292692
	1 x 1	100 x 130	33410	4 003018 292708




Tip: Bracket for rabbet mounting art.no. 33420 or adhesive support for adhesive mounting on the window casement art.no. 33421.

Info: Clamp bracket only suitable for windows with rubber seal.

ivory



Fabric 100% polyester, opaque, rear side aluminium-coated, energy-saving, insulating properties: protection from heat and cold, 20 mm pleating, individually adjustable along 2 aluminium operating rails, including 2 operating handles and 4 premium clamping brackets for easy installation on the window casement (Adjustment range approx 6-30 mm), support beams made of UV-resistant plastic, braced pleating for fixing even with tilted window, easily shortenable in width, 100 % child-proof according to EN 13120

		 (cm)	Art. Nr.	EAN
ivory	1 x 1	40 x 130	33411	4 003018 292715
	1 x 1	50 x 130	33412	4 003018 292722
	1 x 1	60 x 130	33413	4 003018 292739
	1 x 1	70 x 130	33414	4 003018 292746
	1 x 1	80 x 130	33415	4 003018 292753
	1 x 1	90 x 130	33416	4 003018 292760
	1 x 1	100 x 130	33417	4 003018 292777


Tip: Bracket for rabbet mounting art.no. 33420 or adhesive support for adhesive mounting on the window casement art.no. 33421.

Info: Clamp bracket only suitable for windows with rubber seal.

EASYFIX Pleated Blind Devoré with 2 operating rails

The EASYFIX Pleated Devoré top-down bottom-up blind with 2 operating rails can be mounted on the window casement without drilling or screwing. The adjustable clamping bracket can be adapted and mounted to fit on almost any casement. Adhesive and glazing rebate mounting is also possible (optional accessory). The fabric is opaque but translucent. The EASYFIX Pleated Blind Devoré can be positioned by hand anywhere on the window by means of the operating rails.

Flower white



Devoré fabric 100% polyester, opaque, partially transparent, 20 mm pleat fold, individually adjustable height via 2 aluminium operating rails, including 2 operating handles and 4 premium clamp brackets for easy installation on the window casement (adjustment range approx. 6-30 mm), clamp brackets made of UV-resistant plastic, braced pleating for fixing to tilted window, easy to shorten in width, 100% childproof according to EN 13120

			Art. Nr.	EAN
Flower white	1 x 1	50 x 130	33886	4 003018 317982
	1 x 1	60 x 130	33887	4 003018 317999
	1 x 1	70 x 130	33888	4 003018 318002
	1 x 1	80 x 130	33889	4 003018 318019
	1 x 1	90 x 130	33890	4 003018 318026
	1 x 1	100 x 130	33891	4 003018 318033

Tip: Bracket for rabbet mounting art.no. 33420 or adhesive support for adhesive mounting on the window casement art.no. 33421.

Info: Clamp bracket only suitable for windows with rubber seal.

Dot white



Devoré fabric 100% polyester, opaque, partially transparent, 20 mm pleat fold, individually adjustable height via 2 aluminium operating rails, including 2 operating handles and 4 premium clamp brackets for easy installation on the window casement (adjustment range approx. 6-30 mm), clamp brackets made of UV-resistant plastic, braced pleating for fixing to tilted window, easy to shorten in width, 100% childproof according to EN 13120

			Art. Nr.	EAN
Dot white	1 x 1	50 x 130	33892	4 003018 318040
	1 x 1	60 x 130	33893	4 003018 318057
	1 x 1	70 x 130	33894	4 003018 318064
	1 x 1	80 x 130	33895	4 003018 318071
	1 x 1	90 x 130	33896	4 003018 318088
	1 x 1	100 x 130	33897	4 003018 318095

Tip: Bracket for rabbet mounting art.no. 33420 or adhesive support for adhesive mounting on the window casement art.no. 33421.


Info: Clamp bracket only suitable for windows with rubber seal.

PLEATED BLINDS

EASYFIX Pleated Blind Decor with 2 operating rails

The EASYFIX Pleated Decor top-down bottom-up blind with 2 operating rails can be mounted on the window casement without drilling or screwing. The adjustable clamping bracket can be adapted and mounted to fit on almost any casement. Adhesive and glazing rebate mounting is also possible (optional accessory). The fabric is opaque but translucent. The EASYFIX Pleated Decor can be positioned by hand anywhere on the window by means of the operating rails.

curl grey



Fabric 100% polyester, opaque, 20 mm pleating, individually height adjustable using 2 aluminium operating rails, including 2 operating handles and 4 plastic clamping brackets for easy installation on the window casement (adjustment range approx. 10-25 mm), braced pleating for fixing even with tilted window, easily shortenable in width, 100 % child-proof according to EN 13120

			Art. Nr.	EAN
curl grey	1 x 1	50 x 130	33815	4 003018 313571
	1 x 1	60 x 130	33816	4 003018 313588
	1 x 1	70 x 130	33817	4 003018 313595
	1 x 1	80 x 130	33818	4 003018 313601
	1 x 1	90 x 130	33819	4 003018 313618
	1 x 1	100 x 130	33820	4 003018 313625

Tip: Bracket for rabbet mounting art.no. 33420 or adhesive support for adhesive mounting on the window casement art.no. 33421.

Info: Clamp bracket only suitable for windows with rubber seal.

Accessories for EASYFIX Pleated Blind

Optional brackets for rebate mounting and adhesive brackets are available as matching accessories for a wide range of EASYFIX pleated blinds. Corresponding pleated blinds contain a reference to the brackets in the description text.

support montage pli 



Plastic, for screw mounting in the window rabbet, incl. fittings

			Art. Nr.	EAN
white	6 x 4		33420	4 003018 292906

support de fixation



UV-resistant plastic, including cleaning cloths, for adhesive mounting on window casement without drilling or screws

Tip: Ideal for rented flats, as can be removed from the window frame without leaving any residue.

			Art. Nr.	EAN
white	6 x 4		33421	4 003018 292913

EASYFIX Pleated Blind Greta

The EASYFIX pleated blind Greta with 2 operating rails can be attached to the window casement without drilling or screwing. The adjustable clamp brackets can be adjusted to fit almost any window casement and mounted on it. The clamp bracket has a convenient tensioning function to align the pleated blind. The fabric is opaque but translucent and comes in trendy pastel shades. The EASYFIX pleated blind Greta can be positioned anywhere on the window by hand using the two operating rails.

stonegrey



Fabric 100% polyester, translucent, opaque, 20 mm pleat, fabric can be brushed off, mounting without drilling and screwing, individually height-adjustable via 2 aluminium operating rails, including 2 operating handles and 4 clamp brackets with convenient tensioning function, braced pleated blind for fixing even when the window is tilted, operating rails incl. discreet cover strip (dust protection), easy to shorten in width, 100% childproof according to EN 13120

Info: Clamp brackets only suitable for windows with rubber seal.

		(cm)	Art. Nr.	EAN
stonegrey	1 x 1	50 x 130	32924	4 003018 352785
	1 x 1	60 x 130	32925	4 003018 352792
	1 x 1	70 x 130	32926	4 003018 352808
	1 x 1	80 x 130	32927	4 003018 352815
	1 x 1	90 x 130	32928	4 003018 352822

Mother-of pearl pink



Fabric 100% polyester, translucent, opaque, 20 mm pleat, fabric can be brushed off, mounting without drilling and screwing, individually height-adjustable via 2 aluminium operating rails, including 2 operating handles and 4 clamp brackets with convenient tensioning function, braced pleated blind for fixing even when the window is tilted, operating rails incl. discreet cover strip (dust protection), easy to shorten in width, 100% childproof according to EN 13120

Info: Clamp brackets only suitable for windows with rubber seal.

		(cm)	Art. Nr.	EAN
Mother-of pearl pink	1 x 1	50 x 130	32929	4 003018 352839
	1 x 1	60 x 130	32930	4 003018 352846
	1 x 1	70 x 130	32931	4 003018 352853
	1 x 1	80 x 130	32932	4 003018 352860
	1 x 1	90 x 130	32933	4 003018 352877
	1 x 1	100 x 130	32934	4 003018 352884
	1 x 1	80 x 220	32935	4 003018 352891




PLEATED BLINDS

smoky blue



Fabric 100% polyester, translucent, opaque, 20 mm pleat, fabric can be brushed off, mounting without drilling and screwing, individually height-adjustable via 2 aluminium operating rails, including 2 operating handles and 4 clamp brackets with convenient tensioning function, braced pleated blind for fixing even when the window is tilted, operating rails incl. discreet cover strip (dust protection), easy to shorten in width, 100% childproof according to EN 13120

Info: Clamp brackets only suitable for windows with rubber seal.




		 (cm)	Art. Nr.	EAN
smoky blue	1 x 1	50 x 130	32936	4 003018 352907
	1 x 1	60 x 130	32937	4 003018 352914
	1 x 1	70 x 130	32938	4 003018 352921
	1 x 1	80 x 130	32939	4 003018 352938
	1 x 1	90 x 130	32940	4 003018 352945
	1 x 1	100 x 130	32941	4 003018 353881

mint green



Fabric 100% polyester, translucent, opaque, 20 mm pleat, fabric can be brushed off, mounting without drilling and screwing, individually height-adjustable via 2 aluminium operating rails, including 2 operating handles and 4 clamp brackets with convenient tensioning function, braced pleated blind for fixing even when the window is tilted, easy to shorten in width, operating rails incl. discreet cover strip (dust protection), 100% childproof according to EN 13120

Info: Clamp brackets only suitable for windows with rubber seal.

		 (cm)	Art. Nr.	EAN
mint green	1 x 1	50 x 130	36175	4 003018 359777
	1 x 1	60 x 130	36176	4 003018 359784
	1 x 1	70 x 130	36177	4 003018 359791
	1 x 1	80 x 130	36178	4 003018 359807
	1 x 1	90 x 130	36179	4 003018 359814

EASYFIX Pleated Blind Cara

The EASYFIX pleated blind Cara can be attached to the window casement without drilling or screwing. The adjustable clamp brackets can be adjusted to fit almost any window casement and mounted on it. The fabric is opaque but translucent. The EASYFIX pleated blind Cara can be positioned anywhere on the window by hand using the two operating rails. The practical cover strip of the operating rails serves as dust protection and emphasises the modern design.

Grey



Crush fabric 100% polyester, opaque, 20 mm pleat fold, individually adjustable height via 2 aluminium operating rails, including 2 operating handles and 4 clamp brackets for easy installation on the window casement (adjustment range approx. 4-24 mm), braced pleating for fixing to tilted window, operating rails incl. discreet cover strip (dust protection), easy to shorten in width, 100% childproof according to EN 13120

Info: Clamp bracket only suitable for windows with rubber seal.

		$\leftrightarrow x \updownarrow$ (cm)	Art. Nr.	EAN
Grey	1 x 1	50 x 130	32700	4 003018 342243
	1 x 1	60 x 130	32701	4 003018 342250
	1 x 1	70 x 130	32702	4 003018 342267
	1 x 1	80 x 130	32703	4 003018 342274
	1 x 1	90 x 130	32704	4 003018 342281
	1 x 1	100 x 130	32705	4 003018 342298

beige



Crush fabric 100% polyester, opaque, 20 mm pleat fold, individually adjustable height via 2 aluminium operating rails, including 2 operating handles and 4 clamp brackets for easy installation on the window casement (adjustment range approx. 4-24 mm), braced pleating for fixing to tilted window, operating rails incl. discreet cover strip (dust protection), easy to shorten in width, 100% childproof according to EN 13120

Info: Clamp bracket only suitable for windows with rubber seal.

		$\leftrightarrow x \updownarrow$ (cm)	Art. Nr.	EAN
beige	1 x 1	50 x 130	32706	4 003018 342304
	1 x 1	60 x 130	32707	4 003018 342311
	1 x 1	70 x 130	32708	4 003018 342328
	1 x 1	80 x 130	32709	4 003018 342335
	1 x 1	90 x 130	32710	4 003018 342342
	1 x 1	100 x 130	32711	4 003018 342359

PLEATED BLINDS

EASYFIX Pleated Blind Maja

The EASYFIX pleated blind Maja can be attached to the window casement without drilling or screwing. The adjustable clamp brackets can be adjusted to fit almost any window casement and mounted on it. The elegant and airy fabric is opaque, transparent in parts and translucent in others. The EASYFIX pleated blind Maja can be positioned anywhere on the window by hand using the two operating rails. The practical cover strip of the operating rails serves as dust protection and emphasises the modern design.

white



Devoré fabric 50% polyester, 50% viscose, opaque and partially transparent, 20 mm pleat fold, individually adjustable height via 2 aluminium operating rails, including 2 operating handles and 4 clamp brackets for easy installation on the window casement (adjustment range approx. 4-24 mm), clamp brackets with convenient tensioning function, braced pleating for fixing to tilted window, operating rails incl. discreet cover strip (dust protection), easy to shorten in width, 100% childproof according to EN 13120

			Art. Nr.	EAN
white	1 x 1	50 x 130	32666	4 003018 341710
	1 x 1	60 x 130	32667	4 003018 341727
	1 x 1	70 x 130	32668	4 003018 341734
	1 x 1	80 x 130	32669	4 003018 341741
	1 x 1	90 x 130	32670	4 003018 341758

Info: Clamp bracket only suitable for windows with rubber seal.

EASYFIX Pleated Blind Katy

The EASYFIX pleated blind Katy can be attached to the window casement without drilling or screwing. The adjustable clamp brackets can be adjusted to fit almost any window casement and mounted on it. The wave design of the fabric is elegant and modern. The fabric is opaque but translucent. The EASYFIX pleated blind Katy can be positioned anywhere on the window by hand using the two operating rails. To make it easier to shorten the pleated blind, it is not threaded in advance.

Wave white



Fabric 100% polyester, translucent fabric printed with discreet Wave decor, 20 mm pleat, individually height-adjustable via 2 aluminium operating rails, easy to shorten in width, including 4 operating handles and 4 clamp brackets for easy installation on the window casement (adjustment range approx. 4-24 mm), tensioned pleated blind for fixing even when the window is tilted, easy to shorten in width, 100% childproof according to EN 13120

			Art. Nr.	EAN
Wave white	1 x 1	50 x 130	32694	4 003018 342182
	1 x 1	60 x 130	32695	4 003018 342199
	1 x 1	70 x 130	32696	4 003018 342205
	1 x 1	80 x 130	32697	4 003018 342212
	1 x 1	90 x 130	32698	4 003018 342229
	1 x 1	100 x 130	32699	4 003018 342236

Info: Clamp brackets only suitable for windows with rubber seal.

Note: To make it even easier to shorten the width of the pleated blind, the pleated blind is not threaded in advance.

EASYFIX Pleated Blind Day + Night











Translucent or darkened? How about both? The EASYFIX pleated blind Day & Night from GARDINIA makes it possible. The Day fabric is translucent and opaque at the same time. With a crush effect, the pleated blind is very decorative. The Night fabric complements it perfectly: it darkens the room for a pleasant night's sleep. It also has a thermal coating. This reduces the heating of the room in summer. Thanks to the three aluminium operating rails, the fabric panels can be slid up and down as desired. The pleated blind is tensioned to ensure a secure hold even when the window is tilted. The installation is done according to the EASYFIX principle: without drilling and screwing, the clamping brackets can be attached directly to the window casement.

white



Day: fabric 100% polyester, crush effect, opaque, translucent Night: fabric 100% polyester, opaque, with thermal coating, easy to attach directly to the window casement without drilling and screwing, incl. 4 adjustable plastic clamp brackets for easy attachment to the window casement (adjustment range approx. 4-24 mm), 3 handles for convenient, continuous adjustment of the 3 aluminium rails, braced pleated blind also for fixing when the window is tilted, operating rails incl. discreet cover strip (dust protection), can be easily shortened in width, 100% childproof according to EN 13120

Info: Clamp bracket only suitable for windows with rubber seal.

		 $\leftrightarrow x \updownarrow$ (cm)	Art. Nr.	EAN
white	1 x 1	40 x 130	32573	
	1 x 1	50 x 130	32574	
	1 x 1	60 x 130	32575	
	1 x 1	70 x 130	32576	
	1 x 1	80 x 130	32577	
	1 x 1	90 x 130	32578	
	1 x 1	100 x 130	32579	
	1 x 1	90 x 210	32580	



PLEATED BLIND CONCEPT

Pleated Blind Concept Daylight




The pleated blind Concept Daylight with 2 operating rails is simply screwed into the glass rebate using the brackets supplied. Two types of adhesive mounting and two types of clamp mounting are also possible (optional accessories). The fabric is opaque but translucent. The pleated blind Concept can be positioned anywhere on the window by hand using the two operating rails.

white



Fabric 100% polyester, opaque, 20 mm pleat, individually height-adjustable via 2 aluminium operating rails, including 4 innovative brackets for mounting in the glass rebate and 2 operating handles, braced pleated blind for fixing even when the window is tilted, operating rails incl. discreet cover strip (dust protection), easy to shorten in width, 100% childproof according to EN 13120

Tip: Tensioning shoes compatible with GARDINIA pleated blind Concept brackets for clamping or gluing (art. no. 32874, 32875 and 32876 and 36419).




		 (cm)	Art. Nr.	EAN
white	1 x 1	40 x 130	32821	4 003018 350187
	1 x 1	45 x 130	32822	4 003018 350194
	1 x 1	50 x 130	32823	4 003018 350200
	1 x 1	55 x 130	32824	4 003018 350217
	1 x 1	60 x 130	32825	4 003018 350224
	1 x 1	65 x 130	32826	4 003018 350231
	1 x 1	70 x 130	32827	4 003018 350248
	1 x 1	75 x 130	32828	4 003018 350255
	1 x 1	80 x 130	32829	4 003018 350262
	1 x 1	85 x 130	32830	4 003018 350279
	1 x 1	90 x 130	32831	4 003018 350286
	1 x 1	100 x 130	32832	4 003018 350293
	1 x 1	80 x 210	32833	4 003018 350309

Grey



Fabric 100% polyester, opaque, 20 mm pleat, individually height-adjustable via 2 aluminium operating rails, including 4 innovative brackets for mounting in the glass rebate and 2 operating handles, braced pleated blind for fixing even when the window is tilted, operating rails incl. discreet cover strip (dust protection), easy to shorten in width, 100% childproof according to EN 13120

Tip: Tensioning shoes compatible with GARDINIA pleated blind Concept brackets for clamping or gluing (art. no. 32874, 32875 and 32876 and 36419).




		 (cm)	Art. Nr.	EAN
Grey	1 x 1	40 x 130	32834	4 003018 350316
	1 x 1	50 x 130	32835	4 003018 350323
	1 x 1	60 x 130	32836	4 003018 350330
	1 x 1	70 x 130	32837	4 003018 350347
	1 x 1	80 x 130	32838	4 003018 350354
	1 x 1	90 x 130	32839	4 003018 350361
	1 x 1	100 x 130	32840	4 003018 350378
	1 x 1	80 x 210	32841	4 003018 350385

beige



Fabric 100% polyester, opaque, 20 mm pleat, individually height-adjustable via 2 aluminium operating rails, including 4 innovative brackets for mounting in the glass rebate and 2 operating handles, braced pleated blind for fixing even when the window is tilted, operating rails incl. discreet cover strip (dust protection), easy to shorten in width, 100% childproof according to EN 13120

Tip: Tensioning shoes compatible with GARDINIA pleated blind Concept brackets for clamping or gluing (art. no. 32874, 32875 and 32876 and 36419).




		 (cm)	Art. Nr.	EAN
beige	1 x 1	40 x 130	32842	4 003018 350392
	1 x 1	50 x 130	32843	4 003018 350408
	1 x 1	60 x 130	32844	4 003018 350415
	1 x 1	70 x 130	32845	4 003018 350422
	1 x 1	80 x 130	32846	4 003018 350439
	1 x 1	90 x 130	32847	4 003018 350446
	1 x 1	100 x 130	32848	4 003018 350453
	1 x 1	80 x 210	32849	4 003018 350460

taupe



Fabric 100% polyester, opaque, 20 mm pleat, individually height-adjustable via 2 aluminium operating rails, including 4 innovative brackets for mounting in the glass rebate and 2 operating handles, braced pleated blind for fixing even when the window is tilted, operating rails incl. discreet cover strip (dust protection), easy to shorten in width, 100% childproof according to EN 13120

Tip: Tensioning shoes compatible with GARDINIA pleated blind Concept brackets for clamping or gluing (art. no. 32874, 32875 and 32876 and 36419).

		 (cm)	Art. Nr.	EAN
taupe	1 x 1	40 x 130	32850	4 003018 350477
	1 x 1	50 x 130	32851	4 003018 350484
	1 x 1	60 x 130	32852	4 003018 350491
	1 x 1	70 x 130	32853	4 003018 350507
	1 x 1	80 x 130	32854	4 003018 350514
	1 x 1	90 x 130	32855	4 003018 350521
	1 x 1	100 x 130	32856	4 003018 350538
	1 x 1	80 x 210	32857	4 003018 350545

PLEATED BLIND CONCEPT

Honeycomb Pleated Blind Concept Daylight

The honeycomb pleated blind Concept Daylight with 2 operating rails is simply screwed into the glass rebate using the brackets supplied. Two types of adhesive mounting and two types of clamp mounting are also possible (optional accessories). The fabric is opaque but translucent. The honeycomb shape creates an additional insulating layer that saves energy in winter and repels heat in summer. In addition, the honeycomb has a sound-absorbing effect. The pleated blind Concept can be positioned anywhere on the window using the two operating rails.

white



Fabric 100% polyester fleece, opaque, 25 mm honeycomb, energy-saving in winter, heat-repellent in summer, sound-absorbing, individually height-adjustable via 2 aluminium operating rails, including 4 innovative brackets for mounting in the glass rebate and 2 operating handles, tensioned pleated blind for fixing even when the window is tilted, operating rails incl. discreet cover strip (dust protection), easy to shorten in width, 100% childproof in accordance with EN 13120

Tip: Tensioning shoes compatible with GARDINIA pleated blind Concept brackets for clamping or gluing (art. no. 32874, 32875 and 32876 and 36419).

			Art. Nr.	EAN
white	1 x 1	40 x 130	32858	
	1 x 1	50 x 130	32859	
	1 x 1	60 x 130	32860	
	1 x 1	70 x 130	32861	
	1 x 1	80 x 130	32862	
	1 x 1	90 x 130	32863	
	1 x 1	100 x 130	32864	
	1 x 1	80 x 210	32865	












Honeycomb Pleated Blind Concept Thermal Dimming

The honeycomb pleated blind Concept Thermal Dimming with 2 operating rails is simply screwed into the glass rebate using the brackets supplied. Two types of adhesive mounting and two types of clamp mounting are also possible (optional accessories). The fabric is opaque. The honeycomb shape and the thermal coating on the inside create an additional insulating layer that saves energy in winter and repels heat in summer. In addition, the honeycomb has a sound-absorbing effect. The pleated blind Concept can be positioned anywhere on the window using the two operating rails.

white



Fabric 100% polyester fleece, opaque, 25 mm honeycomb, energy-saving in winter, heat-repellent in summer, sound-absorbing, individually height-adjustable via 2 aluminium operating rails, including 4 innovative brackets for mounting in the glass rebate and 2 operating handles, tensioned pleated blind for fixing even when the window is tilted, operating rails incl. discreet cover strip (dust protection), can be easily shortened in width, 100% childproof according to EN 13120

		 (cm)	Art. Nr.	EAN
white	1 x 1	40 x 130	32866	
	1 x 1	50 x 130	32867	
	1 x 1	60 x 130	32868	
	1 x 1	70 x 130	32869	
	1 x 1	80 x 130	32870	
	1 x 1	90 x 130	32871	
	1 x 1	100 x 130	32872	
	1 x 1	80 x 210	32873	

Tip: Tensioning shoes compatible with GARDINIA pleated blind Concept brackets for clamping or gluing (art. no. 32874, 32875 and 32876 and 36419).

Accessories for Pleated Blind Concept

Clamp brackets and adhesive brackets are available as accessories for the pleated blind Concept, which are compatible with the supplied tensioning shoe. They are thus a real alternative for all those who do not want screws, making them ideal for rented flats too.





Clamping bracket for Pleated Blind Concept



Metal/plastic, for mounting on the window case-ment without drilling and screwing for pleated blind Concept, adjustment range approx. 5-25 mm

Info: Clamp bracket only suitable for windows with rubber seal.

Tip: Ideal for rented flats, as can be removed from the window frame without leaving any residue.

		 (cm)	Art. Nr.	EAN
white	6 x 4		32874	

PLEATED BLIND CONCEPT




Adhesive bracket for Pleated Blind Concept



Plastic, for adhesive mounting on the window casement without drilling and screwing for pleated blind Concept, also ideal for fixed windows, with quality adhesive pads from tesa®

Tip: Ideal for rented flats, as can be removed from the window frame without leaving any residue.



			Art. Nr.	EAN
white	6 x 4		32875	4 003018 350729

Clamping bracket for fold mounting for Pleated Blind Concept






Plastic, for mounting on the window casement without drilling and screwing for pleated blind Concept, rebate mounting for clamping: Direct mounting in the glass rebate, adjustment range approx. 12-25 mm

Info: Rebate clamp bracket only suitable for windows with rubber seal.

Tip: Ideal for rented flats, as can be removed from the window frame without leaving any residue.



			Art. Nr.	EAN
white	6 x 4		32876	4 003018 350736




Adhesive bracket for fold mounting for pleated blind Concept



Plastic, for adhesive mounting in the glass rebate without drilling and screwing for pleated blind Concept, also ideal for fixed windows, with quality adhesive pads from tesa®


Tip: Ideal for rented flats, as can be removed from the window frame without leaving any residue.



			Art. Nr.	EAN
white	6 x 4		36419	4 003018 367413

Pleated Blind Concept for Clamping Lilly Green












Grey



Fabric 100% polyester, fabric recycled material, opaque, 20 mm pleat, mounting without drilling and screwing, individually height-adjustable via 2 aluminium operating rails, including 2 operating handles and 4 clamp brackets (adjustment range approx. 12-23 mm), braced pleated blind for fixing even when the window is tilted, operating rails incl. discreet cover strip (dust protection), easy to shorten in width, 100% childproof according to EN 13120

Info: Clamp brackets only suitable for windows with rubber seal.

Tip: Clamp brackets compatible with GARDINIA pleated blind Concept brackets for clamping or gluing (art. no. 32874, 32875, 32876 and 36419).

		 (cm)	Art. Nr.	EAN
Grey	1 x 1	40 x 130	36387	
	1 x 1	50 x 130	36388	
	1 x 1	60 x 130	36389	
	1 x 1	70 x 130	36390	
	1 x 1	80 x 130	36391	
	1 x 1	90 x 130	36392	
	1 x 1	100 x 130	36393	
	1 x 1	80 x 210	36394	



PLEATED BLIND CONCEPT FOR CLAMPING

Pleated Blind Concept for Clamping Lissy

The pleated blind Concept for Clamping Lissy with 2 operating rails is simply clamped onto the window case-ment using the brackets supplied. Two types of adhesive mounting and two other types of clamp mounting are also possible (optional accessories). The fabric is opaque but translucent and scores points with its beautiful design with discreet pigment print. The pleated blind Concept can be positioned anywhere on the window by hand using the two operating rails.




white



Fabric 100% polyester fleece, non-woven with high-quality pigment print, translucent, 20 mm pleat, installation without drilling and screwing, individually height-adjustable via 2 aluminium operating rails, including 2 operating handles and 4 clamp brackets (adjustment range approx. 12-23 mm), braced pleated blind for fixing even when the window is tilted, easy to shorten in width, 100% childproof according to EN 13120

Info: Clamp brackets only suitable for windows with rubber seal.

Tip: Clamp brackets compatible with GARDINIA pleated blind Concept brackets for clamping or gluing (art. no. 32874, 32875 and 32876 and 36419).

		 (cm)	Art. Nr.	EAN
white	1 x 1	40 x 130	36395	4 003018 366621
	1 x 1	50 x 130	36396	4 003018 366638
	1 x 1	60 x 130	36397	4 003018 366645
	1 x 1	70 x 130	36398	4 003018 366652
	1 x 1	80 x 130	36399	4 003018 366669
	1 x 1	90 x 130	36400	4 003018 366676
	1 x 1	100 x 130	36401	4 003018 366683
	1 x 1	80 x 210	36402	4 003018 366690



Pleated Blind Concept for Clamping Flowers and Plants

The pleated blind Concept for Clamping Flowers and Plants with 2 operating rails is simply clamped onto the window casement using the brackets supplied. Two types of adhesive mounting and two other types of clamp mounting are also possible (optional accessories). The fabric is opaque but translucent and features a print in a floral design. The pleated blind Concept can be positioned anywhere on the window by hand using the two operating rails.












Blossom



Fabric 100% polyester, translucent, opaque, 20 mm pleat, installation without drilling and screwing, individually height-adjustable via 2 aluminium operating rails, including 2 operating handles and 4 clamp brackets (adjustment range approx. 12-23 mm), braced pleated blind for fixing even when the window is tilted, easy to shorten in width, 100% childproof according to EN 13120

Info: Clamp brackets only suitable for windows with rubber seal.

Tip: Tensioning shoes compatible with GARDINIA pleated blind Concept brackets for clamping or gluing (art. no. 32874, 32875 and 32876 and 36419).

			Art. Nr.	EAN
Blossom	1 x 1	40 x 130	36342	
	1 x 1	50 x 130	36343	
	1 x 1	60 x 130	36344	
	1 x 1	70 x 130	36345	
	1 x 1	80 x 130	36346	
	1 x 1	90 x 130	36347	
	1 x 1	100 x 130	36348	
	1 x 1	80 x 210	36349	



Branch



Fabric 100% polyester, translucent, opaque, 20 mm pleat, installation without drilling and screwing, individually height-adjustable via 2 aluminium operating rails, including 2 operating handles and 4 clamp brackets (adjustment range approx. 12-23 mm), braced pleated blind for fixing even when the window is tilted, easy to shorten in width, 100% childproof according to EN 13120

Info: Clamp brackets only suitable for windows with rubber seal.

Tip: Tensioning shoes compatible with GARDINIA pleated blind Concept brackets for clamping or gluing (art. no. 32874, 32875 and 32876 and 36419).



			Art. Nr.	EAN
Branch	1 x 1	40 x 130	36350	
	1 x 1	50 x 130	36351	
	1 x 1	60 x 130	36352	
	1 x 1	70 x 130	36353	
	1 x 1	80 x 130	36354	
	1 x 1	90 x 130	36355	
	1 x 1	100 x 130	36356	
	1 x 1	80 x 210	36357	



Pleated Blind Solo with sucker

Thanks to the simple and tool-free installation using suction pads, the pleated blind Solo is ideal for rented flats, summer houses, mobile homes and caravans. With the help of the suction pads on the filigree aluminium operating rails, the pleated blind Solo can be individually attached and adjusted to any desired position on the window. The integrated cord guide fixes the pleated blind even when the window is tilted.

white



Fabric 100% polyester, translucent, opaque, 20 mm pleat, fabric can be brushed off, 2 operating rails made of aluminium with integrated cord guide, mounting without drilling and screwing by suction pads, individually adjustable in height, 100% childproof according to EN 13120



			Art. Nr.	EAN
white	1 x 1	40 x 130	32917	4 003018 352716
	1 x 1	50 x 130	32918	4 003018 352723
	1 x 1	60 x 130	32919	4 003018 352730
	1 x 1	70 x 130	32920	4 003018 352747
	1 x 1	80 x 130	32921	4 003018 352754
	1 x 1	90 x 130	32922	4 003018 352761
	1 x 1	100 x 130	32923	4 003018 352778

cream



Fabric 100% polyester, translucent, opaque, 20 mm pleat, fabric can be brushed off, 2 operating rails made of aluminium with integrated cord guide, mounting without drilling and screwing by suction pads, individually adjustable in height, 100% childproof according to EN 13120



			Art. Nr.	EAN
cream	1 x 1	40 x 130	36115	4 003018 358435
	1 x 1	50 x 130	36116	4 003018 358442
	1 x 1	60 x 130	36117	4 003018 358459
	1 x 1	70 x 130	36118	4 003018 358466
	1 x 1	80 x 130	36119	4 003018 358473
	1 x 1	90 x 130	36120	4 003018 358480
	1 x 1	100 x 130	36121	4 003018 358497













PLEATED BLIND

■ Grey



Fabric 100% polyester, translucent, opaque, 20 mm pleat, fabric can be brushed off, 2 operating rails made of aluminium with integrated cord guide, mounting without drilling and screwing by suction pads, individually adjustable in height, 100% childproof according to EN 13120



		 (cm)	Art. Nr.	EAN
Grey	1 x 1	40 x 130	36122	
	1 x 1	50 x 130	36123	
	1 x 1	60 x 130	36124	
	1 x 1	70 x 130	36125	
	1 x 1	80 x 130	36126	
	1 x 1	90 x 130	36127	
	1 x 1	100 x 130	36128	

Pleated Blind with sucker

The GARDINIA skylight pleated blind with suction pads is available in matching sizes for a wide range of Velux models. However, the pleated blind can also be used on roof windows from other manufacturers without any problems. Only the correct dimensions are decisive here. It is perfectly suitable for rented flats, as neither drilling nor screwing is required for installation and the pleated blind can be removed at any time without leaving any residue. A sophisticated technique prevents the pleated blind from sagging as far as possible, even if the pleated blind is not pulled apart over the entire surface but only covers part of the window.

white



Fabric 100% polyester, translucent, opaque, 20 mm pleat, fabric can be brushed off, 2 operating rails made of aluminium with integrated cord guide, installation without drilling and screwing using suction pads, individually adjustable in height, fits Velux skylights, among others, 100% childproof according to EN 13120

			Art. Nr.	EAN
white	1 x 1	36,3 x 60	36264	4 003018 362494
	1 x 1	36,3 x 80	36265	4 003018 362500
	1 x 1	47,3 x 100	36266	4 003018 362517
	1 x 1	59,3 x 100	36267	4 003018 362524
	1 x 1	50,3 x 122	36268	4 003018 362531
	1 x 1	95,3 x 100	36269	4 003018 362548
	1 x 1	95,3 x 122	36270	4 003018 362555

36,3 x 60 cm etc. suitable for

Velux Model C02/CK02

36,3 x 80 cm etc. suitable for

Velux Model C04/CK04

47,3 x 100 cm etc. suitable for

Velux Model F06/FK06

59,3 x 100 cm etc. suitable for

Velux Model M06/MK06

95,3 x 100 cm etc. suitable for

Velux Model S06/SK06

95,3 x 122 cm etc. suitable for

Velux Modell S08/SK08



SKYLIGHT SUN AND PRIVACY PROTECTION

Grey



Fabric 100% polyester, translucent, opaque, 20 mm pleat, fabric can be brushed off, 2 operating rails made of aluminium with integrated cord guide, installation without drilling and screwing using suction pads, individually adjustable in height, fits Velux skylights, among others, 100% childproof according to EN 13120

			Art. Nr.	EAN
Grey	1 x 1	36,3 x 60	36443	4 003018 367680
	1 x 1	36,3 x 80	36444	4 003018 367697
	1 x 1	47,3 x 100	36445	4 003018 367703
	1 x 1	59,3 x 100	36446	4 003018 367710
	1 x 1	50,3 x 122	36447	4 003018 367727
	1 x 1	95,3 x 100	36448	4 003018 367734
	1 x 1	95,3 x 122	36449	4 003018 367741

36,3 x 60 cm etc. suitable for

Velux Model C02/CK02

36,3 x 80 cm etc. suitable for

Velux Model C04/CK04

47,3 x 100 cm etc. suitable for

Velux Model F06/FK06

59,3 x 100 cm etc. suitable for

Velux Model M06/MK06

95,3 x 100 cm etc. suitable for

Velux Model S06/SK06

95,3 x 122 cm etc. suitable for

Velux Modell S08/SK08





VENETIAN BLIND


Aluminium Venetian Blind 25 mm

The aluminium Venetian blind is made of a steel head and bottom rail and aluminium slats. The width of the individual slats is 25 mm and the Venetian blind tapes and cords are colour matched. The blind is operated on the right-hand side. Lifting and lowering is carried out by means of a cord and turning of the slats by means of a rod. The fittings are suitable for wall or ceiling mounting. By adjusting the slats, the light and sight incidence can be individually regulated.

white




25 mm aluminium slats, steel headrail 25 x 25 mm, matching colour Venetian blind hinges, operation by wire and slats orientation rod on the right, incl. fixing material for ceiling or wall mounting, 100% childproof according to EN 13120

		 (cm)	Art. Nr.	EAN
white	1 x 1	60 x 130	7746	4 003018 077466
	1 x 1	80 x 130	7748	4 003018 077480
	1 x 1	90 x 130	10005895	5 050685 158959
	1 x 1	100 x 130	7750	4 003018 077503
	1 x 1	110 x 130	7751	4 003018 077510
	1 x 1	120 x 130	7752	4 003018 077527
	1 x 1	40 x 175	7840	4 003018 078401
	1 x 1	50 x 175	6944	4 003018 069447
	1 x 1	60 x 175	6953	4 003018 069539
	1 x 1	70 x 175	6962	4 003018 069621
	1 x 1	80 x 175	6180	4 003018 061809
	1 x 1	90 x 175	6861	4 003018 068617
	1 x 1	100 x 175	6181	4 003018 061816
	1 x 1	110 x 175	6862	4 003018 068624
	1 x 1	120 x 175	6182	4 003018 061823
	1 x 1	130 x 175	6863	4 003018 068631
	1 x 1	140 x 175	6186	4 003018 061861
	1 x 1	160 x 175	6339	4 003018 063391
	1 x 1	200 x 175	6341	4 003018 063414
	1 x 1	60 x 240	6089	4 003018 060895
	1 x 1	80 x 240	6920	4 003018 069201
	1 x 1	90 x 240	6342	4 003018 063421
	1 x 1	100 x 240	6921	4 003018 069218
	1 x 1	120 x 240	6922	4 003018 069225
	1 x 1	140 x 240	6923	4 003018 069232

VENETIAN BLIND


silver



25 mm aluminium slats, steel headrail 25 x 25 mm, matching colour Venetian blind hinges, operation by wire and slats orientation rod on the right, incl. fixing material for ceiling or wall mounting, 100% childproof according to EN 13120

			Art. Nr.	EAN
silver	1 x 1	60 x 130	7730	4 003018 077305
	1 x 1	80 x 130	7731	4 003018 077312
	1 x 1	90 x 130	10005896	5 050685 158966
	1 x 1	100 x 130	7732	4 003018 077329
	1 x 1	110 x 130	7733	4 003018 077336
	1 x 1	120 x 130	7734	4 003018 077343
	1 x 1	40 x 175	7841	4 003018 078418
	1 x 1	50 x 175	6945	4 003018 069454
	1 x 1	60 x 175	6954	4 003018 069546
	1 x 1	70 x 175	6963	4 003018 069638
	1 x 1	80 x 175	6187	4 003018 061878
	1 x 1	90 x 175	6868	4 003018 068686
	1 x 1	100 x 175	6188	4 003018 061885
	1 x 1	110 x 175	6869	4 003018 068693
	1 x 1	120 x 175	6189	4 003018 061892
	1 x 1	130 x 175	6870	4 003018 068709
	1 x 1	140 x 175	6190	4 003018 061908
	1 x 1	160 x 175	6344	4 003018 063445
	1 x 1	200 x 175	6346	4 003018 063469
	1 x 1	60 x 240	6098	4 003018 060987
	1 x 1	80 x 240	6924	4 003018 069249
	1 x 1	90 x 240	6347	4 003018 063476
	1 x 1	100 x 240	6925	4 003018 069256
	1 x 1	120 x 240	6926	4 003018 069263
	1 x 1	140 x 240	6927	4 003018 069270


beige



25 mm aluminium slats, steel headrail 25 x 25 mm, matching colour Venetian blind hinges, operation by wire and slats orientation rod on the right, incl. fixing material for ceiling or wall mounting, 100% childproof according to EN 13120

			Art. Nr.	EAN
beige	1 x 1	40 x 175	7844	4 003018 078449
	1 x 1	50 x 175	6948	4 003018 069485
	1 x 1	60 x 175	6957	4 003018 069577
	1 x 1	70 x 175	6966	4 003018 069669

beige



25 mm aluminium slats, steel headrail 25 x 25 mm, matching colour Venetian blind hinges, operation by wire and slats orientation rod on the right, incl. fixing material for ceiling or wall mounting, 100% childproof according to EN 13120

		\leftrightarrow x \updownarrow (cm)	Art. Nr.	EAN
	1 x 1	80 x 175	6889	4 003018 068891
	1 x 1	90 x 175	6890	4 003018 068907
	1 x 1	100 x 175	6891	4 003018 068914
	1 x 1	120 x 175	6893	4 003018 068938
	1 x 1	140 x 175	6895	4 003018 068952


Mocca



25 mm aluminium slats, steel headrail 25 x 25 mm, matching colour Venetian blind hinges, operation by wire and slats orientation rod on the right, incl. fixing material for ceiling or wall mounting, 100% childproof according to EN 13120

		\leftrightarrow x \updownarrow (cm)	Art. Nr.	EAN
Mocca	1 x 1	40 x 175	6280	4 003018 197355
	1 x 1	50 x 175	6281	4 003018 197362
	1 x 1	60 x 175	6282	4 003018 197379
	1 x 1	70 x 175	6283	4 003018 197386
	1 x 1	80 x 175	6284	4 003018 197393
	1 x 1	90 x 175	6285	4 003018 197409
	1 x 1	100 x 175	6286	4 003018 197416
	1 x 1	120 x 175	6288	4 003018 197430
	1 x 1	140 x 175	6289	4 003018 197447

Slate



25 mm aluminium slats, steel headrail 25 x 25 mm, matching colour Venetian blind hinges, operation by wire and slats orientation rod on the right, incl. fixing material for ceiling or wall mounting, 100% childproof according to EN 13120

		\leftrightarrow x \updownarrow (cm)	Art. Nr.	EAN
Slate	1 x 1	40 x 175	30780	4 003018 263098
	1 x 1	50 x 175	30781	4 003018 263104
	1 x 1	60 x 175	30782	4 003018 263111
	1 x 1	70 x 175	30783	4 003018 263128
	1 x 1	80 x 175	30784	4 003018 263135
	1 x 1	90 x 175	30785	4 003018 263142
	1 x 1	100 x 175	30786	4 003018 263159
	1 x 1	120 x 175	30788	4 003018 263173
	1 x 1	140 x 175	30789	4 003018 263180

Accessories for Aluminium Venetian Blind 25 mm

The accessories for aluminium Venetian blinds with 25 mm headrail include various brackets for gluing, screwing or clamping, a slats orientation rod, an extension for slats orientation rod, cord winder, blind cord, magnetic holder, slat cutter and cleaning brush.

Adhesive support set



Metal/plastic (polycarbonate), for aluminium Venetian blinds with 25 mm headrails, with quality adhesive pads from tesa®



Tip: Ideal for rented flats, as can be removed from the window frame without leaving any residue.

			Art. Nr.	EAN
white	10 x 2		32983	

Bracket for aluminium Venetian blind



Metal, galvanised, for aluminium Venetian blinds with 25 mm top rails, for ceiling or wall mounting, incl. fittings


			Art. Nr.	EAN
galvanized	10 x 2		7033	

Special bracket for Luxor, rectangular



Aluminium, for drapery of up to 3 Luxor curtain rods or aluminium Venetian blinds, incl. fittings, bracket length (wall distance of curtain rod) max. 14 cm

			Art. Nr.	EAN
brushed steel	4 x 1		12761	







Accessories for Aluminium Venetian Blind 25 mm

Clamping bracket, metal/plastic



Metal/plastic, for aluminium Venetian blinds with 25 mm headrails, for mounting on the window casement, adjustment range approx. 6-30 mm

			Art. Nr.	EAN
white	10 x 2		7034	







Info: Clamp bracket only suitable for windows with rubber seal.

Tip: Ideal for rented flats, as can be removed from the window frame without leaving any residue.

Clamping bracket, metal/plastic



Metal/plastic, for aluminium Venetian blinds with 25 mm headrails, for mounting on the window casement, adjustment range approx. 6-30 mm

			Art. Nr.	EAN
brown	10 x 2		7038	







Info: Clamp bracket only suitable for windows with rubber seal.


Tip: Ideal for rented flats, as can be removed from the window frame without leaving any residue.

Clamping bracket, plastic



Plastic, for aluminium Venetian blinds with 25 mm headrails, for mounting on the window casement, adjustment range approx. 6-30 mm

			Art. Nr.	EAN
white	10 x 2		7058	



Info: Clamp bracket only suitable for windows with rubber seal.

Tip: Ideal for rented flats, as can be removed from the window frame without leaving any residue.

Accessories for Aluminium Venetian Blind 25 mm

Universal clamping bracket, metal







Metal/plastic, in conjunction with all standard bracket systems, for mounting on the window casement without drilling and screwing, simple attachment of the bracket systems through innovative catch mechanism, adjustment range approx. 6-28 mm



Info: Clamp bracket only suitable for windows with rubber seal.

Tip: Ideal for rented flats, as can be removed from the window frame without leaving any residue.

			Art. Nr.	EAN
white	10 x 2		10004205	

Universal clamping bracket, plastic







Plastic, in conjunction with all standard bracket systems, for mounting on the window sash without drilling and screwing, adjustment range approx. 6-30 mm



Info: Clamp bracket only suitable for windows with rubber seal.

Tip: Ideal for rented flats, as can be removed from the window frame without leaving any residue.

			Art. Nr.	EAN
white	10 x 2		7059	





Universal clamping holder



Plastic, in conjunction with all standard bracket systems, for mounting on the window sash without drilling and screwing, adjustment range approx. 15-25 mm

Info: Clamp bracket only suitable for windows with rubber seal.

Tip: Ideal for rented flats, as can be removed from the window frame without leaving any residue.

			Art. Nr.	EAN
white	10 x 2		31200	

Accessories for Aluminium Venetian Blind 25 mm

Turning rod



Plastic, with hook, for opening and closing the slats

			Art. Nr.	EAN
transparent	10 x 1	75	7032	

Turning rod extension



plastic, for extension of blind turning rods, incl. connecting piece


			Art. Nr.	EAN
transparent	10 x 1	40	7041	

Cord winder incl. screws



Plastic, two-piece, for winding up the Venetian blind cord, incl. screws

			Art. Nr.	EAN
white	10 x 6		7800	



Cord for venetian blinds



100% polyester, for Venetian blinds, Ø 1.3 mm, length 10 m


			Art. Nr.	EAN
white	10 x 1	1000	994	





Accessories for Aluminium Venetian Blind 25 mm

Magnet holder for bottom rail



Plastic/magnetic, for Venetian blind metal bottom rails, self-adhesive, ideal for tilting windows, fixes the blinds to the window casement



			Art. Nr.	EAN
white	10 x 2	5 x 2	7040	

Slat cutter



Plastic, for shortening the width of aluminium Venetian blinds with 25 mm slats





			Art. Nr.	EAN
Grey	5 x 1		7039	

Cleaning brush



Plastic, for Venetian blinds, simultaneously cleans top and bottom of 6 slats

Tip: If the brush becomes heavily soiled it can be washed out manually using soap and warm water.

			Art. Nr.	EAN
yellow-orange	5 x 1		7988	




VERTICAL BLIND



Vertikal Blind Leander 127 mm

The vertical blind Leander consists of a white, powder-coated metal headrail and vertical fabric slats made of 100% polyester with a width of 127 mm. The vertical blind is raised using a control cord, the slats are turned using a ball chain. The operating side can be on the right or left side, depending on the installation. The complete system includes mounting material for wall or ceiling mounting. From a rail width of 200 cm, the headrail is folded and the slat package is divided. The fabric slats can be shortened in height. The vertical blind offers a large area shading option with individual light and view regulation. For maintenance, the fabric can be brushed off with a brush or feather duster or carefully wiped with a damp cloth (without detergent).

white Stripes



Fabric 100% polyester, slat width 127 mm, headrail made of metal, powder-coated white, system can be shortened in height, operation/slat package on one side, from 200 cm width headrail folded and slat package divided, including fixing material for wall and ceiling mounting


Tip: Can be mounted at a slant using slope hooks art. No. 32581.

Note: Due to legal requirements for child safety (EN13120), the length of the operating cord/chain is 1 m. An extension of the chains and cords is not permitted.


			Art. Nr.	EAN
white Stripes	1 x 1	100 x 260	32350	
	1 x 1	150 x 260	32351	
	1 x 1	200 x 260	32352	
	1 x 1	250 x 260	32353	
	1 x 1	300 x 260	32354	

VERTICAL BLIND

white






Fabric 100% polyester, slat width 127 mm, headrail made of metal, powder-coated white, system can be shortened in height, operation/slat package on one side, from 200 cm width headrail folded and slat package divided, including fixing material for wall and ceiling mounting



Tip: Can be mounted at a slant using slope hooks art. No. 32581.

Note: Due to legal requirements for child safety, the length of the operating cord/chain is 1 m. An extension of the chains and cords is not permitted.

		 (cm)	Art. Nr.	EAN
white	1 x 1	150 x 260	32355	4 003018 332442
	1 x 1	200 x 260	32356	4 003018 332459
	1 x 1	250 x 260	32357	4 003018 332466

Accessories for Vertical Blind Leander 127 mm




The accessories for the vertical blind Leander 127 mm include matching hooks for a sloping installation (slope hooks) as well as slat holders.


Hook for inclined installation (slope hook)



Plastic, for converting to slanted installation up to 45° angle of tilt

Info: Suitable for vertical blind Leander.

		 (cm)	Art. Nr.	EAN
white	15 x 5		32581	4 003018 336181









Accessories for Vertical Blind Leander 127 mm

Slat holder



Plastic, for 127 mm slat width

Info: Suitable for vertical blind Leander.

		 (cm)	Art. Nr.	EAN
white	10 x 10	12,7	32582	





Accessories for Vertical Blind


Cord holder including screws and a chain weight are available as accessories for the vertical blind.

Cord winder incl. screws



Plastic, two-piece, incl. screws





		 (cm)	Art. Nr.	EAN
white	10 x 6		7800	



Chain weight, round



Plastic, the specifications of EN 13120 with regard to child safety must be complied with for the installation and use of the privacy and sun protection



		 (cm)	Art. Nr.	EAN
transparent/white	5 x 1	2,5 x 10	33067	



WINDOW FILM

The static window films from GARDINIA adhere without adhesives and can be removed without leaving any residue. They are a versatile visual protection. The static window films filter harmful UV light and ensure a pleasant indoor climate by preventing rooms from heating up quickly. Even in damp rooms such as bathrooms or kitchens, even on the outside of shower walls, the film adheres securely.

Privacy 50





100% PVC, adheres statically to all smooth surfaces, easy to apply, removable and reusable without leaving residue, suitable for use in damp rooms, semi-transparent for privacy protection, privacy screen by day and night, translucent, reduces solar radiation (85% UV protection), easy to clean, durable and robust, can be cut to size individually

Info: Due to production, there may be tolerances of +/- 2 mm in the dimensions.

			Art. Nr.	EAN
semi-transparent	1 x 1	45 x 150	36100	
	1 x 1	67,5 x 150	36101	
	1 x 1	90 x 150	36102	



Privacy 75





100% PVC, adheres statically to all smooth surfaces, easy to apply, removable and reusable without leaving residue, suitable for use in damp rooms, opaque to protect privacy, privacy screen by day and night, translucent, reduces solar radiation (99% UV protection), easy to clean, durable and robust, can be cut to size individually

Info: Due to production, there may be tolerances of +/- 2 mm in the dimensions.

			Art. Nr.	EAN
semi-transparent	1 x 1	45 x 150	36103	
	1 x 1	67,5 x 150	36104	
	1 x 1	90 x 150	36105	






Line 25




100% PVC, adheres statically to all smooth surfaces, easy to apply, removable and reusable without leaving residue, suitable for use in damp rooms, semi-transparent for privacy protection, privacy screen by day and night, translucent, reduces solar radiation (80% UV protection), easy to clean, durable and robust, can be cut to size individually

Info: Due to production, there may be tolerances of +/- 2 mm in the dimensions.

		 (cm)	Art. Nr.	EAN
semi-transparent	1 x 1	45 x 150	36106	4 003018 358343
	1 x 1	67,5 x 150	36107	4 003018 358350
	1 x 1	90 x 150	36108	4 003018 358367






Graphic 50



100% PVC, adheres statically to all smooth surfaces, easy to apply, removable and reusable without leaving residue, suitable for use in damp rooms, semi-transparent for privacy protection, privacy screen by day and night, translucent, reduces solar radiation (90% UV protection), easy to clean, durable and robust, can be cut to size individually



Info: Due to production, there may be tolerances of +/- 2 mm in the dimensions.

		 (cm)	Art. Nr.	EAN
semi-transparent	1 x 1	45 x 150	36109	4 003018 358374
	1 x 1	67,5 x 150	36110	4 003018 358381
	1 x 1	90 x 150	36111	4 003018 358398











Textile 75



100% PVC, looks like linen, adheres statically to all smooth surfaces, easy to apply, removable and reusable without leaving residue, suitable for use in damp rooms, opaque to protect privacy, privacy screen by day and night, translucent, reduces solar radiation (95% UV protection), easy to clean, durable and robust, can be cut to size individually

Info: Due to production, there may be tolerances of +/- 2 mm in the dimensions.

		 (cm)	Art. Nr.	EAN
semi-transparent	1 x 1	45 x 150	36112	
	1 x 1	67,5 x 150	36113	
	1 x 1	90 x 150	36114	





PANEL FABRIC



Panel Fabric Technology Atlanta


Atlanta Individual Article white

The panel curtain rail Atlanta in white is made of aluminium can be mounted on the ceiling as well as on the wall (accessories optional). The rail height is 15 mm and the track channel is 5.5 mm wide. An extensive range of accessories is available for the panel curtain rail Atlanta. It is suitable for panel curtains and also for curtains.

Panel curtain rail 3-track



Aluminium, rail height 15 mm, rail depth 55 mm, track channel approx. 5.5 mm



		$\leftrightarrow x \updownarrow$ (cm)	Art. Nr.	EAN
white	4 x 1	160	12510	
	4 x 1	210	12511	
	4 x 1	260	12512	
	4 x 1	310	12513	

Panel slide



Aluminium, with Velcro and pre-mounted rollers; use for panel curtain rails, brackets with slide heads are included as an accessory; to be used for curtain rods with inner track Ø 20 mm and Ø 16 mm, aluminium curtain rails, aluminium rail 13 mm, curtain rail Model GE and P2Ü



Tip: Screw-mounted bottom profile for panel curtain Art. no. 10011515 (silver), clip on bottom profile for panel curtain Art. no. 33842 (white) or 33843 (silver).





		$\leftrightarrow x \updownarrow$ (cm)	Art. Nr.	EAN
white	10 x 1	60	33840	

Atlanta Individual Article white

Panel with weighting bar







Aluminium, with Velcro and pre-mounted rollers; use for panel curtain rails, brackets with slide heads are included as an accessory; to be used for curtain rods with inner track Ø 20 mm and Ø 16 mm, aluminium curtain rails, aluminium rail 13 mm, curtain rail Model GE and P2Ü, weighting profile with plastic end caps

			Art. Nr.	EAN
white	10 x 1 Set	60	30131	

Profile clip-on







Aluminium, as panel carrier or u-profile for panel fabrics, incl. adhesive strips to fix the fabric and 2 pairs of gliders suitable for panel fabric rail Atlanta, aluminium curtain rail, aluminium rail 13 mm, curtain rails Luxor, curtain rails with inner track I Ø 16, 20 and 25 mm, curtain rails with inner track II Ø 20 mm and plastic curtain rails GE, GK, P2Ü


			Art. Nr.	EAN
white	10 x 1	60	33842	

Finial for 3-track rails



Plastic, as end-stop for 3-track panel curtain rails

			Art. Nr.	EAN
white	4 x 1 Pair		12515	





Atlanta Individual Article white

End piece with notch for 3-track rails



Plastic, with notch for X glider

			Art. Nr.	EAN
white	4 x 1		12518	








Wall bracket



Aluminium, for 3-track rails, max. wall clearance of the rail 70 mm

Tip: also suitable for combination of 3-track rail and curtain rod with inner track Ø 20 mm.





			Art. Nr.	EAN
white	4 x 1	3 - 8	12514	



Angle brackets for 3-track panel curtain rails



Metal, for wall and niche mounting, max. wall clearance for the rail 80 mm (1 ceiling bracket article no.10010973 per bracket)

			Art. Nr.	EAN
white	4 x 1	11	5244	


Atlanta Individual Article silver

The panel curtain rail Atlanta in silver is made of aluminium can be mounted on the ceiling as well as on the wall (accessories optional). The rail height is 15 mm and the track channel is 5.5 mm wide. An extensive range of accessories is available for the panel curtain rail Atlanta. It is suitable for panel curtains and also for curtains.

Panel curtain rail 3-track



Aluminium, rail height 15 mm, rail depth 55 mm, track channel approx. 5.5 mm



		\leftrightarrow x \updownarrow (cm)	Art. Nr.	EAN
silver	4 x 1	160	10010967	
	4 x 1	210	10010968	
	4 x 1	260	10010969	
	4 x 1	310	10010970	

Panel slide



Aluminium, with Velcro and pre-mounted rollers; use for panel curtain rails, brackets with slide heads are included as an accessory; to be used for curtain rods with inner track Ø 20 mm and Ø 16 mm, aluminium curtain rails, aluminium rail 13 mm, curtain rail Model GE and P2Ü



Tip: Screw-mounted bottom profile for panel curtain Art. no. 10011515 (silver), clip on bottom profile for panel curtain Art. no. 33842 (white) or 33843 (silver).

		\leftrightarrow x \updownarrow (cm)	Art. Nr.	EAN
silver	10 x 1	60	33841	

Panel with weighting bar



Aluminium, with Velcro and pre-mounted rollers; use for panel curtain rails, brackets with slide heads are included as an accessory; to be used for curtain rods with inner track Ø 20 mm and Ø 16 mm, aluminium curtain rails, aluminium rail 13 mm, curtain rail Model GE and P2Ü, weighting profile with plastic end caps



		\leftrightarrow x \updownarrow (cm)	Art. Nr.	EAN
silver	10 x 1 Set	60	10010971	

Atlanta Individual Article silver

Panel 70 cm with weighting bar



Aluminium, with Velcro and pre-mounted rollers; use for panel curtain rails, brackets with slide heads are included as an accessory; to be used for curtain rods with inner track Ø 20 mm and Ø 16 mm, aluminium curtain rails, aluminium rail 13 mm, curtain rail Model GE and P2Ü, weighting profile with plastic end caps

			Art. Nr.	EAN
silver	10 x 1	70	5255	

Profile clip-on



Aluminium, as panel carrier or u-profile for panel fabrics, incl. adhesive strips to fix the fabric and 2 pairs of gliders suitable for panel fabric rail Atlanta, aluminium curtain rail, aluminium rail 13 mm, curtain rails Luxor, curtain rails with inner track I Ø 16, 20 and 25 mm, curtain rails with inner track II Ø 20 mm and plastic curtain rails GE, GK, P2Ü

			Art. Nr.	EAN
silver	10 x 1	60	33843	

Bottom profile



Aluminium, for screw-mounting, including internal fixing profile with adhesive tape for fixing the fabric





			Art. Nr.	EAN
silver	10 x 1	60	10011515	


Atlanta Individual Article silver

Finial for 3-track rails



Plastic, as end-stop for 3-track panel curtain rails





			Art. Nr.	EAN
silver	4 x 1 Pair		10010974	




End piece with notch for 3-track rails



Plastic, with notch for X glider

			Art. Nr.	EAN
silver	4 x 1		10010978	








Wall bracket



Aluminium, for 3-track rails, max. wall clearance of the rail 70 mm

Tip: also suitable for combination of 3-track rail and curtain rod with inner track Ø 20 mm.

			Art. Nr.	EAN
silver	4 x 1	3 - 8	10010972	







Atlanta Individual Article silver

Angle brackets for 3-track panel curtain rails



Metal, for wall and niche mounting, max. wall clearance for the rail 80 mm (1 ceiling bracket article no.10010973 per bracket)

			Art. Nr.	EAN
silver	4 x 1	11	5254	

Accessories panel fabric technology Atlanta





The accessories for the Atlanta panel fabric system include various gliders and rollers, panel track connectors, ceiling brackets, draw rods and magnetic handles as handle protection or for decoration on panel fabrics.


Panel track connector



Aluminium, for 3-track panel curtain rails

Info: Always place a bracket at the connection point.

			Art. Nr.	EAN
silver	6 x 1	5	10010975	







Ceiling clip for 3-track panel fabric rails




Plastic, for fixing 3-track panel fabric rails

Tip: One ceiling clip every 50 cm.

Info: Supplied without screws and dowels. Only use screws and dowels suitable for the mounting surface!

			Art. Nr.	EAN
white	6 x 2	5,6 x 4 cm	32945	








Accessories panel fabric technology Atlanta

Ceiling bracket for 3-track panel curtain rails



Metal, for ceiling mounting or in combination with angle brackets





			Art. Nr.	EAN
silver	6 x 2		10010973	



Glider for panel slide






Plastic, as replacement for panel slide

			Art. Nr.	EAN
white	6 x 2		10013197	

Roller for panel slide







Plastic, with eyelet for slide rod, for replacing the gliders on panel carriers, very good running properties

			Art. Nr.	EAN
white	6 x 2		30731	

X glider



Plastic, with pleating hooks, for 6 mm track channel, suitable for panel curtain rails, 13 mm aluminium rails, aluminium curtain rails, curtain rods Luxor, curtain rods with inner track Ø 16, 20 and 25 mm





			Art. Nr.	EAN
white	15 x 25		4974	

Accessories panel fabric technology Atlanta

X glider with clip







plastic/metal, rotating head, for 6 mm track channel, suitable for panel curtain rails, 13 mm aluminium rails, aluminium curtain rails, curtain rods Luxor, curtain rails with inner track Ø 16, 20 and 25 mm


			Art. Nr.	EAN
white	10 x 20		4984	

Duo X-glider



Plastic, rotating head, therefore suitable for curtain rails and curtain rods with inner track and 4 or 6 mm track channel





			Art. Nr.	EAN
white	10 x 25		32175	




Loop glider



Plastic, for draping tab-top curtains on curtain rods with inner track I Ø 16, 20 or 25 mm, inner track II Ø 19 and 20 mm, GE and P2Ü curtain rails, Luxor curtain rods, aluminium rails 13 mm, Atlanta panel fabric rails and aluminium curtain rails

			Art. Nr.	EAN
white	6 x 10		10011067	




Tip: Pleat curtains can be hung and removed without removing the loop gliders.

Accessories panel fabric technology Atlanta





Loop glider with X gliders and rollers



Plastic, for draping tab-top curtains, rollers for use in curtain rails GE and P2Ü, X-gliders for use in curtain rods with inner track Ø 16, 20 and 25 mm, Luxor curtain rods, aluminium rails 13 mm, Atlanta panel curtain rails and aluminium curtain rails








Tip: tab-top curtains can be hung and removed without removing the loop gliders.

			Art. Nr.	EAN
white	6 x 10	5,9	148	

Metal slide rod








Metal, sheathed in white plastic with plastic handle, with metal hooks

			Art. Nr.	EAN
white	10 x 2	75	340	
	10 x 2	100	341	

Slide rod plastic







Plastic, with metal hooks

			Art. Nr.	EAN
transparent	10 x 2	75	250	
	10 x 2	100	251	

Aluminium slide rod



Aluminium, with metal hooks

			Art. Nr.	EAN
Aluminium	6 x 1	100	506	







Accessories panel fabric technology Atlanta

Magnet grip







Aluminium, for panel curtains as grip protection and for drapery


			Art. Nr.	EAN
Aluminium	6 x 1 Pair	5 x 5	30730	

Magnet Clip



Plastic, for panel curtains as grip protection and for drapery

			Art. Nr.	EAN
white	6 x 1	3,3 x 6,2	31465	



Panel Fabric Technology Comfort


Comfort Complete Set white





The Comfort panel fabric rails complete set, made of aluminium, is available as a 3, 4 or 5-track rail in the colour white. The set includes a rail with end pieces, panel carriers with Velcro, weighted profiles with end caps, attachments for panel carriers, brackets for wall and ceiling mounting and an aluminium draw rod in 100 cm length with fittings. The rail is very narrow and produces therefore only a slight visual impact.

Panel Curtain Rail Comfort 3-track



3-track rail, aluminium, with finials, complete with panel carriers incl. Velcro strip, weighting profile with end caps, attachments for panel carriers, brackets for wall and ceiling mounting and aluminium slide rod 100 cm, incl. fittings
length of panel carriers and weighting profile: 60 cm








			Art. Nr.	EAN
white	4 x 1	170	31176	

Panel Curtain Rail Comfort 4-track



4-track rail, aluminium, with finials, complete with panel carriers incl. Velcro strip, weighting profile with end caps, attachments for panel carriers, brackets for wall and ceiling mounting and aluminium slide rod 100 cm, incl. fittings
length of panel carriers and weighting profile: 60 cm




			Art. Nr.	EAN
white	4 x 1	225	31177	





Comfort Complete Set white

Panel Curtain Rail Comfort 5-track



5-track rail, aluminium, with finials, complete with panel carriers incl. Velcro strip, weighting profile with end caps, attachments for panel carriers, brackets for wall and ceiling mounting and aluminium slide rod 100 cm, incl. fittings
length of panel carriers and weighting profile: 60 cm



			Art. Nr.	EAN
white	4 x 1	280	31178	


Comfort Complete Set aluminium





The Comfort panel fabric rails complete set, made of aluminium, is available as a 3, 4 or 5-track rail in the colour aluminium. The set includes a rail with finials, panel carriers with Velcro, weighted profiles with end caps, attachments for panel carriers, brackets for wall and ceiling mounting and an aluminium draw rod in 100 cm length with fittings. The rail is very narrow and produces therefore only a slight visual impact.

Panel Curtain Rail Comfort 3-track




3-track rail, aluminium, with finials, complete with panel carriers incl. Velcro strip, weighting profile with end caps, attachments for panel carriers, brackets for wall and ceiling mounting and aluminium slide rod 100 cm, incl. fittings
length of panel carriers and weighting profile: 60 cm



			Art. Nr.	EAN
Aluminium	1 x 1	170	31173	

Comfort Complete Set aluminium


Panel Curtain Rail Comfort 4-track



4-track rail, aluminium, with finials, complete with panel carriers incl. Velcro strip, weighting profile with end caps, attachments for panel carriers, brackets for wall and ceiling mounting and aluminium slide rod 100 cm, incl. fittings
length of panel carriers and weighting profile: 60 cm

			Art. Nr.	EAN
Aluminium	1 x 1	225	31174	

Panel Curtain Rail Comfort 5-track



5-track rail, aluminium, with finials, complete with panel carriers incl. Velcro strip, weighting profile with end caps, attachments for panel carriers, brackets for wall and ceiling mounting and aluminium slide rod 100 cm, incl. fittings
length of panel carriers and weighting profile: 60 cm

			Art. Nr.	EAN
Aluminium	1 x 1	280	31175	

Accessories panel fabric technology Comfort

The accessories for the panel fabric Comfort include gliders as replacement items for the gliders supplied with the Comfort complete set.

Glider with panel fabric rail Comfort




Plastic, as replacement for panel slide of panel fabric Comfort

			Art. Nr.	EAN
Grey	1 x 4		32661	

Panel Curtain Day + Night





The panel curtain Day + Night is equipped with a high-quality aluminium profile, which can be hooked directly into any standard curtain rail without additional panel carriers. The fabric is 100% polyester and woven segmentally. Through an innovative and patented technology, the fabric is superimposed on itself, so that the light can be adjusted as needed. The panel curtain Day + Night can easily be shortened to the desired length.

white



Fabric 100% polyester, individually adjustable room light, with aluminium profile incl. glider, suitable for all curtain rail models with a running distance of at least 11 mm, with weighting profile, can be shortened in height, incl. 2 replacement adhesive tongues

Info: Cannot be used for the GARDINIA Comfort complete sets.





		 (cm)	Art. Nr.	EAN
white	1 x 1	60 x 245	30320	

Grey




Fabric 100% polyester, individually adjustable room light, with aluminium profile incl. glider, suitable for all curtain rail models with a running distance of at least 11 mm, with weighting profile, can be shortened in height, incl. 2 replacement adhesive tongues

Info: Cannot be used for the GARDINIA Comfort complete sets.

		 (cm)	Art. Nr.	EAN
Grey	1 x 1	60 x 245	30321	




PANEL CURTAIN FABRIC

Checked, white



Fabric 100% polyester, individually adjustable room light, with aluminium profile incl. glider, suitable for all curtain rail models with a running distance of at least 11 mm, with weighting profile, can be shortened in height, incl. 2 replacement adhesive tongues

Info: Cannot be used for the GARDINIA Comfort complete sets.




		 x (cm)	Art. Nr.	EAN
Checked, white	1 x 1	60 x 245	30322	4 003018 315063

mélange



Fabric 100% polyester, individually adjustable room light, with aluminium profile incl. glider, suitable for all curtain rail models with a running distance of at least 11 mm, with weighting profile, can be shortened in height, incl. 2 replacement adhesive tongues

Info: Cannot be used for the GARDINIA Comfort complete sets.




		 x (cm)	Art. Nr.	EAN
mélange	1 x 1	60 x 245	30323	4 003018 315070

off white-mélange



Fabric 100% polyester, individually adjustable room light, with aluminium profile incl. glider, suitable for all curtain rail models with a running distance of at least 11 mm, with weighting profile, can be shortened in height, incl. 2 replacement adhesive tongues

Info: Cannot be used for the GARDINIA Comfort complete sets.

		 x (cm)	Art. Nr.	EAN
off white-mélange	1 x 1	60 x 245	33981	4 003018 322009






Silver grey



Fabric 100% polyester, individually adjustable room light, with aluminium profile incl. glider, suitable for all curtain rail models with a running distance of at least 11 mm, with weighting profile, can be shortened in height, incl. 2 replacement adhesive tongues


Info: Cannot be used for the GARDINIA Comfort complete sets.

			Art. Nr.	EAN
Silver grey	1 x 1	60 x 245	33982	4 003018 322016




Panel Curtain Fabric Entry

The panel curtain Entry consists of 87% polyester and 13% nylon. The fabric has a translucent, transparent quality and by means of the special weaving technique creates an interesting fabric structure. The panel fabric Entry is supplied with self-adhesive loop tape (supplied loose) and can therefore be easily shortened from above before fitting. The bottom of the panel fabric has a sewn hemstitch for inserting a weighting profile. For maintenance, the fabric can be carefully brushed with a brush or feather duster or wiped with a damp cloth (without detergent).

white




Fabric 87 % polyester, 13 % nylon, transparent, can be shortened from top, with self-adhesive loop strip (loose) and 3 cm tunnel for weighting profile.

			Art. Nr.	EAN
white	1 x 1	60 x 245	33185	4 003018 290346



PANEL CURTAIN FABRIC

Grey



Fabric 87 % polyester, 13 % nylon, transparent, can be shortened from top, with self-adhesive loop strip (loose) and 3 cm tunnel for weighting profile.



			Art. Nr.	EAN
Grey	1 x 1	60 x 245	33186	4 003018 290353

taupe



Fabric 87 % polyester, 13 % nylon, transparent, can be shortened from top, with self-adhesive loop strip (loose) and 3 cm tunnel for weighting profile.



			Art. Nr.	EAN
taupe	1 x 1	60 x 245	33187	4 003018 290360

brown



Fabric 87 % polyester, 13 % nylon, transparent, can be shortened from top, with self-adhesive loop strip (loose) and 3 cm tunnel for weighting profile.



			Art. Nr.	EAN
brown	1 x 1	60 x 245	33188	4 003018 290377



Green



Fabric 87 % polyester, 13 % nylon, transparent, can be shortened from top, with self-adhesive loop strip (loose) and 3 cm tunnel for weighting profile.

			Art. Nr.	EAN
Green	1 x 1	60 x 245	32492	4 003018 334187



Panel Curtain Fabric Plain

The panel curtain Plain consists of 100% polyester. The fabric is opaque but translucent. This material is characterized by its uniform fine weave of a somewhat firmer grip. The panel curtain Plain is supplied with a self-adhesive Velcro tape (supplied loose) and can therefore be easily shortened from above before attaching. The panel curtain has a sewn hemstitch below for inserting the weighted profile.

612 plain white



Fabric 100% polyester, translucent, can be shortened from top, with self-adhesive loop strip (loose) and 3 cm tunnel for weighting profile

			Art. Nr.	EAN
612 plain white	1 x 1	60 x 245	10013317	4 003018 191636




PANEL CURTAIN FABRIC

Panel Curtain Fabric washable

The washable panel curtain consists of 100% polyester and can be washed when necessary by hand. The fabric is certified in accordance with the Oeko-Tex Standard 100 and is opaque but translucent. The washable panel curtain is supplied with a self-adhesive Velcro tape (supplied loose) and can therefore be easily shortened from above before attaching. The panel curtain has a sewn hemstitch below for inserting the weighted profile.

118 Tree white/grey




Fabric 100% polyester, semitransparent, washable (handwash), fabric in accordance with Öko-Tex Standard 100, including loop strip for (loose) glueing, with hemstitch for inserting the weighting profile, fabric can be shortened from above



			Art. Nr.	EAN
118 Tree white/grey	1 x 1	60 x 245	1118060245	

119 Curling white/grey




Fabric 100% polyester, semitransparent, washable (handwash), fabric in accordance with Öko-Tex Standard 100, including loop strip for (loose) glueing, with hemstitch for inserting the weighting profile, fabric can be shortened from above



			Art. Nr.	EAN
119 Curling white/grey	1 x 1	60 x 245	1119060245	



121 Wave white/grey



Fabric 100% polyester, semitransparent, washable (handwash), fabric in accordance with Öko-Tex Standard 100, including loop strip for (loose) glueing, with hemstitch for inserting the weighting profile, fabric can be shortened from above



			Art. Nr.	EAN
121 Wave white/grey	1 x 1	60 x 245	1121060245	4 003018 285694

122 Ball of wool white/grey



Fabric 100% polyester, semitransparent, washable (handwash), fabric in accordance with Öko-Tex Standard 100, including loop strip for (loose) glueing, with hemstitch for inserting the weighting profile, fabric can be shortened from above



			Art. Nr.	EAN
122 Ball of wool white/grey	1 x 1	60 x 245	1122060245	4 003018 285700

123 Plain white



Fabric 100% polyester, semitransparent, washable (handwash), fabric in accordance with Öko-Tex Standard 100, including loop strip for (loose) glueing, with hemstitch for inserting the weighting profile, fabric can be shortened from above






			Art. Nr.	EAN
123 Plain white	1 x 1	60 x 245	1123060245	4 003018 285717

PANEL CURTAIN FABRIC

125 Plain grey






Fabric 100% polyester, semitransparent, washable (handwash), fabric in accordance with Öko-Tex Standard 100, including loop strip for (loose) glueing, with hemstitch for inserting the weighting profile, fabric can be shortened from above

			Art. Nr.	EAN
125 Plain grey	1 x 1	60 x 245	1125060245	4 003018 285731


126 Flower white/purple






Fabric 100% polyester, semitransparent, washable (handwash), fabric in accordance with Öko-Tex Standard 100, including loop strip for (loose) glueing, with hemstitch for inserting the weighting profile, fabric can be shortened from above

			Art. Nr.	EAN
126 Flower white/purple	1 x 1	60 x 245	1126060245	4 003018 285748

Bloomy white



Fabric 100% polyester, semitransparent, washable (handwash), fabric in accordance with Öko-Tex Standard 100, including loop strip for (loose) glueing, with hemstitch for inserting the weighting profile, fabric can be shortened from above

			Art. Nr.	EAN
Bloomy white	1 x 1	60 x 245	32561	4 003018 335238



branches beige



Fabric 100% polyester, semitransparent, washable (handwash), fabric in accordance with Öko-Tex Standard 100, including loop strip for (loose) glueing, with hemstitch for inserting the weighting profile, fabric can be shortened from above



			Art. Nr.	EAN
branches beige	1 x 1	60 x 245	32563	4 003018 335252

Plain beige




Fabric 100% polyester, semitransparent, washable (handwash), fabric in accordance with Öko-Tex Standard 100, including loop strip for (loose) glueing, with hemstitch for inserting the weighting profile, fabric can be shortened from above



Tip: Combination with panel curtain branches beige art. no. 32563.

			Art. Nr.	EAN
Plain beige	1 x 1	60 x 245	32565	4 003018 335276

Bloomy reed green



Fabric 100% polyester, semitransparent, washable (handwash), fabric in accordance with Öko-Tex Standard 100, including loop strip for (loose) glueing, with hemstitch for inserting the weighting profile, fabric can be shortened from above



			Art. Nr.	EAN
Bloomy reed green	1 x 1	60 x 245	32562	4 003018 335245

PANEL CURTAIN FABRIC

Plain reed green



Fabric 100% polyester, semitransparent, washable (handwash), fabric in accordance with Öko-Tex Standard 100, including loop strip for (loose) glueing, with hemstitch for inserting the weighting profile, fabric can be shortened from above


Tip: Combination with panel curtain Bloomy reed green art. no. 32562.

			Art. Nr.	EAN
Plain reed green	1 x 1	60 x 245	32564	4 003018 335269

Panel Curtain Fabric Decor

The panel fabric Decor is made of 100% polyester and is translucent. The panel fabric can easily be shortened from above as the loop tape for attaching it to the panel carrier is supplied loose. The bottom of the panel fabric has a sewn tunnel (3 cm) for a weighting profile. A weighting profile is not included in the delivery.

310 stone white



Fabric 100% polyester, translucent, can be shortened from top, with self-adhesive loop strip (loose) and 3 cm tunnel for weighting profile

			Art. Nr.	EAN
310 stone white	1 x 1	60 x 245	12540	4 003018 198598

Panel Curtain Natural Look

The panel curtain Nature Look consists of different colours and materials which can be very well combined with one another. The supplied Velcro tape is sewn and because of the high-quality screw-mounted aluminium base profile the curtains can be easily cut from below.

Flame white



Fabric 86% polyester, 14% nylon, mottled transparent look, loop strip sewn-in, incl. aluminium u-profile, can be shortened from the bottom





			Art. Nr.	EAN
Flame white	1 x 1	60 x 300	5485	4 003018 236078



Decor teak



Fabric 65% paper, 21% polyester, 14% jute, finished, loop strip sewn-in, incl. aluminium bottom profile, can be shortened from the bottom





			Art. Nr.	EAN
Decor teak	1 x 1	60 x 245	10010988	



Natural look white



Fabric 80% paper, 20% polyester, loop strip sewn-in, incl. aluminium bottom profile, can be shortened from the bottom





			Art. Nr.	EAN
Natural look white	1 x 1	60 x 245	30215	



Natural look sand



Fabric 80% paper, 20% polyester, loop strip sewn-in, incl. aluminium bottom profile, can be shortened from the bottom

			Art. Nr.	EAN
Natural look sand	1 x 1	60 x 245	30216	






PANEL CURTAIN FABRIC

Natural look nougat




Fabric 80% paper, 20% polyester, loop strip sewn-in, incl. aluminium bottom profile, can be shortened from the bottom




			Art. Nr.	EAN
Natural look nougat	1 x 1	60 x 245	30217	4 003018 249962



Natural look earth



Fabric 80% paper, 20% polyester, loop strip sewn-in, incl. aluminium bottom profile, can be shortened from the bottom

			Art. Nr.	EAN
Natural look earth	1 x 1	60 x 245	30218	4 003018 249979






Panel Curtain Fabric Basic

The panel fabric Basic is made of 100% polyester, is transparent and available in the colours off-white, beige and anthracite. The fabric is hemmed at the sides, with sewn-in loop strip, incl. plastic weighting profile is included in the delivery. The fabric is washable at 30°.

off-white



Fabric 100% polyester, transparent, hemmed at the sides, with sewn-in loop strip, incl. plastic weighting profile, washable at 30° on a gentle cycle

			Art. Nr.	EAN
off-white	1 x 1	60 x 245	32489	4 003018 334156








beige




Fabric 100% polyester, transparent, hemmed at the sides, with sewn-in loop strip, incl. plastic weighting profile, washable at 30° on a gentle cycle




			Art. Nr.	EAN
beige	1 x 1	60 x 245	32490	4 003018 334163



graphite



Fabric 100% polyester, transparent, hemmed at the sides, with sewn-in loop strip, incl. plastic weighting profile, washable at 30° on a gentle cycle


			Art. Nr.	EAN
graphite	1 x 1	60 x 245	32491	4 003018 334170






Panel Curtain Fabric String Curtain

The panel fabric String Curtain is a decorative and at the same time versatile window hanging. It also cuts a fine figure as a room divider or insect screen. With the sewn loop tape, the string blind can be easily attached to a panel carrier and shortened to the required length. The enclosed laundry net prevents the cords from getting tangled during washing.

white



Fabric 100% polyester, with sewn-in loop strip, can be shortened at bottom, also usable as insect screen, washable at 30°, including laundry net

			Art. Nr.	EAN
white	1 x 1	60 x 245	5482	4 003018 197850





CURTAIN RAIL





T-rail


The T-rail is made of plastic and pre-drilled for mounting under the ceiling. The track for the attachment of the curtain or drape consists of a two-sided bracket. Different versions of roller rings are available for the T-rail.

T rail plastic



Plastic, twin angle, drilled for ceiling mounting




			Art. Nr.	EAN
white	10 x 1	250	8322	



T roll rings






Metal, with plastic rollers, for T-rails

			Art. Nr.	EAN
silver / transparent	15 x 20		110	

T roll rings with clips







Metal, with plastic rollers and plastic brackets, for T-rails

			Art. Nr.	EAN
white	10 x 20		115	

T roll rings with pleating hooks







Plastic, incl. pleating hooks, for T-rails

			Art. Nr.	EAN
white	10 x 20		116	

T end stop



Plastic, for T-rails, fixes the fabric at the desired position

			Art. Nr.	EAN
white	15 x 6		135	

CURTAIN RAIL

Aluminium Rail 13 mm


Aluminium Rail 13 mm white








The 13 mm aluminium rail in the colour white is a 1-track curtain rail with a profile width of 13 mm. Included in the accessories are ceiling brackets, gliders, end stops, end caps, screws and dowels. A further extensive range of accessories is available for the 13mm aluminium rail.

Aluminium Rail 13 mm



Anodised aluminium, white powder coated, profile width 13 mm, track channel approximately 6 mm, with accessories: ceiling brackets, gliders, stops, end caps, screws and dowels






		$\leftrightarrow x \updownarrow$ (cm)	Art. Nr.	EAN
white	6 x 1	120	4460	
	6 x 1	150	4461	
	6 x 1	180	4462	
	6 x 1	210	4463	
	6 x 1	250	4464	

Bend, right






White powder-coated aluminium, for aluminium rail 13 mm, angle 90°, with notch for gliders, incl. panel track connector, end stops and fixing material for ceiling mounting

		$\leftrightarrow x \updownarrow$ (cm)	Art. Nr.	EAN
white	5 x 1	12 x 13	4972	

Bend, left



White powder-coated aluminium, for aluminium rail 13 mm, angle 90°, with notch for gliders, incl. panel track connector, end stops and fixing material for ceiling mounting

		$\leftrightarrow x \updownarrow$ (cm)	Art. Nr.	EAN
white	5 x 1	12 x 13	4973	


Aluminium Rail 13 mm aluminium








The 13 mm aluminium rail in the colour aluminium is a 1-track curtain rail with a profile width of 13 mm. Included in the accessories are ceiling brackets, gliders, end stops, end caps, screws and dowels. A further extensive range of accessories is available for the 13 mm aluminium rail.

Aluminium Rail 13 mm



Anodised aluminium, profile width 13 mm, track channel approximately 6 mm, with accessories: ceiling brackets, gliders, stops, end caps, screws and dowels







		 (cm)	Art. Nr.	EAN
Aluminium	6 x 1	150	4451	
	6 x 1	180	4452	
	6 x 1	210	4453	
	6 x 1	250	4454	

Bend, right







Anodised aluminium, for aluminium rail 13 mm, angle 90°, with notch for gliders, incl. panel track connector, end stops and fixing material for ceiling mounting

		 (cm)	Art. Nr.	EAN
Aluminium	5 x 1	12 x 13	4970	

Bend, left



Anodised aluminium, for aluminium rail 13 mm, angle 90°, with notch for gliders, incl. panel track connector, end stops and fixing material for ceiling mounting

		 (cm)	Art. Nr.	EAN
Aluminium	5 x 1	12 x 13	4971	





Accessories


A comprehensive range of accessories is available for the 13 mm aluminium rail. It consists of ceiling brackets, panel track connectors, end stops and various gliders.

Ceiling bracket



Metal, for aluminium rail 13 mm, incl. screws and dowels




			Art. Nr.	EAN
galvanized	10 x 2		4976	




Panel track connector



Plastic, for 13 mm aluminium rails

			Art. Nr.	EAN
transparent	10 x 1	6,3	4975	





Glider for 6 mm track channel



**PARTICULARLY
DIMENSIONALLY STABLE**

POM = Polyoxymethylene, particularly dimensionally stable, with rotatable pleating hook, suitable for aluminium rails 13 mm, aluminium curtain rails, Luxor curtain rails, curtain rails with inner track I Ø 16, 20 and 25 mm, curtain rails with inner runner II Ø 19 and 20 mm

			Art. Nr.	EAN
white	10 x 20		31552	



Info: Simply screw into and out of the track channel at any point.





Accessories

Click glider Maxi



Plastic, with pleating hook, for curtain rails and rods with track channel width 6 mm, suitable for aluminium rails 13 mm, aluminium curtain rails, Luxor curtain rods, curtain rods with inner track I Ø 16, 20 and 25 mm, curtain rods with inner track II Ø 19 and 20 mm

Info: Simply click into the track channel at any point.





			Art. Nr.	EAN
white	15 x 20		4979	


Click in-out glider



Plastic, with rotatable pleating hook, for curtain rails and rods with track channel width 6 mm, suitable for aluminium rails 13 mm, aluminium curtain rails, Luxor curtain rods, curtain rods with inner track I Ø 20 and 25 mm, curtain rods with inner track II Ø 19 and 20 mm

Info: Simply click into and out of the track channel at any point.





			Art. Nr.	EAN
white	10 x 20		36161	




Duo X-glider



Plastic, rotating head, therefore suitable for curtain rails and curtain rods with inner track and 4 or 6 mm track channel

			Art. Nr.	EAN
white	10 x 25		32175	



Accessories

X glider



Plastic, with pleating hooks, for 6 mm track channel, suitable for panel curtain rails, 13 mm aluminium rails, aluminium curtain rails, curtain rods Luxor, curtain rods with inner track Ø 16, 20 and 25 mm

			Art. Nr.	EAN
white	15 x 25		4974	

X glider with clip



plastic/metal, rotating head, for 6 mm track channel, suitable for panel curtain rails, 13 mm aluminium rails, aluminium curtain rails, curtain rods Luxor, curtain rails with inner track Ø 16, 20 and 25 mm


			Art. Nr.	EAN
white	10 x 20		4984	

Loop glider



Plastic, for draping tab-top curtains on curtain rods with inner track I Ø 16, 20 or 25 mm, inner track II Ø 19 and 20 mm, GE and P2Ü curtain rails, Luxor curtain rods, aluminium rails 13 mm, Atlanta panel fabric rails and aluminium curtain rails


			Art. Nr.	EAN
white	6 x 10		10011067	



Tip: Pleat curtains can be hung and removed without removing the loop gliders.





Accessories

Loop glider with X gliders and rollers



Plastic, for draping tab-top curtains, rollers for use in curtain rails GE and P2Ü, X-gliders for use in curtain rods with inner track Ø 16, 20 and 25 mm, Luxor curtain rods, aluminium rails 13 mm, Atlanta panel curtain rails and aluminium curtain rails





Tip: tab-top curtains can be hung and removed without removing the loop gliders.

			Art. Nr.	EAN
white	6 x 10	5,9	148	

End stop







Plastic, for 13 mm aluminium rails and aluminium curtain rails, fixes the fabric at the desired position

			Art. Nr.	EAN
white	15 x 6		4806	

Hook for fabric eyelets



Plastic, with rollers and gliders, rollers and gliders are interchangeable, can be used for curtain rails and curtain rods with inner track

			Art. Nr.	EAN
transparent	10 x 10		32757	

CURTAIN RAIL

Aluminium Curtain Rail



Aluminium Curtain Rail white


The aluminium curtain rail in the colour white is available as a 1-track, 2-track and 3-track curtain rail. An extensive range of accessories is optionally available. Due to the low rail height of 7 mm, the curtain rail is almost invisible.

Aluminium Curtain Rail 1-track



Aluminium, powder-coated, 1-track, with approx. 6 mm track channel, rail height 7 mm



		\leftrightarrow x \updownarrow (cm)	Art. Nr.	EAN
white	6 x 1	150	31430	4 003018 281375
	6 x 1	200	31431	4 003018 281382
	6 x 1	250	31432	4 003018 281399




Aluminium Curtain Rail 2-track



Aluminium, powder-coated, 2-track, with approx. 6 mm track channel, rail height 7 mm

		\leftrightarrow x \updownarrow (cm)	Art. Nr.	EAN
white	6 x 1	150	31610	4 003018 286073
	6 x 1	200	31611	4 003018 286080
	6 x 1	250	31612	4 003018 286097




Aluminium Curtain Rail white

Aluminium Curtain Rail 3-track



Aluminium, powder-coated,
3-track, with approx. 6 mm
track channel, rail height
7 mm




		\leftrightarrow x \updownarrow (cm)	Art. Nr.	EAN
white	6 x 1	150	31613	
	6 x 1	200	31614	
	6 x 1	250	31615	

Bend for Aluminium Curtain Rail, 1-track left



Aluminium, powder-coated,
90° angle, incl. connector
and end stop, with marking
hole, for use with 1-track,
2-track and 3-track
aluminium curtain rails

		\leftrightarrow x \updownarrow (cm)	Art. Nr.	EAN
white	5 x 1 Set		31440	




Bend for Aluminium Curtain Rail, 1-track right



Aluminium, powder-coated,
90° angle, incl. connector
and end stop, with marking
hole, for use with 1-track,
2-track and 3-track
aluminium curtain rails

		\leftrightarrow x \updownarrow (cm)	Art. Nr.	EAN
white	5 x 1 Set		31441	







Aluminium Curtain Rail white

Finial for 1-track aluminium panel curtain rails







Plastic, for aluminium curtain rail, 1-track

			Art. Nr.	EAN
white	10 x 2		31436	

Finial for 2-track aluminium panel curtain rails







Plastic, for aluminium curtain rail, 2-track

			Art. Nr.	EAN
white	10 x 2		31622	

Finial for 3-track aluminium panel curtain rails



Plastic, for aluminium curtain rail, 3-track

			Art. Nr.	EAN
white	10 x 2		31623	





Accessories for Aluminium Curtain Rail

The optionally available accessories for the GARDINIA aluminium curtain rail are extensive. They range from ceiling brackets to panel track connectors, a variety of different gliders and end stops.

Ceiling bracket for 1-track aluminium curtain rails



Plastic, screws and dowels, for aluminium curtain rail 1-track





			Art. Nr.	EAN
white	10 x 2		31442	

Accessories for Aluminium Curtain Rail

Ceiling bracket for 2-track aluminium curtain rails







Plastic, screws and dowels,
for aluminium curtain rail
2-track

			Art. Nr.	EAN
white	10 x 2		31626	

Ceiling bracket for 3-track aluminium curtain rails







Plastic, screws and dowels,
for aluminium curtain rail
3-track


			Art. Nr.	EAN
white	10 x 2		31464	

Panel track connector for Aluminium Curtain Rail 1-track and 3-track



Plastic, suitable for 1-track
and 3-track aluminium
curtain rails

			Art. Nr.	EAN
white	10 x 1		31438	








Accessories for Aluminium Curtain Rail

Panel track connector for Aluminium Curtain Rail 2-track



Plastic, suitable for 2-track aluminium curtain rails

			Art. Nr.	EAN
white	10 x 1		31439	







Click glider Maxi



Plastic, with pleating hook, for curtain rails and rods with track channel width 6 mm, suitable for aluminium rails 13 mm, aluminium curtain rails, Luxor curtain rods, curtain rods with inner track I Ø 16, 20 and 25 mm, curtain rods with inner track II Ø 19 and 20 mm

Info: Simply click into the track channel at any point.





			Art. Nr.	EAN
white	15 x 20		4979	

Click in-out glider



Plastic, with rotatable pleating hook, for curtain rails and rods with track channel width 6 mm, suitable for aluminium rails 13 mm, aluminium curtain rails, Luxor curtain rods, curtain rods with inner track I Ø 20 and 25 mm, curtain rods with inner track II Ø 19 and 20 mm

Info: Simply click into and out of the track channel at any point.





			Art. Nr.	EAN
white	10 x 20		36161	


Accessories for Aluminium Curtain Rail

Duo X-glider



Plastic, rotating head, therefore suitable for curtain rails and curtain rods with inner track and 4 or 6 mm track channel





			Art. Nr.	EAN
white	10 x 25		32175	



X glider




Plastic, with pleating hooks, for 6 mm track channel, suitable for panel curtain rails, 13 mm aluminium rails, aluminium curtain rails, curtain rods Luxor, curtain rods with inner track Ø 16, 20 and 25 mm

			Art. Nr.	EAN
white	15 x 25		4974	

X glider with clip



plastic/metal, rotating head, for 6 mm track channel, suitable for panel curtain rails, 13 mm aluminium rails, aluminium curtain rails, curtain rods Luxor, curtain rails with inner track Ø 16, 20 and 25 mm


			Art. Nr.	EAN
white	10 x 20		4984	

Accessories for Aluminium Curtain Rail

Glider for 6 mm track channel







**PARTICULARLY
DIMENSIONALLY STABLE**




POM = Polyoxymethylene, particularly dimensionally stable, with rotatable pleating hook, suitable for aluminium rails 13 mm, aluminium curtain rails, Luxor curtain rails, curtain rails with inner track I Ø 16, 20 and 25 mm, curtain rails with inner runner II Ø 19 and 20 mm

Info: Simply screw into and out of the track channel at any point.





			Art. Nr.	EAN
white	10 x 20		31552	

Loop glider




Plastic, for draping tab-top curtains on curtain rods with inner track I Ø 16, 20 or 25 mm, inner track II Ø 19 and 20 mm, GE and P2Ü curtain rails, Luxor curtain rods, aluminium rails 13 mm, Atlanta panel fabric rails and aluminium curtain rails

Tip: Pleat curtains can be hung and removed without removing the loop gliders.





			Art. Nr.	EAN
white	6 x 10		10011067	

Loop glider with X gliders and rollers



Plastic, for draping tab-top curtains, rollers for use in curtain rails GE and P2Ü, X-gliders for use in curtain rods with inner track Ø 16, 20 and 25 mm, Luxor curtain rods, aluminium rails 13 mm, Atlanta panel curtain rails and aluminium curtain rails

Tip: tab-top curtains can be hung and removed without removing the loop gliders.





			Art. Nr.	EAN
white	6 x 10	5,9	148	

Accessories for Aluminium Curtain Rail

End stop







Plastic, for 13 mm aluminium rails and aluminium curtain rails, fixes the fabric at the desired position

			Art. Nr.	EAN
white	15 x 6		4806	

Hook for fabric eyelets



Plastic, with rollers and gliders, rollers and gliders are interchangeable, can be used for curtain rails and curtain rods with inner track

			Art. Nr.	EAN
transparent	10 x 10		32757	

Aluminium Curtain Rail Set Luna







The aluminium curtain rail set Luna consists of a curtain rail in lengths of 160, 200 or 230 cm, end caps, ceiling brackets and X-gliders. Panel track connectors and additional ceiling brackets are optionally available.


Aluminium Curtain Rail Set 1-track Luna



Aluminium, incl. end stopper, X-glider and ceiling bracket

Tip: Use connector art. no. 36274 for extension and ceiling bracket art. no. 36275 for ceiling mounting.

			Art. Nr.	EAN
white	4 x 1	160	36271	
	4 x 1	200	36272	
	4 x 1	230	36273	








CURTAIN RAIL

Panel track connector for Aluminium Curtain Rail Luna



Metal, for Luna aluminium curtain rails


			Art. Nr.	EAN
	6 x 1 Set		36274	




Ceiling bracket for Luna aluminium curtain rails



Metal, for Luna aluminium curtain rails, incl. screws and dowels





			Art. Nr.	EAN
	6 x 2		36275	



Hook for fabric eyelets



Plastic, with rollers and gliders, rollers and gliders are interchangeable, can be used for curtain rails and curtain rods with inner track

			Art. Nr.	EAN
transparent	10 x 10		32757	

Curtain rail plastic


Curtain rail GE3 complete set



The practical GK2 curtain rail complete set includes everything needed to set the scene for curtains. The pre-drilled holes and included screws and dowels help make installation quick and easy. Matching wheel rings, cover caps, end caps and end stops ensure that the curtain rails convince with both a beautiful look and high functionality.

Curtain Rail set 2-track



Plastic, hollow chamber rail, 2-track, track channel width approx. 4 mm, with profile for pelmet attachment, complete set incl. wheel rings, end caps, end stops, cover caps for drill holes (pre-drilled) and fixing material for ceiling mounting



		$\leftrightarrow x \updownarrow$ (cm)	Art. Nr.	EAN
white	6 x 1	150	8401	4 003018 281580
	6 x 1	210	8403	4 003018 281597
	6 x 1	250	8404	4 003018 281603


Curtain rail GE1 complete set



The curtain track GE1 complete set includes everything needed to set the scene for curtains. The pre-drilled holes and included screws and dowels help make installation quick and easy. The wooden core gives the curtain rail additional stability, making it even more durable. Matching wheel rings, cover caps, end caps and end stops ensure that the curtain rails convince with both a beautiful look and high functionality.

Curtain Rail set 1-track



Surface-mounted rail, sheathed in plastic with core made of wood materials, 1-track, track channel width approx. 4 mm, with profile for pelmet attachment, complete set incl. wheel rings, end caps, end stops, cover caps for drill holes (pre-drilled) and fixing material for ceiling mounting




		$\leftrightarrow x \updownarrow$ (cm)	Art. Nr.	EAN
white	6 x 1	120	32542	4 003018 335047
	6 x 1	150	32543	4 003018 335054
	6 x 1	180	32544	4 003018 335061
	6 x 1	210	32545	4 003018 335078
	6 x 1	250	32546	4 003018 335085
	6 x 1	300	32547	4 003018 335092

CURTAIN RAIL



Curtain rail GE2 complete set

The practical GE2 2-track curtain rail set includes everything you need to make your curtains a real eye-catcher. The pre-drilled holes and included screws and dowels help make installation quick and easy. The wooden core gives the curtain rail additional stability, making it even more durable. Matching wheel rings, cover caps, end caps and end stops ensure that the curtain rails convince with both a beautiful look and high functionality.

Curtain Rail set 2-track




Surface-mounted rail, sheathed in plastic with core made of wood materials, 2-track, track channel width approx. 4 mm, with profile for pelmet attachment, complete set incl. wheel rings, end caps, end stops, cover caps for drill holes (pre-drilled) and fixing material for ceiling mounting

		$\leftrightarrow x \updownarrow$ (cm)	Art. Nr.	EAN
white	6 x 1	120	32548	4 003018 335108
	6 x 1	150	32549	4 003018 335115
	6 x 1	180	32550	4 003018 335122
	6 x 1	210	32551	4 003018 335139
	6 x 1	250	32552	4 003018 335146
	6 x 1	300	32553	4 003018 335153



Curtain rail GE white

The GE curtain rail in white is plastic-coated with a core of wood-based materials and is available as a 1-track, 2-track and 3-track curtain rail. Optional mounting material for the wall or ceiling and a further extensive range of accessories are available.

Curtain Rail GE1 with profile for pelmet attachment



Surface-mounted rail, sheathed in plastic with core made of wood materials, 1-track, track channel width approx. 4 mm, drilled for ceiling mounting


		$\leftrightarrow x \updownarrow$ (cm)	Art. Nr.	EAN
white	6 x 1	120	8560	4 003018 085607
	6 x 1	150	8561	4 003018 085614
	6 x 1	180	8562	4 003018 085621
	6 x 1	210	8563	4 003018 085638
	6 x 1	250	8564	4 003018 085645
	6 x 1	300	8565	4 003018 085652
	7 x 1	600	8844	4 003018 088448

Curtain rail GE white

Curtain Rail GE2 with profile for pelmet attachment



Surface-mounted rail, sheathed in plastic with core made of wood materials, 2-track, track channel width approx. 4 mm, drilled for ceiling mounting




		↔ x ↑ (cm)	Art. Nr.	EAN
white	6 x 1	120	8584	4 003018 085843
	6 x 1	150	8585	4 003018 085850
	6 x 1	180	8586	4 003018 085867
	6 x 1	210	8587	4 003018 085874
	6 x 1	250	8588	4 003018 085881
	6 x 1	300	8589	4 003018 085898
	7 x 1	600	8847	4 003018 088479

Curtain Rail GE3 with profile for pelmet attachment



Surface-mounted rail, sheathed in plastic with core made of wood materials, 3-track, track channel width approx. 4 mm, drilled for ceiling mounting




		↔ x ↑ (cm)	Art. Nr.	EAN
white	6 x 1	120	8608	4 003018 086086
	6 x 1	150	8609	4 003018 086093
	6 x 1	180	8610	4 003018 086109
	6 x 1	210	8611	4 003018 086116
	6 x 1	250	8612	4 003018 086123
	6 x 1	300	8613	4 003018 086130
	7 x 1	600	8850	4 003018 088509

Bend GE1 with end piece



Plastic, 90° outer curve, for 1-track curtain rails to clip on, with end piece on one side as termination, pre-drilled for ceiling mounting



		↔ x ↑ (cm)	Art. Nr.	EAN
white	5 x 1 Pair	13,5 x 13,5	5175	4 003018 051756





CURTAIN RAIL


Curtain rail GE white

Bend GE1 for extension



Plastic, 90° outer curve, for 1-track curtain rails to clip on, pre-drilled for ceiling mounting





			Art. Nr.	EAN
white	10 x 1	13,5 x 13,5	5190	




Bend GE2 with end piece



Plastic, 90° outer curve, for 2-track curtain rails to clip on, with end piece on one side as termination, pre-drilled for ceiling mounting





			Art. Nr.	EAN
white	5 x 1 Pair	13,5 x 13,5	5460	




Bend GE2 for extension



Plastic, 90° outer curve, for 2-track curtain rails to clip on, pre-drilled for ceiling mounting

			Art. Nr.	EAN
white	10 x 1	13,5 x 13,5	5475	








Curtain rail GE white

Bend GE3 with end piece



Plastic, 90° outer curve, for 3-track curtain rails to clip on, with end piece on one side as termination, pre-drilled for ceiling mounting





		 (cm)	Art. Nr.	EAN
white	5 x 1 Pair	13,5 x 13,5	5432	




Bend GE3 for extension



Plastic, 90° outer curve, for 3-track curtain rails to clip on, pre-drilled for ceiling mounting





		 (cm)	Art. Nr.	EAN
white	10 x 1	13,5 x 13,5	5447	




Bend GE1



Plastic, 90° inner curve, for 1-track curtain rails to clip on, pre-drilled for ceiling mounting

		 (cm)	Art. Nr.	EAN
white	5 x 1	13,5 x 13,5	5180	







CURTAIN RAIL


Curtain rail GE white

Bend GE2



Plastic, 90° inner curve, for 2-track curtain rails to clip on, pre-drilled for ceiling mounting





		 (cm)	Art. Nr.	EAN
white	5 x 1	17,5 x 17,5	5465	




Bend GE3



Plastic, 90° inner curve, for 3-track curtain rails to clip on, pre-drilled for ceiling mounting





		 (cm)	Art. Nr.	EAN
white	5 x 1	18,5 x 18,5	5437	



End Pieces GE1



Plastic, as end-stop for single track curtain rails





		 (cm)	Art. Nr.	EAN
white	10 x 1 Pair		5185	

Curtain rail GE white

End Pieces GE2







Plastic, as end-stop for
2-track curtain rails

			Art. Nr.	EAN
white	10 x 1 Pair		5470	

End Pieces GE3



Plastic, as end-stop for
3-track curtain rails

			Art. Nr.	EAN
white	10 x 1 Pair		5442	


Curtain rail with pelmet P2Ü white









The P2Ü curtain rail with pelmet in the colour white is plastic-coated with a core of wood-based materials and is available as a 2-track curtain rail with overrunning capability. The core made of derived timber products gives the curtain rail additional stability and the moulded-on trim provides a high-quality look.

Curtain Rail with pelmet P2Ü



Surface-mounted rail,
sheathed in plastic with
core made of wood materi-
als, 3-track, track channel
width approx. 4 mm, drilled
for ceiling mounting, with
moulded plastic screen
height 5 cm



			Art. Nr.	EAN
white	6 x 1	150	8631	
	6 x 1	180	8632	
	6 x 1	210	8633	
	6 x 1	250	8634	
	6 x 1	300	8635	





CURTAIN RAIL


Curtain rail with pelmet P2Ü white

Bend P2Ü



Plastic, 90° outer curve, for curtain rail Type P2Ü with pelmet 5 cm, to clip on, pre-drilled for ceiling mounting





			Art. Nr.	EAN
white	4 x 1 Pair	13,5 x 13,5	382	



Side cover



Plastic, as end-stop for curtain rail Type P2Ü, to clip on

			Art. Nr.	EAN
white	5 x 1 Pair		380	

Accessories curtain rail plastic





An extensive range of accessories is available for the plastic curtain rails. Among other things, this includes panel track connectors, cover caps, various wheel rings and gliders, end stops, curtain tape and draw rods.


Panel track connector



Plastic, for curtain rails GE and P2Ü

Tip: Use one track connector per track.

			Art. Nr.	EAN
white	15 x 2	6	424	



Accessories curtain rail plastic

Cover caps



Plastic, to cover drill holes in the curtain rails GE and P2Ü

			Art. Nr.	EAN
white	15 x 10		420	

Screws for wood



Flat head, with white cover caps and dowels


			Art. Nr.	EAN
galvanized	10 x 20 Set	0,45 x 3,5	57	

Angle brackets



Metal, with plastic bridge, for wall mounting of curtain rails, incl. screws and dowels

			Art. Nr.	EAN
white	6 x 2 Set	10	274	



Curtain rails accessory set



for 2-track curtain rails up to 250 cm in length

Contents: roll rings, stops, cover caps, screws and dowels.





			Art. Nr.	EAN
white	15 x 1 Set		12	

Accessories curtain rail plastic

Roll rings, UV-resistant








Plastic, for GE and P2Ü curtain rails, very good running characteristics

			Art. Nr.	EAN
white	15 x 50		101	

Wheel rings







Plastic, for GE and P2Ü curtain rails

			Art. Nr.	EAN
white	15 x 50		16	
	25 x 100		913	

Slide rod rolling rings







Plastic, for GE and P2Ü curtain rails, for attaching draw rods

			Art. Nr.	EAN
white	15 x 6		104	

Wheel rings with clip



Plastic, rotating head, suitable for GE and P2Ü curtain rails, for easy fastening of curtains and curtain fabrics

			Art. Nr.	EAN
white	10 x 20		2660	

Accessories curtain rail plastic





Glider for 4 mm track channel




**PARTICULARLY
DIMENSIONALLY STABLE**

POM = Polyoxymethylene, particularly dimensionally stable, with rotatable pleating hook, for rails with 4 mm track width

Info: Simply screw into and out of the track channel at any point.





			Art. Nr.	EAN
white	10 x 20		31551	



Glider with hook



Plastic, for GE and P2Ü curtain rails, universally applicable





			Art. Nr.	EAN
white	15 x 30		108	

Click glider



Plastic, for curtain rails with track channel width 4 mm, with pleating hook to click into the GE and P2Ü curtain rails





Info: Simply click into the track at any point.

			Art. Nr.	EAN
white	10 x 50		10004188	

Pleating hook with glider head 11 x 10 mm



Plastic, with pleating hook, glider head 11 x 10 mm (l x w)





			Art. Nr.	EAN
white	15 x 30		14	

Accessories curtain rail plastic

Pleating hook with glider head Ø 7 mm







Plastic, with pleating hook, glider head Ø 7 mm


			Art. Nr.	EAN
white	15 x 50		147	

Duo X-glider



Plastic, rotating head, therefore suitable for curtain rails and curtain rods with inner track and 4 or 6 mm track channel





			Art. Nr.	EAN
white	10 x 25		32175	




Loop glider



Plastic, for draping tab-top curtains on curtain rods with inner track I Ø 16, 20 or 25 mm, inner track II Ø 19 and 20 mm, GE and P2Ü curtain rails, Luxor curtain rods, aluminium rails 13 mm, Atlanta panel fabric rails and aluminium curtain rails

			Art. Nr.	EAN
white	6 x 10		10011067	




Tip: Pleat curtains can be hung and removed without removing the loop gliders.

Accessories curtain rail plastic





Loop glider with X gliders and rollers



Plastic, for draping tab-top curtains, rollers for use in curtain rails GE and P2Ü, X-gliders for use in curtain rods with inner track Ø 16, 20 and 25 mm, Luxor curtain rods, aluminium rails 13 mm, Atlanta panel curtain rails and aluminium curtain rails







Tip: tab-top curtains can be hung and removed without removing the loop gliders.

			Art. Nr.	EAN
white	6 x 10	5,9	148	

Intermediate end stop







Plastic, for GE and P2Ü curtain rails, fixes the fabric at the desired position

			Art. Nr.	EAN
white	15 x 6		132	

End stop for curtains







Plastic, square, for GE and P2Ü curtain rails, fixes the fabric at the desired position

			Art. Nr.	EAN
white	15 x 10		13	


End stop




Plastic, for GE and P2Ü curtain rails with punched-out sections Ø 9-11 mm, fixes the fabric in the desired position

			Art. Nr.	EAN
white	15 x 10		133	

Pleating clip



Plastic, for fixing individual curtain pleats





			Art. Nr.	EAN
transparent	15 x 50 Set		256	

Accessories curtain rail plastic

Fixing pins, metal







Stainless steel, rust-proof

			Art. Nr.	EAN
Stainless steel	15 x 300		4260	

Plastic rings







Plastic, sew-on ring, inner Ø 11 mm, outer Ø 16 mm, width 2.5 mm

			Art. Nr.	EAN
white	10 x 30		154	

Universal curtain heading tape



100 % polyester, ruffle tape, length 10 m, width 22 mm





			Art. Nr.	EAN
white	6 x 1	1000 x 2,2	264	

Pleating band, 5 pleats



100% polyester, 3 : 1, length 10 m, width 21 mm

Tip: for draping width 3 x fabric requirement.





			Art. Nr.	EAN
white	6 x 1	1000 x 2,1	263	

Pleating band, 3 pleats



100% polyester, 3 : 1, length 10 m, width 21 mm

Tip: for draping width 2.5 x fabric requirement.





			Art. Nr.	EAN
white	6 x 1	1000 x 2,1	267	

weighting tape for curtains



Polyester/metal-chrome plated, approx. 73 g/m, without lead according to Regulation (EU) 2015/628








			Art. Nr.	EAN
white	4 x 1	500	32358	

Metal slide rod








Metal, sheathed in white plastic with plastic handle, with metal hooks

			Art. Nr.	EAN
white	10 x 2	75	340	
	10 x 2	100	341	

Slide rod plastic







Plastic, with metal hooks

			Art. Nr.	EAN
transparent	10 x 2	75	250	
	10 x 2	100	251	

Aluminium slide rod



Aluminium, with metal hooks

			Art. Nr.	EAN
Aluminium	6 x 1	100	506	

CURTAIN RAIL

Hook for fabric eyelets



Plastic, with rollers and gliders, rollers and gliders are interchangeable, can be used for curtain rails and curtain rods with inner track

			Art. Nr.	EAN
transparent	10 x 10		32757	4 003018 343172

Accessories curtain rail plastic

Plastic trims to click onto curtain rails with profile for pelmet attachment are available in numerous decors - from white to stainless steel look to various wood decors.

white



To click onto curtain rails with profile for pelmet attachment

			Art. Nr.	EAN
white	25 x 1 m	5	8480	4 003018 084808
	25 x 1 m	7	8485	4 003018 084853

oak



To click onto curtain rails with profile for pelmet attachment

			Art. Nr.	EAN
oak	25 x 1 m	5	8481	4 003018 084815
	25 x 1 m	7	8486	4 003018 084860

beech



To click onto curtain rails with profile for pelmet attachment

			Art. Nr.	EAN
beech	25 x 1 m	5	8482	4 003018 084822
	25 x 1 m	7	8487	4 003018 084877

ash tree white



To click onto curtain rails with profile for pelmet attachment

			Art. Nr.	EAN
ash tree white	25 x 1 m	5	8483	4 003018 084839
	25 x 1 m	7	8488	4 003018 084884

Stainless steel look



To click onto curtain rails with profile for pelmet attachment

			Art. Nr.	EAN
Stainless steel look	25 x 1 m	5	8974	4 003018 247753

wenge



To click onto curtain rails with profile for pelmet attachment

			Art. Nr.	EAN
wenge	25 x 1 m	5	8484	4 003018 247777

Curtain rail Flexline

The curtain rail Flexline is made of plastic and can be used very flexibly. As it can be bent by hand, it is particularly suitable for bay windows, mobile homes and uneven walls or ceilings. The rail can be individually shortened to any length and is suitable for light to medium-heavy curtains. The supplied gliders can be attached with the innovative Easy-Click mounting. Brackets for wall and ceiling mounting as well as end caps complete the scope of delivery.

Curtain rail Flexline



Plastic, incl. brackets for ceiling or wall mounting (12 pcs.), end caps (4 pieces for 2 divided curtain rails) and gliders (36 pieces), can be used flexibly e.g. for bay windows, mobile homes or as a room divider as the rail can be bent by hand, easy Easy-Click mounting, can be shortened individually to any length, suitable for light to medium-heavy curtains, rail height 29 mm

			Art. Nr.	EAN
white	4 x 1	350	32410	4 003018 333340

Curtain clip glider



Plastic

Tip: The curtain clip gliders can be clipped onto or removed from the rail at any position.

			Art. Nr.	EAN
white	10 x 20		32484	4 003018 334088



TENSION SYSTEM / BISTRO RANGE

Tension rod Ø 23/26 mm nickel look

The tension rod Ø 23/26 mm in the nickel look can be attached without drilling and screws and is very versatile. By twisting out to the desired length, the tension rod is held securely between the door frame or window niche.






Tension rod 23/26 mm



Metal, twists to extend, mounting without drilling and screwing, with colour-matched plastic end caps, versatile

Info: Only use on a solid surface and without cavities underneath. The load capacity depends on the substrate and the individually adjusted bracing.







			Art. Nr.	EAN
nickel look	4 x 1	80 - 130	3554	
	4 x 1	125 - 220	3555	

Curtain rings







Plastic, with pleating hooks, inner Ø 40 mm, outer Ø 56 mm, width 8 mm

			Art. Nr.	EAN
chrome	10 x 10		1696	

Curtain rings, open



Plastic, inner Ø 48 mm, outer Ø 58 mm, width 10 mm

			Art. Nr.	EAN
transparent	10 x 10		3549	

TENSION SYSTEM / BISTRO RANGE

Tension rod Ø 23/26 mm white

The tension rod Ø 23/26 mm in the colour white can be attached without drilling and screws and is very versatile. By twisting out to the desired length, the tension rod is held securely between the door frame or window niche. Available in the lengths 80-130 cm and 125-220 cm.

Tension rod 23/26 mm



Metal, twists to extend, mounting without drilling and screwing, with colour-matched plastic end caps, versatile

Info: Only use on a solid surface and without cavities underneath. The load capacity depends on the substrate and the individually adjusted bracing.



			Art. Nr.	EAN
white	4 x 1	80 - 130	3550	4 003018 195900
	4 x 1	125 - 220	3551	4 003018 195917

Curtain rings



Plastic, with pleating hooks, inner Ø 40 mm, outer Ø 56 mm, width 8 mm

			Art. Nr.	EAN
white	10 x 10		458	4 003018 004585

Curtain rings, open



Plastic, inner Ø 48 mm, outer Ø 58 mm, width 10 mm

			Art. Nr.	EAN
transparent	10 x 10		3549	4 003018 236412

Tension rod Ø 23/26 mm stainless steel

The tie rod Ø 23/26 mm made from stainless steel can be attached without drilling and screws and is very versatile. By twisting out to the desired length, the tie rod is held securely between the door frame or window niche.







Stainless steel



Stainless steel, twists to extend, mounting without drilling and screwing, versatile

Info: Only use on a solid surface and without cavities underneath. The load capacity depends on the substrate and the individually adjusted bracing.







		 (cm)	Art. Nr.	EAN
Stainless steel	4 x 1	65-100	36200	
	4 x 1	90-140	36201	
	4 x 1	130-220	36202	

Curtain rings, open



Plastic, inner Ø 48 mm, outer Ø 58 mm, width 10 mm

		 (cm)	Art. Nr.	EAN
transparent	10 x 10		3549	

TENSION SYSTEM / BISTRO RANGE


Clamping Rod Ø 6/8 mm








The clamping rod Press&Go Filigrano Ø 6/8 mm in the colour white can be easily mounted in the window rabbet without drilling or screws. By twisting out to the desired length, the clamping rod is securely held against the window. Includes a self-adhesive compensating wedge for mounting in the slanting window casement.

white



Metal, twists to extend, with self-adhesive levelling wedge, for mounting in inclined window rabbet



			Art. Nr.	EAN
white	10 x 2	35 - 45	258	
	10 x 2	45 - 65	247	
	10 x 2	60 - 90	249	
	10 x 2	90 - 120	259	

Café Rod Ø 8/10 mm







The coffee house pole Meran can be attached quickly and securely with the supplied screw-on brackets. The pole can be adjusted to the perfect length quickly and easily by extending the pole. For those who don't want to screw, optional clamp brackets and adhesive hooks are available.

Stainless steel look



Metal, extendable, including 2 brackets and fittings for screws

Tip: mounting without drilling or screws with clamping bracket art.no. 2611 or Universal adhesive hooks art.no. 30565

			Art. Nr.	EAN
Stainless steel look	10 x 1	40 - 60	4146	
	10 x 1	60 - 100	4147	
	10 x 1	80 - 140	4148	

Sash rod Cylinder Ø 8/10 mm

The curtain pole Cylinder can be attached quickly and securely with the screw hooks provided. The pole can be adjusted to the perfect length quickly and easily by extending the pole. For those who don't want to screw, optional clamp brackets and adhesive hooks are available.

Stainless steel look



Metal, extendable, incl. 2 screw hooks

Tip: Mounting without drilling or screws using clamp bracket (article no. 2611) or adhesive hook universal (article no. 30565).

		↔ x ↑ (cm)	Art. Nr.	EAN
Stainless steel look	10 x 1	40 - 65	30763	4 003018 262923
	10 x 1	60 - 85	30764	4 003018 262930
	10 x 1	80 - 110	30765	4 003018 262947

white



Metal, extendable, incl. 2 screw hooks

Tip: Mounting without drilling or screws using clamp bracket (article no. 2611) or adhesive hook universal (article no. 30565).

		↔ x ↑ (cm)	Art. Nr.	EAN
white	10 x 1	40 - 65	30760	4 003018 262893
	10 x 1	60 - 85	30761	4 003018 262909
	10 x 1	80 - 110	30762	4 003018 262916


Tension sash rod Ø 7/9 mm white

The tension sash rod Ø 7/9 mm in the colour white is extendable and can easily be held tightly in place on a window casement with a thickness of up to 15 mm without drilling, screws or adhesive. For casement thicknesses of 20-28 mm, a colour-matched adapter is optionally available.

Tension sash rod Ø 7/9 mm



Metal, extendable, with internal tension spring, for mounting to the window casement, no screws, drilling or gluing, simply clamp onto the window casement, for window casements up to 15 mm



Tip: Ideal for rented flats because it can be removed from the window frame without residue or holes. For window casement thicknesses of 20-28 mm, use the adapter art. no. 2616.





		↔ x ↑ (cm)	Art. Nr.	EAN
white	5 x 1	40 - 60	2620	4 003018 197256
	5 x 1	60 - 90	2621	4 003018 197263
	5 x 1	90 - 130	2622	4 003018 197270
	5 x 1	120 - 160	2618	4 003018 203995


TENSION SYSTEM / BISTRO RANGE

Adapter for tension sash rod



Metal, extendable, for window casements of 20 - 28 mm thickness

			Art. Nr.	EAN
white	6 x 2		2616	




Tension sash rod Ø 7/9 mm titanium

The tension sash rod Ø 7/9 mm in the colour titanium is extendable and can easily be held tightly in place on a window casement with a thickness of up to 15 mm without drilling, screws or glue. For casement thicknesses of 20-28 mm, a colour-matched adapter is optionally available.








Tension sash rod Ø 7/9 mm



Metal, extendable, with internal tension spring, for mounting to the window casement, no screws, drilling or gluing, simply clamp onto the window casement, for window casements up to 15 mm




Tip: Ideal for rented flats because it can be removed from the window frame without residue or holes. For window casement thicknesses of 20-28 mm, use the adapter art. no. 2617.


			Art. Nr.	EAN
titanium	5 x 1	40 - 60	2623	
	5 x 1	60 - 90	2624	
	5 x 1	90 - 130	2625	
	5 x 1	120 - 160	2619	

Adapter for tension sash rod



Metal, extendable, for window casements of 20 - 28 mm thickness

		 (cm)	Art. Nr.	EAN
titanium	6 x 2		2617	









Clamping Rod Press&Go Filigrano Ø 8/10 white


The clamping rod Press&Go Filigrano Ø 8/10 mm in the colour white can be easily mounted in the window rabbet without drilling or screws. The clamping rod can be twisted out to different lengths and is suitable for mounting in slanting and straight window casements.

Filigrano Cylinder Ø 8/10



Metal, twists to extend, suitable for mounting in inclined or straight window rabbet

		 (cm)	Art. Nr.	EAN
white	5 x 1	30 - 50	31340	
	5 x 1	50 - 80	31341	
	5 x 1	80 - 110	31342	









Clamping Rod Press&Go Filigrano Ø 8/10 steel appearance


The clamping rod Press&Go Filigrano Ø 8/10 mm in the stainless steel look can be easily mounted in the window rabbet without drilling or screws. The clamping rod can be unscrewed to different lengths and is suitable for mounting in slanting and straight window casements.

Filigrano Cylinder Ø 8/10



Metal, twists to extend, suitable for mounting in inclined or straight window rabbet

		 (cm)	Art. Nr.	EAN
Stainless steel look	5 x 1	30 - 50	31343	
	5 x 1	50 - 80	31344	
	5 x 1	80 - 110	31345	








Clamping sash rod Ø 10/12 mm


The tension sash rod Ø 10/12 mm is available in the colours white and silver. It is extendable and can be easily clamped onto the window sash.

white



Metal rod, plastic end pieces, extendable, incl. 2 adhesive pads as spacers, max. load 250 g, for café curtains and pane curtains, suitable for window casement thicknesses of approx. 12-16 mm

		 (cm)	Art. Nr.	EAN
white	10 x 1	45 - 75	30572	
	10 x 1	75 - 125	30573	




Info: Tension sash rod only suitable for windows with rubber seal.



silver



Metal rod, plastic end pieces, extendable, incl. 2 adhesive pads as spacers, max. load 250 g, for café curtains and pane curtains, suitable for window casement thicknesses of approx. 12-16 mm



Info: Tension sash rod only suitable for windows with rubber seal.

		$\leftrightarrow x \updownarrow$ (cm)	Art. Nr.	EAN
silver	10 x 1	45 - 75	31520	4 003018 282730
	10 x 1	75 - 125	31521	4 003018 282747



Sash rod flat oval 11 mm white

The curtain pole Flat Oval 11 mm is a real classic for decorating windows. The scope of delivery includes screw hooks. Optional colour-matching adhesive hooks as well as silver-matt screw hooks are available as accessories.


Sash rod, flat-oval, 11 mm





Metal/plastic, extending, flat oval, with plastic finials and screw hooks

		$\leftrightarrow x \updownarrow$ (cm)	Art. Nr.	EAN
white	10 x 2	30 - 50	350	4 003018 003502
	10 x 2	50 - 80	352	4 003018 003528
	10 x 2	80 - 120	354	4 003018 003540
	10 x 2	100 - 160	355	4 003018 003557

Adhesive hook for curtain pole flat-oval, 11 mm



Plastic, with steel pin, self-adhesive

		$\leftrightarrow x \updownarrow$ (cm)	Art. Nr.	EAN
white	30 x 4		357	4 003018 003571

Screw hook for sash rods



Metal, galvanised

		$\leftrightarrow x \updownarrow$ (cm)	Art. Nr.	EAN
Silver matt	10 x 20	2,5	230	4 003018 002307







TENSION SYSTEM / BISTRO RANGE

Sash rod flat oval 11 mm silver-matt

Sash rod, flat-oval, 11 mm







Metal/plastic, extending, flat oval, with plastic finials and screw hooks

			Art. Nr.	EAN
Silver matt	10 x 2	40 - 65	1231	
	10 x 2	60 - 100	1233	
	10 x 2	100 - 160	1235	

Adhesive hook for curtain pole flat-oval, 11 mm






Plastic, with steel pin, self-adhesive

			Art. Nr.	EAN
Silver matt	15 x 4		359	

Screw hook for sash rods



Metal, galvanised







			Art. Nr.	EAN
Silver matt	10 x 20	2,5	230	

Sash rod flat oval 11 mm brass

Sash rod, flat-oval, 11 mm







Metal/plastic, extending, flat oval, with plastic finials and screw hooks

			Art. Nr.	EAN
Brass	10 x 2	40 - 65	1251	
	10 x 2	60 - 100	1253	
	10 x 2	100 - 160	1255	

Adhesive hook for curtain pole flat-oval, 11 mm






Plastic, with steel pin, self-adhesive

			Art. Nr.	EAN
Brass	15 x 4		363	

Screw hook for sash rods



Metal, galvanised




			Art. Nr.	EAN
Silver matt	10 x 20	2,5	230	4 003018 002307

Sash rod flat oval 11 mm brown

Sash rod, flat-oval, 11 mm






Metal/plastic, extending, flat oval, with plastic finials and screw hooks

			Art. Nr.	EAN
brown	10 x 2	40 - 65	1351	4 003018 013518
	10 x 2	60 - 100	1353	4 003018 013532
	10 x 2	100 - 160	1355	4 003018 013556

Adhesive hook for curtain pole flat-oval, 11 mm






Plastic, with steel pin, self-adhesive

			Art. Nr.	EAN
brown	15 x 4		358	4 003018 003588

Screw hook for sash rods



Metal, galvanised







			Art. Nr.	EAN
Silver matt	10 x 20	2,5	230	4 003018 002307

Sash rod flat oval 11 mm chrome

Sash rod, flat-oval, 11 mm







Metal/plastic, extending, flat oval, with plastic finials and screw hooks

		 (cm)	Art. Nr.	EAN
chrome	10 x 2	40 - 65	1261	
	10 x 2	60 - 100	1263	
	10 x 2	100 - 160	1265	

Adhesive hook for curtain pole flat-oval, 11 mm






Plastic, with steel pin, self-adhesive

		 (cm)	Art. Nr.	EAN
chrome	15 x 4		356	

Screw hook for sash rods



Metal, galvanised

		 (cm)	Art. Nr.	EAN
Silver matt	10 x 20	2,5	230	





Sash rod Montana Ø 11 mm

The curtain pole Montana Ø 11 mm is made of wood in the colour pine/nature and is supplied with fixing material for screwing and gluing. Optionally available is another bracket and matching curtain rings with pleating hooks.

Sash rod Montana Ø 11 mm



Wood, can be shortened, incl. fittings for screw mounting or adhesive mounting

		 (cm)	Art. Nr.	EAN
pine / natural	10 x 1	120	2251	

Bracket for sash rod Montana Ø 11 mm



Wood, with spacer, incl. fittings for screw mounting or adhesive mounting

			Art. Nr.	EAN
pine / natural	6 x 1	3	2460	4 003018 024606

Curtain rings



Wood, with pleating hooks, inner Ø 21 mm, outer Ø 35 mm, width 7 mm

			Art. Nr.	EAN
pine / natural	10 x 10		2268	4 003018 022688

Sash rod Nevada Ø 12 mm

The curtain pole Nevada Ø 12 mm is available in white. The coated metal tube can be shortened and is supplied together with plastic brackets and fixing material for screwing or gluing. Optionally available is another bracket in white, also for screwing or gluing.

Sash rod Nevada Ø 12 mm



Coated metal tube, can be shortened, with plastic brackets, incl. fittings for screw mounting or adhesive mounting


			Art. Nr.	EAN
white	10 x 1	120	2331	4 003018 023319

Bracket for sash rod Nevada Ø 12 mm



Plastic, with spacer, incl. mounting material for screws or adhesive mount

			Art. Nr.	EAN
white	6 x 1	3	2290	4 003018 022909



TENSION SYSTEM / BISTRO RANGE






Café Rod California Ø 10/12 mm white

The coffee house pole California Ø 10/12 mm in white can be fixed by screwing or gluing. It is extendable and can thus be perfectly adapted to the desired window width. A colour-matching bracket that can be shortened is optionally available and can also be screwed or glued.

Café rod California Ø 10/12 mm






Metal, coated, extendable, with plastic finials and 2 plastic brackets, 2.7 cm in length, brackets can be shortened, incl. fittings for screw mounting and adhesive mounting


		$\leftrightarrow x \updownarrow$ (cm)	Art. Nr.	EAN
white	10 x 1	50 - 85	4110	
	10 x 1	75 - 135	4111	
	10 x 1	120 - 225	4112	

Bracket for café rod California Ø 10/12 mm



Plastic, incl. fittings for screws or adhesion, can be shortened

		$\leftrightarrow x \updownarrow$ (cm)	Art. Nr.	EAN
white	10 x 2	2,7	4107	








Café Rod California Ø 10/12 mm chrome

The coffee house pole California Ø 10/12 mm in the colour chrome can be fixed by screwing or gluing. It is extendable and can thus be perfectly adapted to the desired window width. A colour-matching bracket that can be shortened is optionally available and can also be screwed or glued.

Café rod California Ø 10/12 mm







Metal, extendable with plastic finials and 2 plastic brackets 2.7 cm in length, the bracket can be shortened, incl. fittings for screws or adhesive


		$\leftrightarrow x \updownarrow$ (cm)	Art. Nr.	EAN
chrome	10 x 1	50 - 85	4116	
	10 x 1	75 - 135	4117	
	10 x 1	120 - 225	4118	

Bracket for café rod California Ø 10/12 mm



Plastic, incl. fittings for screws or adhesion, can be shortened

			Art. Nr.	EAN
chrome	10 x 2	2,7	4109	









Café Rod California Ø 10/12 mm silver-matt

The coffee house pole California Ø 10/12 mm in silver-matt can be fixed by screwing or gluing. It is extendable and can thus be perfectly adapted to the desired window width. A colour-matching bracket that can be shortened is optionally available and can also be screwed or glued.

Café rod California Ø 10/12 mm







Metal, coated, extendable, with plastic finials and 2 plastic brackets, 2.7 cm in length, brackets can be shortened, incl. fittings for screw mounting and adhesive mounting


			Art. Nr.	EAN
Silver matt	10 x 1	50 - 85	4129	
	10 x 1	75 - 135	4130	
	10 x 1	120 - 225	4131	

Bracket for café rod California Ø 10/12 mm



Plastic, incl. fittings for screws or adhesion, can be shortened

			Art. Nr.	EAN
Silver matt	10 x 2	2,7	4138	



TENSION SYSTEM / BISTRO RANGE

Variable rod Ø 12 mm

The extendable variable rod made from metal with a diameter of 12 mm is available in the colour stainless steel look. It can be adjusted to a length of 55-85 cm and is supplied with fixing materials.

Stainless steel look



Metal, extendable, wall clearance 1.5 cm, incl. fittings

			Art. Nr.	EAN
Stainless steel look	4 x 1	55 - 85	10012260	

Accessories for Sash Rods/Café Rod

The GARDINIA accessories for curtain poles and coffee house poles include a selection of clamp brackets, adhesive hooks, wall brackets, curtain rings, pleating hooks and clip hooks.

Clamping brackets for sash / café rods, plastic



Plastic, for windows with rubber seal, for fastening to the window casement without drilling or the use of screws, adjustment range approx. 6-30 mm

			Art. Nr.	EAN
white	10 x 2		2304	




Clamping brackets for sash / café rods



Metal/plastic, for windows with rubber seal, for mounting on the window casement without drilling or use of screws, can be mounted on the window casement on side and from above, adjustment range approx. 13-20 mm

			Art. Nr.	EAN
white	5 x 2		2611	






Clamping bracket easy click sash



Plastic, for windows with rubber seal, for fastening to the window casement with pin mounts or resting supports, adjustment range approx. 12-18 mm

			Art. Nr.	EAN
white	10 x 2		31531	4 003018 282822



Adhesive hook for sash rods, Ø 11+12 mm



Plastic, self-adhesive

			Art. Nr.	EAN
white	15 x 1 Pair		2285	4 003018 022855


Wall mount for sash rods Ø 11+12 mm



Plastic, for niche mounting, incl. fittings with screws and adhesive


			Art. Nr.	EAN
white	15 x 2		2327	4 003018 023272

Adhesive hook, universal, for sash and café rods



Plastic, 2 self-adhesive base plates, 2 pin mounts, 2 resting supports and cleaning cloth, adjustable on side

			Art. Nr.	EAN
white transparent	10 x 2		30565	4 003018 254270






TENSION SYSTEM / BISTRO RANGE

Curtain rings






Hollow ring nickel-plated brass, sewn-on ring, inner Ø 13 mm, outer 18 mm, width 2.5 mm

			Art. Nr.	EAN
nickel	10 x 25		2661	4 003018 238881

Plastic rings






Plastic, sew-on ring, inner Ø 11 mm, outer Ø 16 mm, width 2.5 mm

			Art. Nr.	EAN
white	10 x 30		154	4 003018 001546

Pleating hook, POM quality



POM = Polyoxymethylene, particularly dimensionally stable, for curtain rings, Ø eyelet 7.6 mm




			Art. Nr.	EAN
raw white	15 x 10		10007186	5 050685 171866

**PARTICULARLY
DIMENSIONALLY STABLE**

Pleating hook, crystal clear






Plastic, for curtain rings, Ø eyelet 8 mm

			Art. Nr.	EAN
transparent	15 x 10		2356	4 003018 023562

Pleating hook, white






Plastic, for curtain rings, Ø eyelet 8 mm

			Art. Nr.	EAN
white	15 x 10		2355	4 003018 023555

Clip hook, metal



Metal, for curtain rings and sash rods

			Art. Nr.	EAN
Silver matt	6 x 10		527	4 003018 005278

Rings with pleating hooks

white



Plastic, with pleating hooks,
inner Ø 23 mm, outer
Ø 35 mm, width 6 mm

			Art. Nr.	EAN
white	10 x 10		2271	

chrome



Plastic, with pleating hooks,
inner Ø 23 mm, outer
Ø 35 mm, width 6 mm

			Art. Nr.	EAN
chrome	10 x 10		2294	

Silver matt



Plastic, with pleating hooks,
inner Ø 23 mm, outer
Ø 35 mm, width 6 mm

			Art. Nr.	EAN
Silver matt	10 x 10		2291	

Danube clip

white



Metal, Ø 16 mm, for café
rods and sash rods

			Art. Nr.	EAN
white	10 x 6		160	

Brass



Metal, Ø 16 mm, for café
rods and sash rods

			Art. Nr.	EAN
Brass	10 x 6		145	



CURTAIN TECHNOLOGY

Curtain Technology-quick-finder

High sliding rail Luxor Pages 191 - 197

Curtain Technology ø 12 mm Pages 198 - 201

Curtain Technology ø 16 mm Pages 202 - 225

Curtain Technology ø 19 mm Pages 226 - 270

Curtain Technology ø 20 mm Pages 271 - 335

Curtain Technology ø 25 mm Pages 336 - 368

Curtain Technology ø 28 mm Pages 369 - 377

U-type sliding rail Pages 378 - 380

Tension Wire Set Pages 381 - 385

Accessories Pages 387 - 401

Individual Article Luxor steel brushed






The individual Luxor range in brushed steel includes rectangular curtain rods in lengths of 160 cm, 200 cm and 240 cm, different brackets for up to 5-track drapery, finials, curtain gliders and curtain rod connectors.


Curtain rod Luxor, rectangular



Aluminium profile with inner track, 35 mm high, 14 mm deep, track channel approx. 6 mm

Info: For rod length exceeding 200 cm use 3 brackets.




		$\leftrightarrow x \updownarrow$ (cm)	Art. Nr.	EAN
brushed steel	4 x 1	160	12755	
	4 x 1	200	12756	
	4 x 1	240	12757	




Bracket for Luxor, rectangular



Aluminium, for drapery with a Luxor curtain rod, incl. fittings, bracket length (wall distance of curtain rod) 8 cm




		$\leftrightarrow x \updownarrow$ (cm)	Art. Nr.	EAN
brushed steel	4 x 1		12759	




Bracket Slim for Luxor, rectangular



Aluminium, for drapery with a Luxor curtain rod, incl. fittings, bracket length (wall distance of curtain rod) 7.5 cm

		$\leftrightarrow x \updownarrow$ (cm)	Art. Nr.	EAN
brushed steel	4 x 1		31401	








HIGH SLIDING RAIL LUXOR

Special bracket for Luxor, rectangular



Aluminium, for drapery of up to 3 Luxor curtain rods or aluminium Venetian blinds, incl. fittings, bracket length (wall distance of curtain rod) max. 14 cm

			Art. Nr.	EAN
brushed steel	4 x 1		12761	




Multi-bracket for Luxor, rectangular



Aluminium, can be used for up to 5 Luxor curtain rods, incl. fittings, bracket length (wall distance of curtain rod) max. 14.5 cm





			Art. Nr.	EAN
brushed steel	4 x 1		31403	




Ceiling bracket for Luxor, rectangular



Aluminium, for drapery with a Luxor curtain rod, ceiling clearance 3.5 cm, incl. fittings

			Art. Nr.	EAN
brushed steel	4 x 1		12763	



Wall mount for Luxor, rectangular



Aluminium, for mounting in the window recess, incl. fittings

			Art. Nr.	EAN
brushed steel	4 x 1		12765	4 003018 205067

Finial Structure for Luxor, rectangular




Aluminium

Tip: Reversible end piece, Structure or smooth surface visible.

			Art. Nr.	EAN
brushed steel	4 x 2	7 x 4 x 2	12776	4 003018 205173


Finial Stripe for Luxor, rectangular



Aluminium, imitation leather

			Art. Nr.	EAN
brushed steel black	4 x 2		12778	4 003018 205197

Finial Round for Luxor, rectangular



Aluminium

			Art. Nr.	EAN
brushed steel	4 x 2		31407	4 003018 281108

Finial Stone for Luxor, rectangular



Aluminium, with rhinestones

			Art. Nr.	EAN
brushed steel	4 x 2		31409	4 003018 281122

HIGH SLIDING RAIL LUXOR

End cap for Luxor, rectangular



Aluminium, as finial or end cap for second track

			Art. Nr.	EAN
brushed steel	4 x 2	4 x 2 x 1	12767	4 003018 205081

Accessories

The accessories matching the Luxor curtain technology include curtain rod connectors, various gliders and end stops.


Connector for curtain rods Luxor



aluminium/plastic, for extension of rectangular curtain rods

Info: Always position a bracket at the connection point.

			Art. Nr.	EAN
aluminium-black	4 x 1 Set		12782	4 003018 238089



Click glider Maxi



Plastic, with pleating hook, for curtain rails and rods with track channel width 6 mm, suitable for aluminium rails 13 mm, aluminium curtain rails, Luxor curtain rods, curtain rods with inner track I Ø 16, 20 and 25 mm, curtain rods with inner track II Ø 19 and 20 mm


Info: Simply click into the track channel at any point.


			Art. Nr.	EAN
white	15 x 20		4979	4 003018 049791

Duo X-glider



Plastic, rotating head, therefore suitable for curtain rails and curtain rods with inner track and 4 or 6 mm track channel


			Art. Nr.	EAN
white	10 x 25		32175	4 003018 329152



X glider





Plastic, with pleating hooks, for 6 mm track channel, suitable for panel curtain rails, 13 mm aluminium rails, aluminium curtain rails, curtain rods Luxor, curtain rods with inner track Ø 16, 20 and 25 mm

			Art. Nr.	EAN
white	15 x 25		4974	4 003018 049746

X glider with clip



plastic/metal, rotating head, for 6 mm track channel, suitable for panel curtain rails, 13 mm aluminium rails, aluminium curtain rails, curtain rods Luxor, curtain rails with inner track Ø 16, 20 and 25 mm


			Art. Nr.	EAN
white	10 x 20		4984	4 003018 205975


Glider for 6 mm track channel



**PARTICULARLY
DIMENSIONALLY STABLE**

POM = Polyoxymethylene, particularly dimensionally stable, with rotatable pleating hook, suitable for aluminium rails 13 mm, aluminium curtain rails, Luxor curtain rails, curtain rails with inner track I Ø 16, 20 and 25 mm, curtain rails with inner runner II Ø 19 and 20 mm

			Art. Nr.	EAN
white	10 x 20		31552	4 003018 285441



Info: Simply screw into and out of the track channel at any point.


HIGH SLIDING RAIL LUXOR




Click in-out glider



Plastic, with rotatable pleating hook, for curtain rails and rods with track channel width 6 mm, suitable for aluminium rails 13 mm, aluminium curtain rails, Luxor curtain rods, curtain rods with inner track I Ø 20 and 25 mm, curtain rods with inner track II Ø 19 and 20 mm

Info: Simply click into and out of the track channel at any point.




			Art. Nr.	EAN
white	10 x 20		36161	4 003018 358954



Loop glider



Plastic, for draping tab-top curtains on curtain rods with inner track I Ø 16, 20 or 25 mm, inner track II Ø 19 and 20 mm, GE and P2Ü curtain rails, Luxor curtain rods, aluminium rails 13 mm, Atlanta panel fabric rails and aluminium curtain rails

Tip: Pleat curtains can be hung and removed without removing the loop gliders.




			Art. Nr.	EAN
white	6 x 10		10011067	5 050685 110674




Loop glider with X gliders and rollers



Plastic, for draping tab-top curtains, rollers for use in curtain rails GE and P2Ü, X-gliders for use in curtain rods with inner track Ø 16, 20 and 25 mm, Luxor curtain rods, aluminium rails 13 mm, Atlanta panel curtain rails and aluminium curtain rails

Tip: tab-top curtains can be hung and removed without removing the loop gliders.






			Art. Nr.	EAN
white	6 x 10	5,9	148	4 003018 001485

End stop



Metal/plastic, for curtain rods with inner track and Luxor, fixes the fabric at the desired position

			Art. Nr.	EAN
white	15 x 2		10972	4 003018 109723

Individual Range New York Stainless Steel


The individual New York range made of stainless steel includes curtain rods with a diameter of approx. 12 mm in lengths of 120 cm, 160 cm, 200 cm and 240 cm, different brackets for 1-track and 2-track drapery, different end pieces, curtain rings, pleating hooks and curtain rod connectors.








Curtain rod Ø 12 mm



Stainless steel

Info: for rod length exceeding 200 cm, use 3 brackets.








		 (cm)	Art. Nr.	EAN
Stainless steel	4 x 1	120	11300	
	4 x 1	160	11301	
	4 x 1	200	11302	
	4 x 1	240	11303	

Bracket, closed for Ø 12 mm



Stainless steel, for drapery with a curtain rod, with metal mounting plate, incl. fittings, bracket length (wall distance of curtain rod) 7.5 cm

		 (cm)	Art. Nr.	EAN
Stainless steel	4 x 1		11310	




CURTAIN TECHNOLOGY Ø 12 MM

Bracket, open for Ø 12 mm



Stainless steel, for drapery with a curtain rod, with metal mounting plate, incl. fittings, bracket length (wall distance of curtain rod) 7.5 cm

			Art. Nr.	EAN
Stainless steel	4 x 1		11313	4 003018 113133




Double support open for Ø 12 mm



Stainless steel, for drapery with two curtain rods, with metal mounting plate, incl. fittings

			Art. Nr.	EAN
Stainless steel	4 x 1		11318	4 003018 113188




Bracket for café rods for Ø 12 mm



Stainless steel, mounting with screws, for draping bistro curtains, incl. fittings, bracket length (wall distance of curtain rod) 3 cm

			Art. Nr.	EAN
Stainless steel	4 x 2		11366	4 003018 113669



Wall mount for Ø 12 mm



Stainless steel, for mounting in the window recess, incl. fittings

			Art. Nr.	EAN
Stainless steel	4 x 1	2,4	11350	4 003018 113508

Finial Cone for Ø 12 mm



Stainless steel

			Art. Nr.	EAN
Stainless steel	4 x 1	4,6	11320	4 003018 113201

Finial Ball for Ø 12 mm



Stainless steel

			Art. Nr.	EAN
Stainless steel	4 x 1	3,3	11325	4 003018 113256

Finial Cylinder for Ø 12 mm



Stainless steel

			Art. Nr.	EAN
Stainless steel	4 x 1	3,0	11330	4 003018 113300

Finial Bullet for Ø 12 mm



Stainless steel

			Art. Nr.	EAN
Stainless steel	4 x 1	5,5	11340	4 003018 113409

CURTAIN TECHNOLOGY Ø 12 MM

Curtain rings with gliding inlay for Ø 12 mm



Stainless steel, with pleating hooks, inner Ø 18.5 mm, outer 24.5 mm, width 3.5 mm

			Art. Nr.	EAN
Stainless steel	6 x 8		11352	4 003018 113522


Connector for curtain rods for Ø 12 mm



Metal/plastic

Info: Always place a bracket at the connection point.

			Art. Nr.	EAN
white	4 x 1	8,1	11353	4 003018 113539



Curtain hooks for Ø 12 mm



Metal, alternative attachment of the curtain, instead of curtain rings

			Art. Nr.	EAN
Stainless steel	6 x 10	3,5	11465	4 003018 114659

Pleating hook



Plastic, for curtain rings, Ø eyelet 4 mm

			Art. Nr.	EAN
transparent	15 x 10		11356	4 003018 113560

Pleating hook, POM quality



POM = Polyoxymethylene, particularly dimensionally stable, for curtain rings, Ø eyelet 4 mm

			Art. Nr.	EAN
raw white	15 x 10		10007184	5 050685 171842

Individual Range Memphis Metal

Memphis stainless steel look


The individual Memphis range in the stainless steel look includes curtain rods with a diameter of 16 mm in lengths of 120 cm, 160 cm, 200 cm and 240 cm, different brackets for 1-track and 2-track drapery, different finials, curtain rings, pleating hooks and curtain rod connectors.



Curtain rod Ø 16 mm



Metal

Info: for rod length exceeding 200 cm, use 3 brackets.



		↔ x ↑ (cm)	Art. Nr.	EAN
Stainless steel look	4 x 1	120	30080	4 003018 245483
	4 x 1	160	30081	4 003018 245490
	4 x 1	200	30082	4 003018 245506
	4 x 1	240	30083	4 003018 245513



Curtain rod with inner track | Ø 16 mm



Metal, track channel approx. 6 mm, usable as curtain rod or curtain rod with inner track

Info: for curtain rod length 200 cm or more, use 3 brackets.



		↔ x ↑ (cm)	Art. Nr.	EAN
Stainless steel look	4 x 1	120	32230	4 003018 329558
	4 x 1	160	32231	4 003018 329565
	4 x 1	200	32232	4 003018 329572
	4 x 1	240	32233	4 003018 329589


Memphis stainless steel look








Curtain rod with inner track II Ø 16 mm



Metal, track channel approx. 5.3 mm

Info: for curtain rod length 200 cm or more, use 3 brackets.








		 (cm)	Art. Nr.	EAN
Stainless steel look	4 x 1	120	30084	
	4 x 1	160	30085	
	4 x 1	200	30086	
	4 x 1	240	30087	

Bracket, extendable for Ø 16 mm



Metal, for drapery with a curtain rod, extendable, incl. fittings, bracket length (wall distance of curtain rod) 10-14 cm








		 (cm)	Art. Nr.	EAN
Stainless steel look	4 x 2		11522	

Double support for Ø 16 mm



Metal, incl. fittings, bracket length (wall distance of curtain rods) 7 cm and 14 cm




		 (cm)	Art. Nr.	EAN
Stainless steel look	4 x 2		11524	





Memphis stainless steel look

Bracket, open for Ø 16 mm



Metal, for drapery with a curtain rod or curtain rod with inner track (curtain rod fixed by screw), with metal mounting plate, incl. fittings, bracket length (wall distance of curtain rod) 7.5 cm








			Art. Nr.	EAN
Stainless steel look	4 x 1		30088	

Double combined support, open, for Ø 16 mm



Metal, rotatable, for drapery with two curtain rods and/or curtain rods with inner track (curtain rail fixed by screw), with metal mounting plate, incl. fittings, bracket length (wall distance of curtain rods) 7.5 cm and 12.5 cm








			Art. Nr.	EAN
Stainless steel look	4 x 1		30089	

Bracket, closed for Ø 16 mm




Metal, can be shortened, for drapery with a curtain rod, with metal mounting plate, incl. fittings, bracket length (wall distance of curtain rod) 13.5 cm







			Art. Nr.	EAN
Stainless steel look	4 x 1		30090	

Memphis stainless steel look

Universal bracket 1 and 2-track for Ø 16 mm







Metal, can be used for individual Memphis product range, incl. one ring adapter each for curtain rods and one cross adapter for curtain rods with inner track I, the universal bracket can be used for 1-track and 2-track drapes, the distances between track 1 and 2 can be adjusted as required, bracket length 15 cm, wall distance of curtain rod(s) approx. 7.5 cm - 13 cm

			Art. Nr.	EAN
Stainless steel look	4 x 1		32234	

Bracket extension for Universal bracket







Metal, suitable for larger wall clearances, also for drapery with eyelet tab-top curtains, suitable for 3-track drapery in combination with ring adapter or cross adapter

			Art. Nr.	EAN
Stainless steel look	4 x 1	18	33883	

Ring adapter for universal bracket for Ø 16 mm



Metal, for curtain rod and curtain rod with inner track Ø 16 mm





			Art. Nr.	EAN
Stainless steel look	4 x 2		32235	


Memphis stainless steel look

Cross adapter for universal bracket



Aluminium, for curtain rods with inner track I Ø 16, Ø 20 and Ø 25 mm as well as inner track II Ø 20 mm - can also be used as a connector





			Art. Nr.	EAN
Aluminium	4 x 2	3,7 x 2,6 x 0,9	33884	




Universal ceiling bracket, open for Ø 16 mm



Metal, rotatable, for drapery with two curtain rods and/or curtain rods with inner track (curtain rod fixed by screw), ceiling distance of curtain rods 13 cm, rod distance 5 cm, incl. fittings





			Art. Nr.	EAN
Stainless steel look	4 x 1		30092	



Wall mount for Ø 16 mm



Metal, for mounting in the window niche, incl. fittings





			Art. Nr.	EAN
Stainless steel look	4 x 2	2,5	30093	

Memphis stainless steel look

Finial Cone Profile for Ø 16 mm







Metal

			Art. Nr.	EAN
Stainless steel look	4 x 2	2,8	30098	

Finial Bullet for Ø 16 mm







Metal

			Art. Nr.	EAN
Stainless steel look	4 x 2	5,2	30100	


Finial Cylinder for Ø 16 mm







Metal

			Art. Nr.	EAN
Stainless steel look	4 x 2	2,6	30101	


Finial Ball for Ø 16 mm




Metal

			Art. Nr.	EAN
Stainless steel look	4 x 2		30099	

End cap for Ø 16 mm



Metal, as finial or end cap
for second track





			Art. Nr.	EAN
Stainless steel look	4 x 2	1,8	30103	

Memphis stainless steel look

Curtain rings with gliding inlay for Ø 16 mm



Metal, with pleating hooks,
inner Ø 25 mm, outer
Ø 34 mm, width 4.6 mm

			Art. Nr.	EAN
Stainless steel look	6 x 10		30095	

Memphis black-matt








The individual Memphis range in the colour black includes curtain rods with a diameter of 16 mm in lengths of 120 cm, 160 cm, 200 cm and 240 cm, different brackets for 1-track and 2-track drapery, different finials, curtain rings, pleating hooks and curtain rod connectors.


Curtain rod Ø 16 mm



Metal

Info: for rod length
exceeding 200 cm, use
3 brackets.

			Art. Nr.	EAN
black-matt	4 x 1	120	11505	
	4 x 1	160	11506	
	4 x 1	200	11507	
	4 x 1	240	11508	










Curtain rod with inner track I Ø 16 mm



Metal, track channel
approx. 6 mm, usable as
curtain rod or curtain rod
with inner track

Info: for curtain rod length
200 cm or more, use 3
brackets.

			Art. Nr.	EAN
black-matt	4 x 1	120	32236	
	4 x 1	160	32237	
	4 x 1	200	32238	
	4 x 1	240	32239	




Memphis black-matt







Curtain rod with inner track II Ø 16 mm



Metal, track channel approx. 5.3 mm

Info: for curtain rod length 200 cm or more, use 3 brackets.







		$\leftrightarrow x \updownarrow$ (cm)	Art. Nr.	EAN
black-matt	4 x 1	120	10011328	
	4 x 1	160	10011329	
	4 x 1	200	10011330	
	4 x 1	240	10011331	

Bracket, extendable for Ø 16 mm



Metal, for drapery with a curtain rod, extendable, incl. fittings, bracket length (wall distance of curtain rod) 10-14 cm




		$\leftrightarrow x \updownarrow$ (cm)	Art. Nr.	EAN
black-matt	4 x 2		11521	




Double support for Ø 16 mm



Metal, for drapery with two curtain rods, incl. fittings, bracket length (wall distance of curtain rod) 7 cm and 14 cm

		$\leftrightarrow x \updownarrow$ (cm)	Art. Nr.	EAN
black-matt	4 x 2		11523	




Memphis black-matt

Bracket, open for Ø 16 mm



Metal, for drapery with a curtain rod or curtain rod with inner track (curtain rod fixed by screw), with metal mounting plate, incl. fittings, bracket length (wall distance of curtain rod) 7.5 cm




			Art. Nr.	EAN
black-matt	4 x 1		10011336	

Double combined support, open, for Ø 16 mm



Metal, rotatable, for drapery with two curtain rods and/or curtain rods with inner track (curtain rail fixed by screw), with metal mounting plate, incl. fittings, bracket length (wall distance of curtain rods) 7.5 cm and 12.5 cm




			Art. Nr.	EAN
black-matt	4 x 1		10011338	

Universal bracket 1 and 2-track for Ø 16 mm



Metal, can be used for individual Memphis product range, incl. one ring adapter each for curtain rods and one cross adapter for curtain rods with inner track I, the universal bracket can be used for 1-track and 2-track drapes, the distances between track 1 and 2 can be adjusted as required, bracket length 15 cm, wall distance of curtain rod(s) approx. 7.5 cm - 13 cm







			Art. Nr.	EAN
black-matt	4 x 1		32240	

Memphis black-matt

Bracket extension for Universal bracket






Metal, suitable for larger wall clearances, also for drapery with eyelet tab-top curtains, suitable for 3-track drapery in combination with ring adapter or cross adapter

			Art. Nr.	EAN
black-matt	4 x 1	18	32242	

Ring adapter for universal bracket for Ø 16 mm







Metal, for curtain rod and curtain rod with inner track Ø 16 mm


			Art. Nr.	EAN
black-matt	4 x 2		32241	

Cross adapter for universal bracket



Aluminium, for curtain rods with inner track I Ø 16, Ø 20 and Ø 25 mm as well as inner track II Ø 20 mm - can also be used as a connector

			Art. Nr.	EAN
Aluminium	4 x 2	3,7 x 2,6 x 0,9	33884	








Memphis black-matt

Universal ceiling bracket, open for Ø 16 mm



Metal, rotatable, for drapery with two curtain rods and/or curtain rods with inner track (curtain rod fixed by screw), ceiling distance of curtain rods 13 cm, rod distance 5 cm, incl. fittings







			Art. Nr.	EAN
black-matt	4 x 1	13,5	10011340	

Wall mount for Ø 16 mm



Metal, for mounting in the window niche, incl. fittings

			Art. Nr.	EAN
black-matt	4 x 2	2,5	11518	

Finial Cone Profile for Ø 16 mm







Metal

			Art. Nr.	EAN
black-matt	4 x 2	2,8	30104	

Finial Bullet for Ø 16 mm



Metal





			Art. Nr.	EAN
black-matt	4 x 2	5,2	30105	

Memphis black-matt

Finial Cylinder for Ø 16 mm







Metal

			Art. Nr.	EAN
black-matt	4 x 2	2,6	30106	


Finial Ball for Ø 16 mm







Metal

			Art. Nr.	EAN
black-matt	4 x 2		11565	

End cap for Ø 16 mm







Metal, as finial or end cap
for second track

			Art. Nr.	EAN
black-matt	4 x 2	1,8	30107	

Curtain rings with gliding inlay for Ø 16 mm



Metal, with pleating hooks,
inner Ø 25 mm, outer
Ø 34 mm, width 4.6 mm

			Art. Nr.	EAN
black-matt	6 x 10		11526	

Memphis brass-antique


The individual Memphis range in the colour brass-antique includes curtain rods with a diameter of 16 mm in lengths of 120 cm, 160 cm, 200 cm and 240 cm, different brackets for 1-track and 2-track drapery, different finials, curtain rings, pleating hooks and curtain rod connectors.



Curtain rod Ø 16 mm



Metal

Info: for rod length exceeding 200 cm, use 3 brackets.



		↔ x ↑ (cm)	Art. Nr.	EAN
brass-antique	4 x 1	120	33105	4 003018 289500
	4 x 1	160	33106	4 003018 289517
	4 x 1	200	33107	4 003018 289524
	4 x 1	240	33108	4 003018 289531



Curtain rod with inner track I Ø 16 mm



Metal, track channel approx. 6 mm, usable as curtain rod or curtain rod with inner track

Info: for curtain rod length 200 cm or more, use 3 brackets.



		↔ x ↑ (cm)	Art. Nr.	EAN
brass-antique	4 x 1	120	32243	4 003018 329688
	4 x 1	160	32244	4 003018 329695
	4 x 1	200	32245	4 003018 329701
	4 x 1	240	32246	4 003018 329718







Memphis brass-antique

Curtain rod with inner track II Ø 16 mm



Metal, track channel approx. 5.3 mm

Info: for curtain rod length 200 cm or more, use 3 brackets.





		 (cm)	Art. Nr.	EAN
brass-antique	4 x 1	160	33110	
	4 x 1	200	33111	
	4 x 1	240	33112	




Bracket, open for Ø 16 mm



Metal, for drapery with a curtain rod or curtain rod with inner track (curtain rod fixed by screw), with metal mounting plate, incl. fittings, bracket length (wall distance of curtain rod) 7.5 cm





		 (cm)	Art. Nr.	EAN
brass-antique	4 x 1		33113	




Double combined support, open, for Ø 16 mm



Metal, rotatable, for drapery with two curtain rods and/or curtain rods with inner track (curtain rail fixed by screw), with metal mounting plate, incl. fittings, bracket length (wall distance of curtain rods) 7.5 cm and 12.5 cm

		 (cm)	Art. Nr.	EAN
brass-antique	4 x 1		33114	




Memphis brass-antique

Bracket, closed for Ø 16 mm



Metal, can be shortened, for drapery with a curtain rod, with metal mounting plate, incl. fittings, bracket length (wall distance of curtain rod) 13.5 cm

			Art. Nr.	EAN
brass-antique	4 x 1		33115	




Universal bracket 1 and 2-track for Ø 16 mm



Metal, can be used for individual Memphis product range, incl. one ring adapter each for curtain rods and one cross adapter for curtain rods with inner track I, the universal bracket can be used for 1-track and 2-track drapes, the distances between track 1 and 2 can be adjusted as required, bracket length 15 cm, wall distance of curtain rod(s) approx. 7.5 cm - 13 cm

			Art. Nr.	EAN
brass-antique	4 x 1		32247	



Bracket extension for Universal bracket



Metal, suitable for larger wall clearances, also for drapery with eyelet tab-top curtains, suitable for 3-track drapery in combination with ring adapter or cross adapter

			Art. Nr.	EAN
brass-antique	4 x 1	18	32306	

Memphis brass-antique

Ring adapter for universal bracket for Ø 16 mm



Metal, for curtain rod and curtain rod with inner track Ø 16 mm


			Art. Nr.	EAN
brass-antique	4 x 2		32248	

Cross adapter for universal bracket



Aluminium, for curtain rods with inner track I Ø 16, Ø 20 and Ø 25 mm as well as inner track II Ø 20 mm - can also be used as a connector

			Art. Nr.	EAN
Aluminium	4 x 2	3,7 x 2,6 x 0,9	33884	




Universal ceiling bracket, open for Ø 16 mm



Metal, rotatable, for drapery with two curtain rods and/or curtain rods with inner track (curtain rod fixed by screw), ceiling distance of curtain rods 13 cm, rod distance 5 cm, incl. fittings

			Art. Nr.	EAN
brass-antique	4 x 1		33117	







Memphis brass-antique

Wall mount for Ø 16 mm







Metal, for mounting in the window niche, incl. fittings

			Art. Nr.	EAN
brass-antique	4 x 2	2,5	33118	

Finial Bullet for Ø 16 mm







Metal

			Art. Nr.	EAN
brass-antique	4 x 2	5,2	33122	

Finial Cylinder for Ø 16 mm







Metal

			Art. Nr.	EAN
brass-antique	4 x 2	2,6	33123	


Finial Ball for Ø 16 mm







Metal

			Art. Nr.	EAN
brass-antique	4 x 2		33121	

End cap for Ø 16 mm



Metal, as finial or end cap for second track





			Art. Nr.	EAN
brass-antique	4 x 2	1,8	33125	

Memphis brass-antique

Curtain rings with gliding inlay for Ø 16 mm



Metal, with pleating hooks,
inner Ø 25 mm, outer
Ø 34 mm, width 4.6 mm

			Art. Nr.	EAN
brass-antique	6 x 10		33119	

Accessories for Memphis





The accessories for the individual Memphis range include connectors for curtain rods, end stops and various pleating hooks and gliders.


Connector for curtain rods Ø 16 mm




Plastic

Info: Always position a
bracket at the connection
point.

			Art. Nr.	EAN
white	4 x 1	8	11570	








Connector for curtain rods with internal runner I for Ø 16 mm



Metal, for extension of cur-
tain rods with inner track I

Info: always place bracket
at the connection point.

			Art. Nr.	EAN
galvanized	4 x 1	6	32304	



Accessories for Memphis


Connector for curtain rods with internal runner II for Ø 16 mm



Aluminium, for extending curtain rails with inner track II, with M4 thread for middle bracket

			Art. Nr.	EAN
Aluminium	4 x 1	4	10011344	

Info: Always place bracket at connection point.



Corner piece for curtain rods Ø 16 mm



Plastic, adjustable angle 90° - 180°

			Art. Nr.	EAN
transparent	4 x 1	10,5	10004352	

Pleating hook, POM quality



POM = Polyoxymethylene, particularly dimensionally stable, for curtain rings, Ø eyelet 5.3 mm

			Art. Nr.	EAN
raw white	15 x 10		10007185	

**PARTICULARLY
DIMENSIONALLY STABLE**

Pleating hook



Plastic, for curtain rings, Ø eyelet 5.3 mm





			Art. Nr.	EAN
transparent	15 x 10		4949	


Accessories for Memphis

Duo X-glider



Plastic, rotating head, therefore suitable for curtain rails and curtain rods with inner track and 4 or 6 mm track channel





			Art. Nr.	EAN
white	10 x 25		32175	



X glider







Plastic, with pleating hooks, for 6 mm track channel, suitable for panel curtain rails, 13 mm aluminium rails, aluminium curtain rails, curtain rods Luxor, curtain rods with inner track Ø 16, 20 and 25 mm

			Art. Nr.	EAN
white	15 x 25		4974	

X glider with clip



plastic/metal, rotating head, for 6 mm track channel, suitable for panel curtain rails, 13 mm aluminium rails, aluminium curtain rails, curtain rods Luxor, curtain rails with inner track Ø 16, 20 and 25 mm


			Art. Nr.	EAN
white	10 x 20		4984	

Accessories for Memphis

Loop glider



Plastic, for draping tab-top curtains on curtain rods with inner track I Ø 16, 20 or 25 mm, inner track II Ø 19 and 20 mm, GE and P2Ü curtain rails, Luxor curtain rods, aluminium rails 13 mm, Atlanta panel fabric rails and aluminium curtain rails




Tip: Pleat curtains can be hung and removed without removing the loop gliders.

			Art. Nr.	EAN
white	6 x 10	↔ x ↑ (cm)	10011067	5 050685 110674

Loop glider with X gliders and rollers



Plastic, for draping tab-top curtains, rollers for use in curtain rails GE and P2Ü, X-gliders for use in curtain rods with inner track Ø 16, 20 and 25 mm, Luxor curtain rods, aluminium rails 13 mm, Atlanta panel curtain rails and aluminium curtain rails



Tip: tab-top curtains can be hung and removed without removing the loop gliders.

			Art. Nr.	EAN
white	6 x 10	↔ x ↑ (cm)	148	4 003018 001485

End stop



Metal/plastic, for curtain rods with inner track and Luxor, fixes the fabric at the desired position





			Art. Nr.	EAN
white	15 x 2	↔ x ↑ (cm)	10972	4 003018 109723

Accessories for Memphis

End stop II



Metal/plastic, for curtain rods with inner track II, fixes the fabric at the desired position





			Art. Nr.	EAN
white	4 x 2		10011343	

Click glider Maxi



Plastic, with pleating hook, for curtain rails and rods with track channel width 6 mm, suitable for aluminium rails 13 mm, aluminium curtain rails, Luxor curtain rods, curtain rods with inner track I Ø 16, 20 and 25 mm, curtain rods with inner track II Ø 19 and 20 mm

Info: Simply click into the track channel at any point.

			Art. Nr.	EAN
white	15 x 20		4979	





Glider for 6 mm track channel




**PARTICULARLY
DIMENSIONALLY STABLE**

POM = Polyoxymethylene, particularly dimensionally stable, with rotatable pleating hook, suitable for aluminium rails 13 mm, aluminium curtain rails, Luxor curtain rails, curtain rails with inner track I Ø 16, 20 and 25 mm, curtain rails with inner runner II Ø 19 and 20 mm

Info: Simply screw into and out of the track channel at any point.

			Art. Nr.	EAN
white	10 x 20		31552	



Curtain rod set Ø 16 mm fixed length








Curtain rod set 1-track Ball stainless steel look

The curtain rod set Ball Ø 16 mm in stainless steel look is available in the lengths 120 cm, 160 cm, 200 cm and 240 cm. The scope of delivery includes end pieces, brackets incl. fixing material and colour-matched curtain rings with pleating hooks.

Ball 1-track Ø 16 mm



Metal, complete with metal end pieces, brackets, rings, pleating hooks and fittings, from 240 cm with 3 brackets, bracket length (wall distance of the curtain rod) 8 cm

		 (cm)	Art. Nr.	EAN
Stainless steel look	4 x 1	120	26-1039	
	4 x 1	160	26-1040	
	4 x 1	200	26-1041	
	4 x 1	240	26-1042	

Number of curtain rings with pleating hooks

120 cm	12 pieces
160 cm	16 pieces
200 cm	20 pieces
240 cm	24 pieces








Curtain rod set 1-track Ball brass-antique

The curtain rod set Ball Ø 16 mm in brass-antique is available in the lengths 120 cm, 160 cm, 200 cm and 240 cm. The scope of delivery includes end pieces, brackets incl. fixing material and colour-matched curtain rings with pleating hooks.

Ball 1-track Ø 16 mm



Metal, complete with metal end pieces, brackets, rings, pleating hooks and fittings, from 240 cm with 3 brackets, bracket length (wall distance of the curtain rod) 8 cm

		 (cm)	Art. Nr.	EAN
brass-antique	4 x 1	120	26-1045	
	4 x 1	160	26-1046	
	4 x 1	200	26-1047	
	4 x 1	240	26-1048	

Number of curtain rings with pleating hooks

120 cm	12 pieces
160 cm	16 pieces
200 cm	20 pieces
240 cm	24 pieces






Curtain rod set 1-track Cylinder stainless steel look

The curtain rod set Cylinder Ø 16 mm in stainless steel look is available in the lengths 160 cm, 200 cm and 240 cm. The scope of delivery includes end pieces, brackets incl. fixing material and colour-matched curtain rings with pleating hooks.

Cylinder 1-track Ø 16 mm



Metal, complete with metal end pieces, brackets, rings with pleating hooks and fittings, from 240 cm with 3 brackets, bracket length (wall distance of the curtain rod) 8 cm

		↔ x ↑ (cm)	Art. Nr.	EAN
Stainless steel look	4 x 1	160	26-1049	
	4 x 1	200	26-1050	
	4 x 1	240	26-1051	

Number of curtain rings with pleating hooks

160 cm	16 pieces
200 cm	20 pieces
240 cm	24 pieces






Curtain rod set 1-track Cylinder brass-antique

The curtain rod set Cylinder Ø 16 mm in brass-antique is available in the lengths 160 cm, 200 cm and 240 cm. The scope of delivery includes end pieces, brackets incl. fixing material and colour-matched curtain rings with pleating hooks.

Cylinder 1-track Ø 16 mm



Metal, complete with metal end pieces, brackets, rings with pleating hooks and fittings, from 240 cm with 3 brackets, bracket length (wall distance of the curtain rod) 8 cm

		↔ x ↑ (cm)	Art. Nr.	EAN
brass-antique	4 x 1	160	26-1052	
	4 x 1	200	26-1053	
	4 x 1	240	26-1054	

Number of curtain rings with pleating hooks

160 cm	16 pieces
200 cm	20 pieces
240 cm	24 pieces



Individual Range Europa Metal

Individual Range Europa silver-antique







The individual Europa range in the colour silver-antique includes curtain rods with a diameter of 19 mm in lengths of 160 cm, 200 cm and 240 cm, different brackets for 1-track and 2-track drapery, different end pieces and curtain rings with brackets and pleating hooks.


Curtain rod Ø 19 mm



Metal

Info: For rod length of 200 cm or greater, use 3 supports





		 (cm)	Art. Nr.	EAN
Silver antique	4 x 1	160	36130	
	4 x 1	200	36131	
	4 x 1	240	36132	




Bracket, open, short for Ø 19 mm



Metal, for drapery with a curtain rod, incl. fittings, bracket length (wall distance of curtain rod) 14 cm

		 (cm)	Art. Nr.	EAN
Silver antique	4 x 1		36133	








Individual Range Europa silver-antique

Bracket, open, long for Ø 19 mm



Metal, for drapery with a curtain rod, incl. fittings, bracket length (wall distance of curtain rod) 20 cm





			Art. Nr.	EAN
Silver antique	4 x 1		36134	




Double bracket open for Ø 19 mm



Metal, for drapery with two curtain rods, incl. fittings, bracket length (wall distance of curtain rod) 14 cm and 20 cm





			Art. Nr.	EAN
Silver antique	4 x 1		36135	




Ceiling bracket 1-track or 2-track for Ø 19 mm



Metal, for drapery with one or two curtain rods, with metal mounting plate, incl. fittings, ceiling distance of curtain rod 6 cm, rod distance 6 cm

			Art. Nr.	EAN
Silver antique	4 x 1		36136	





Individual Range Europa silver-antique

Wall mount for Ø 19 mm







Metal, for mounting in the window niche, incl. fittings

			Art. Nr.	EAN
Silver antique	4 x 1		36137	

Finial Lago for Ø 19 mm







Metal

			Art. Nr.	EAN
Silver antique	4 x 1		36139	

Finial Geo for Ø 19 mm







Metal

			Art. Nr.	EAN
Silver antique	4 x 1		36140	

Finial Andra for Ø 19 mm







Metal

			Art. Nr.	EAN
Silver antique	4 x 1		36141	

End cap for Ø 19 mm



Metal, as end cap or second track





			Art. Nr.	EAN
Silver antique	4 x 1		36142	

Individual Range Europa silver-antique

Curtain rings for Ø 19 mm



Metal, with pleating hooks and clips, inner Ø 30.5 mm, outer Ø 38,3 mm, width 4 mm

			Art. Nr.	EAN
Silver antique	10 x 10		36138	

Individual Range Europa bronze







The individual Europa range in the colour bronze includes curtain rods with a diameter of 19 mm in lengths of 160 cm, 200 cm and 240 cm, different brackets for 1-track and 2-track drapery, different end pieces and curtain rings with brackets and pleating hooks.


Curtain rod Ø 19 mm



Metal

Info: for rod length exceeding 200 cm, use 3 brackets.





			Art. Nr.	EAN
bronze	4 x 1	160	31151	
	4 x 1	200	31152	
	4 x 1	240	31153	




Bracket, open, short for Ø 19 mm



Metal, for drapery with a curtain rod, incl. fittings, bracket length (wall distance of curtain rod) 14 cm

			Art. Nr.	EAN
bronze	4 x 1		31154	








Individual Range Europa bronze

Bracket, open, long for Ø 19 mm



Metal, for drapery with a curtain rod, incl. fittings, bracket length (wall distance of curtain rod) 20 cm





			Art. Nr.	EAN
bronze	4 x 1	20	31155	




Double bracket open for Ø 19 mm



Metal, for drapery with two curtain rods, incl. fittings, bracket length (wall distance of curtain rod) 14 cm and 20 cm





			Art. Nr.	EAN
bronze	4 x 1		31156	




Ceiling bracket 1-track or 2-track for Ø 19 mm



Metal, for drapery with one or two curtain rods, with metal mounting plate, incl. fittings, ceiling distance of curtain rod 6 cm, rod distance 6 cm

			Art. Nr.	EAN
bronze	4 x 1		31158	







Individual Range Europa bronze

Wall mount for Ø 19 mm







Metal, for mounting in the window niche, incl. fittings

			Art. Nr.	EAN
bronze	4 x 1		31159	

Finial Lago for Ø 19 mm







Metal

			Art. Nr.	EAN
bronze	4 x 1		31161	

Finial Geo for Ø 19 mm







Metal

			Art. Nr.	EAN
bronze	4 x 1		31162	

Finial Andra for Ø 19 mm







Metal

			Art. Nr.	EAN
bronze	4 x 1		31165	

End cap for Ø 19 mm



Metal, as end cap or second track

			Art. Nr.	EAN
bronze	4 x 1		31166	



Individual Range Europa bronze

Curtain rings for Ø 19 mm



Metal, with pleating hooks and clips, inner Ø 30.5 mm, outer Ø 38,3 mm, width 4 mm

			Art. Nr.	EAN
bronze	10 x 10		31160	

Individual Range Europa silver-satin

The individual Europa range in the colour silver-satin includes curtain rods with a diameter of 19 mm in lengths of 160 cm, 200 cm and 240 cm, different brackets for 1-track and 2-track drapery, different end pieces and curtain rings with brackets and pleating hooks.


Curtain rod Ø 19 mm



Metal

Info: for rod length exceeding 200 cm, use 3 brackets.

			Art. Nr.	EAN
silver satin	4 x 1	160	30001	
	4 x 1	200	30002	
	4 x 1	240	30003	




Bracket, open, short for Ø 19 mm



Metal, for drapery with a curtain rod, incl. fittings, bracket length (wall distance of curtain rod) 14 cm

			Art. Nr.	EAN
silver satin	4 x 1		30008	








Individual Range Europa silver-satin

Bracket, open, long for Ø 19 mm



Metal, for drapery with a curtain rod, incl. fittings, bracket length (wall distance of curtain rod) 20 cm





			Art. Nr.	EAN
silver satin	4 x 1		30009	




Double bracket open for Ø 19 mm



Metal, for drapery with two curtain rods, incl. fittings, bracket length (wall distance of curtain rod) 14 cm and 20 cm





			Art. Nr.	EAN
silver satin	4 x 1		30010	




Ceiling bracket 1-track or 2-track for Ø 19 mm



Metal, for drapery with one or two curtain rods, with metal mounting plate, incl. fittings, ceiling distance of curtain rod 6 cm, rod distance 6 cm

			Art. Nr.	EAN
silver satin	4 x 1		30012	









Individual Range Europa silver-satin

Wall mount for Ø 19 mm






Metal, for mounting in the window niche, incl. fittings

			Art. Nr.	EAN
silver satin	4 x 1		30013	

Finial Lago for Ø 19 mm







Metal

			Art. Nr.	EAN
silver satin	4 x 1		30015	

Finial Geo for Ø 19 mm







Metal

			Art. Nr.	EAN
silver satin	4 x 1		30016	

Finial Andra for Ø 19 mm







Metal

			Art. Nr.	EAN
silver satin	4 x 1		30019	

End cap for Ø 19 mm



Metal, as end cap or second track





			Art. Nr.	EAN
silver satin	4 x 1		30020	

Individual Range Europa silver-satin

Curtain rings for Ø 19 mm



Metal, with pleating hooks and clips, inner Ø 30.5 mm, outer Ø 38,3 mm, width 4 mm

			Art. Nr.	EAN
silver satin	10 x 10		30014	

Individual Range Europa brass-antique







The individual Europa range in the colour brass-antique includes curtain rods with a diameter of 19 mm in lengths of 160 cm, 200 cm and 240 cm, different brackets for 1-track and 2-track drapery, different end pieces and curtain rings with brackets and pleating hooks.

Curtain rod Ø 19 mm



Metal

Info: for rod length exceeding 200 cm, use 3 brackets.

			Art. Nr.	EAN
brass-antique	4 x 1	160	30005	
	4 x 1	200	30006	
	4 x 1	240	30007	




Bracket, open, short for Ø 19 mm



Metal, for drapery with a curtain rod, incl. fittings, bracket length (wall distance of curtain rod) 14 cm

			Art. Nr.	EAN
brass-antique	4 x 1		30021	










Individual Range Europa brass-antique

Bracket, open, long for Ø 19 mm



Metal, for drapery with a curtain rod, incl. fittings, bracket length (wall distance of curtain rod) 20 cm





			Art. Nr.	EAN
brass-antique	4 x 1		30022	




Double bracket open for Ø 19 mm



Metal, for drapery with two curtain rods, incl. fittings, bracket length (wall distance of curtain rod) 14 cm and 20 cm





			Art. Nr.	EAN
brass-antique	4 x 1	14/ 6	30023	




Ceiling bracket 1-track or 2-track for Ø 19 mm



Metal, for drapery with one or two curtain rods, with metal mounting plate, incl. fittings, ceiling distance of curtain rod 6 cm, rod distance 6 cm

			Art. Nr.	EAN
brass-antique	4 x 1		30025	







Individual Range Europa brass-antique

Wall mount for Ø 19 mm







Metal, for mounting in the window niche, incl. fittings

			Art. Nr.	EAN
brass-antique	4 x 1		30026	

Finial Lago for Ø 19 mm







Metal

			Art. Nr.	EAN
brass-antique	4 x 1		30028	

Finial Geo for Ø 19 mm







Metal

			Art. Nr.	EAN
brass-antique	4 x 1		30029	

Finial Andra for Ø 19 mm







Metal

			Art. Nr.	EAN
brass-antique	4 x 1		30032	

End cap for Ø 19 mm



Metal, as end cap or second track

			Art. Nr.	EAN
brass-antique	4 x 1		30033	



Individual Range Europa brass-antique

Curtain rings for Ø 19 mm



Metal, with pleating hooks and clips, inner Ø 30.5 mm, outer Ø 38,3 mm, width 4 mm

			Art. Nr.	EAN
brass-antique	10 x 10		30027	

Accessories Europa

The accessories for the individual Europa range include connectors for curtain rods and various pleating hooks.


Connector for curtain rods for Ø 19 mm



Plastic

Info: Always position a bracket at the connection point.

			Art. Nr.	EAN
white	4 x 1	8	11891	



Pleating hook, POM quality



POM = Polyoxymethylene, particularly dimensionally stable, for curtain rings, Ø eyelet 5.3 mm

			Art. Nr.	EAN
raw white	15 x 10		10007185	

**PARTICULARLY
DIMENSIONALLY STABLE**

Pleating hook



Plastic, for curtain rings, Ø eyelet 5.3 mm

			Art. Nr.	EAN
transparent	15 x 10		4949	

Individuell Range Kira Metall

Kira champagne



The individual Kira range in the colour champagne includes curtain rods with a diameter of 19 mm in lengths of 160 cm, 200 cm and 240 cm, different brackets for 1-track and 2-track drapery, different end pieces, curtain rings, pleating hooks and curtain rod connectors.


Curtain rod Ø 19 mm



Metal

Info: for rod length exceeding 200 cm, use 3 brackets.

		↔ x ↑ (cm)	Art. Nr.	EAN
Champagne	4 x 1	160	32417	4 003018 333418
	4 x 1	200	32418	4 003018 333425
	4 x 1	240	32419	4 003018 333432





Curtain rod with inner track II Ø 19 mm



Metal, track channel approx. 6 mm

Info: for rod length exceeding 200 cm, use 3 brackets.

		↔ x ↑ (cm)	Art. Nr.	EAN
Champagne	4 x 1	160	32420	4 003018 333449
	4 x 1	200	32421	4 003018 333456
	4 x 1	240	32422	4 003018 333463








Kira champagne

Bracket 1-track, open for Ø 19 mm



Metal, for drapery with a curtain rod or curtain rod with inner track, with metal mounting plate, incl. fittings, bracket length (wall distance of curtain rod) 9 cm





			Art. Nr.	EAN
Champagne	4 x 1		32423	




Combined bracket, 2-track, open, for Ø 19 mm



Metal, rotatable, for drapery with two curtain rods and/or curtain rods with inner track, with metal mounting plate, incl. fittings, bracket length (wall distance of curtain rods) 9 cm and 15 cm





			Art. Nr.	EAN
Champagne	4 x 1		32424	




Ceiling bracket for Ø 19 mm



Metal, for drapery with a curtain rod or curtain rod with inner track, with metal mounting plate, incl. fittings, ceiling distance of curtain rod 6 cm

			Art. Nr.	EAN
Champagne	4 x 1		32754	







Kira champagne

Wall mount for Ø 19 mm



metal, for mounting in the window recess, incl. fittings





			Art. Nr.	EAN
Champagne	4 x 1		32425	

Finial Orbit for Ø 19 mm



metal

Info: each finial extends the curtain rod by about 6.5 cm.

			Art. Nr.	EAN
Champagne / Cappuccino	2 x 2	7,5	32428	

Finial Disc for Ø 19 mm



metal

Info: each finial extends the curtain rod by about 6 cm.

			Art. Nr.	EAN
Champagne / Cappuccino	2 x 2	7,0	32429	

Finial Flat for Ø 19 mm



Metal, with rhinestones

Info: each end piece extends the curtain rod by about 6 cm.





			Art. Nr.	EAN
Champagne	2 x 2	7,0	32430	

Finial Tube for Ø 19 mm



metal

Info: each finial extends the curtain rod by about 9 cm.

			Art. Nr.	EAN
Champagne / black	2 x 2	10,0	32431	







Kira champagne

Finial Cylinder for Ø 19 mm



metal

Info: each finial extends the curtain rod by about 2.5 cm.





		 (cm)	Art. Nr.	EAN
Champagne	2 x 2	6,5	32432	

Finial Ball for Ø 19 mm




metal

Info: each finial extends the curtain rod by about 6.5 cm.



		 (cm)	Art. Nr.	EAN
Champagne	2 x 2	7,0	32433	

End cap for Ø 19 mm



Metal, as finial or end cap for second track





Info: each end cap extends the curtain rod by about 0.3 cm.

		 (cm)	Art. Nr.	EAN
Champagne	4 x 2	2,0	32427	

Curtain rings with gliding inlay for Ø 19 mm



Metal, with pleating hooks and clips, inner Ø 30 mm, outer Ø 39 mm, width 4 mm

		 (cm)	Art. Nr.	EAN
Champagne	6 x 10		32426	

Kira cappuccino



The individual Kira range in the colour cappuccino includes curtain rods with a diameter of 19 mm in lengths of 160 cm, 200 cm and 240 cm, different brackets for 1-track and 2-track drapery, different end pieces, curtain rings, pleating hooks and curtain rod connectors.


Curtain rod Ø 19 mm



Metal

Info: for rod length exceeding 200 cm, use 3 brackets.

		↔ x ↑↓ (cm)	Art. Nr.	EAN
Cappuccino	4 x 1	160	32435	4 003018 333593
	4 x 1	200	32436	4 003018 333609
	4 x 1	240	32437	4 003018 333616





Curtain rod with inner track II Ø 19 mm



Metal, track channel approx. 6 mm

Info: for rod length exceeding 200 cm, use 3 brackets.

		↔ x ↑↓ (cm)	Art. Nr.	EAN
Cappuccino	4 x 1	160	32438	4 003018 333623
	4 x 1	200	32439	4 003018 333630
	4 x 1	240	32440	4 003018 333647








Kira cappuccino

Bracket 1-track, open for Ø 19 mm



Metal, for drapery with a curtain rod or curtain rod with inner track, with metal mounting plate, incl. fittings, bracket length (wall distance of curtain rod) 9 cm





			Art. Nr.	EAN
Cappuccino	4 x 1		32441	




Combined bracket, 2-track, open, for Ø 19 mm



Metal, rotatable, for drapery with two curtain rods and/or curtain rods with inner track, with metal mounting plate, incl. fittings, bracket length (wall distance of curtain rods) 9 cm and 15 cm





			Art. Nr.	EAN
Cappuccino	4 x 1		32442	




Ceiling bracket for Ø 19 mm



Metal, for drapery with a curtain rod or curtain rod with inner track, with metal mounting plate, incl. fittings, ceiling distance of curtain rod 6 cm

			Art. Nr.	EAN
Cappuccino	4 x 1		32755	







Kira cappuccino

Wall mount for Ø 19 mm



metal, for mounting in the window recess, incl. fittings





			Art. Nr.	EAN
Cappuccino	4 x 1		32443	

Finial Orbit for Ø 19 mm



metal

Info: each finial extends the curtain rod by about 6.5 cm.

			Art. Nr.	EAN
Cappuccino / Champagne	2 x 2	7,5	32446	

Finial Disc for Ø 19 mm



metal

Info: each finial extends the curtain rod by about 6 cm.

			Art. Nr.	EAN
Cappuccino / Champagne	2 x 2	7,0	32447	

Finial Flat for Ø 19 mm



Metal, with rhinestones

Info: each end piece extends the curtain rod by about 6 cm.


			Art. Nr.	EAN
Cappuccino	2 x 2	7,0	32448	

Finial Tube for Ø 19 mm



metal

Info: each finial extends the curtain rod by about 9 cm.

			Art. Nr.	EAN
Cappuccino / Black	2 x 2	10,0	32449	







Kira cappuccino

■ Finial Cylinder for Ø 19 mm



metal

Info: each finial extends the curtain rod by about 2.5 cm.


		 (cm)	Art. Nr.	EAN
Cappuccino	2 x 2	6,5	32450	

■ Finial Ball for Ø 19 mm




metal

Info: each finial extends the curtain rod by about 6.5 cm.

		 (cm)	Art. Nr.	EAN
Cappuccino	2 x 2	8,0	32451	

■ End cap for Ø 19 mm



Metal, as finial or end cap for second track





Info: each end cap extends the curtain rod by about 0.3 cm.

		 (cm)	Art. Nr.	EAN
Cappuccino	4 x 2	2,0	32445	

■ Curtain rings with gliding inlay for Ø 19 mm



Metal, with pleating hooks and clips, inner Ø 30 mm, outer Ø 39 mm, width 4 mm

		 (cm)	Art. Nr.	EAN
Cappuccino	6 x 10		32444	

Kira silver



The individual Kira range in the colour silver includes curtain rods with a diameter of 19 mm in lengths of 160 cm, 200 cm and 240 cm, different brackets for 1-track and 2-track drapery, different end pieces, curtain rings, pleating hooks and curtain rod connectors.


Curtain rod Ø 19 mm



Metal

Info: for rod length exceeding 200 cm, use 3 brackets.

		↔ x ↑ (cm)	Art. Nr.	EAN
silver	4 x 1	160	32453	4 003018 333777
	4 x 1	200	32454	4 003018 333784
	4 x 1	240	32455	4 003018 333791





Curtain rod with inner track II Ø 19 mm



Metal, track channel approx. 6 mm

Info: for rod length exceeding 200 cm, use 3 brackets.

		↔ x ↑ (cm)	Art. Nr.	EAN
silver	4 x 1	160	32456	4 003018 333807
	4 x 1	200	32457	4 003018 333814
	4 x 1	240	32458	4 003018 333821






Kira silver

Bracket 1-track, open for Ø 19 mm



Metal, for drapery with a curtain rod or curtain rod with inner track, with metal mounting plate, incl. fittings, bracket length (wall distance of curtain rod) 9 cm

			Art. Nr.	EAN
silver	4 x 1		32459	




Combined bracket, 2-track, open, for Ø 19 mm



Metal, rotatable, for drapery with two curtain rods and/or curtain rods with inner track, with metal mounting plate, incl. fittings, bracket length (wall distance of curtain rods) 9 cm and 15 cm

			Art. Nr.	EAN
silver	4 x 1		32460	




Ceiling bracket for Ø 19 mm



Metal, for drapery with a curtain rod or curtain rod with inner track, with metal mounting plate, incl. fittings, ceiling distance of curtain rod 6 cm

			Art. Nr.	EAN
silver	4 x 1		32756	







Kira silver

Wall mount for Ø 19 mm



metal, for mounting in the window recess, incl. fittings





		 x (cm)	Art. Nr.	EAN
silver	4 x 1		32461	

Finial Orbit for Ø 19 mm



metal

Info: each finial extends the curtain rod by about 6.5 cm.

		 x (cm)	Art. Nr.	EAN
silver / cappuccino	2 x 2	7,5	32464	

Finial Disc for Ø 19 mm




metal

Info: each finial extends the curtain rod by about 6 cm.

		 x (cm)	Art. Nr.	EAN
silver / cappuccino	2 x 2	7,0	32465	

Finial Flat for Ø 19 mm



Metal, with rhinestones

Info: each end piece extends the curtain rod by about 6 cm.

		 x (cm)	Art. Nr.	EAN
silver	2 x 2	7,0	32466	

Finial Cylinder for Ø 19 mm



metal

Info: each finial extends the curtain rod by about 2.5 cm.

		 x (cm)	Art. Nr.	EAN
silver	2 x 2	6,5	32468	



Kira silver

End cap for Ø 19 mm



Metal, as finial or end cap
for second track

Info: each end cap extends
the curtain rod by about
0.3 cm.

			Art. Nr.	EAN
silver	4 x 2	2,0	32463	

Curtain rings with gliding inlay for Ø 19 mm



Metal, with pleating hooks
and clips, inner Ø 30 mm,
outer Ø 39 mm, width 4 mm

			Art. Nr.	EAN
silver	6 x 10		32462	

Accessories for Kira

The accessories for the individual Kira range include connectors for curtain rods, end stops and various pleating hooks and gliders.


Connector for curtain rods for Ø 19 mm



Plastic

Info: Always position a
bracket at the connection
point.

			Art. Nr.	EAN
white	4 x 1	8	11891	




Accessories for Kira





Connector for curtain rods with internal runner II for Ø 19 mm



Aluminium, for extending curtain rails with inner track II, with M3 thread for middle bracket

Info: Always place bracket at connection point.







			Art. Nr.	EAN
silver	6 x 1	5	32583	

Pleating hook, POM quality



POM = Polyoxymethylene, particularly dimensionally stable, for curtain rings, Ø eyelet 5.3 mm





			Art. Nr.	EAN
raw white	15 x 10		10007185	

**PARTICULARLY
DIMENSIONALLY STABLE**

Pleating hook



Plastic, for curtain rings, Ø eyelet 5.3 mm

			Art. Nr.	EAN
transparent	15 x 10		4949	








Accessories for Kira

■ Duo X-glider



Plastic, rotating head, therefore suitable for curtain rails and curtain rods with inner track and 4 or 6 mm track channel





			Art. Nr.	EAN
white	10 x 25		32175	



■ X glider







Plastic, with pleating hooks, for 6 mm track channel, suitable for panel curtain rails, 13 mm aluminium rails, aluminium curtain rails, curtain rods Luxor, curtain rods with inner track Ø 16, 20 and 25 mm

			Art. Nr.	EAN
white	15 x 25		4974	

■ X glider with clip



plastic/metal, rotating head, for 6 mm track channel, suitable for panel curtain rails, 13 mm aluminium rails, aluminium curtain rails, curtain rods Luxor, curtain rails with inner track Ø 16, 20 and 25 mm





			Art. Nr.	EAN
white	10 x 20		4984	

■ Click glider Maxi



Plastic, with pleating hook, for curtain rails and rods with track channel width 6 mm, suitable for aluminium rails 13 mm, aluminium curtain rails, Luxor curtain rods, curtain rods with inner track I Ø 16, 20 and 25 mm, curtain rods with inner track II Ø 19 and 20 mm

Info: Simply click into the track channel at any point.


			Art. Nr.	EAN
white	15 x 20		4979	

Accessories for Kira

Glider for 6 mm track channel




**PARTICULARLY
DIMENSIONALLY STABLE**




POM = Polyoxymethylene, particularly dimensionally stable, with rotatable pleating hook, suitable for aluminium rails 13 mm, aluminium curtain rails, Luxor curtain rails, curtain rails with inner track I Ø 16, 20 and 25 mm, curtain rails with inner runner II Ø 19 and 20 mm

Info: Simply screw into and out of the track channel at any point.





			Art. Nr.	EAN
white	10 x 20		31552	

Loop glider




Plastic, for draping tab-top curtains on curtain rods with inner track I Ø 16, 20 or 25 mm, inner track II Ø 19 and 20 mm, GE and P2Ü curtain rails, Luxor curtain rods, aluminium rails 13 mm, Atlanta panel fabric rails and aluminium curtain rails

Tip: Pleat curtains can be hung and removed without removing the loop gliders.





			Art. Nr.	EAN
white	6 x 10		10011067	

Loop glider with X gliders and rollers




Plastic, for draping tab-top curtains, rollers for use in curtain rails GE and P2Ü, X-gliders for use in curtain rods with inner track Ø 16, 20 and 25 mm, Luxor curtain rods, aluminium rails 13 mm, Atlanta panel curtain rails and aluminium curtain rails

Tip: tab-top curtains can be hung and removed without removing the loop gliders.

			Art. Nr.	EAN
white	6 x 10	5,9	148	

Accessories for Kira

Click in-out glider



Plastic, with rotatable pleating hook, for curtain rails and rods with track channel width 6 mm, suitable for aluminium rails 13 mm, aluminium curtain rails, Luxor curtain rods, curtain rods with inner track I Ø 20 and 25 mm, curtain rods with inner track II Ø 19 and 20 mm

Info: Simply click into and out of the track channel at any point.

			Art. Nr.	EAN
white	10 x 20		36161	

End stop



Metal/plastic, for curtain rods with inner track and Luxor, fixes the fabric at the desired position

			Art. Nr.	EAN
white	15 x 2		10972	

Curtain rod set Ø 19 mm fixed length

Curtain rod set 1-track Cylinder black-matt

The curtain rod set Cylinder Ø 19 mm in black-matt is available in the lengths 120 cm, 160 cm and 220 cm. The scope of delivery includes end pieces and brackets incl. fixing material. Curtain rings with pleating hooks in matching colours are available as an option.

Cylinder 1-track Ø 19 mm



metal, incl. brackets, fittings and finials, without curtain rings, bracket length (wall distance of the curtain rod) 7.5 cm

Tip: Accessories for the program cylinder - colour-coordinated curtain rings.





			Art. Nr.	EAN
black-matt	4 x 1	120	32979	
	4 x 1	160	32980	
	4 x 1	220	32981	

Curtain rod set 1-track Cylinder black-matt

Curtain rings



Metal, with pleating hooks, curtain rings for curtain rods Ø 16-20 mm, inner Ø 27 mm, outer Ø 33 mm, width 3 mm

			Art. Nr.	EAN
black-matt	6 x 10		32982	







Curtain rod set 1-track Pinto stainless steel look

The curtain rod set Pinto Ø 19 mm in stainless steel look is available in the lengths 160 cm, 200 cm and 240 cm. The scope of delivery includes end pieces and brackets incl. fixing material. Curtain rings with pleating hooks are optionally available.

Pinto 1-track Ø 19 mm





Metal, including brackets, finials and fittings, without curtain rings, brackets extendable 10.5 to 12 cm

			Art. Nr.	EAN
Stainless steel look	4 x 1	160	31109	
	4 x 1	200	31110	
	4 x 1	240	31111	

Curtain rings with gliding inlay for Ø 20 mm



Metal, with pleating hooks, inner Ø 27.5 mm, outer Ø 34 mm, width 4 mm

			Art. Nr.	EAN
Stainless steel look	6 x 10		1001158	

Curtain rod set 1-track Polaris stainless steel look







The curtain rod set Polaris Ø 19 mm in stainless steel look is available in the lengths 160 cm, 200 cm and 240 cm. The scope of delivery includes end pieces and brackets incl. fixing material. Curtain rings with pleating hooks are optionally available.

Polaris 1-track Ø 19 mm



Metal, including brackets, finials and fittings, without curtain rings, brackets extendable 10.5 to 12 cm

Tip: for 2-track drapery, use curtain rod or curtain rod with inner track and accessories from the Chicago or Memphis product ranges.





			Art. Nr.	EAN
Stainless steel look	4 x 1	160	31112	
	4 x 1	200	31113	
	4 x 1	240	31114	

Curtain rod set 1-track Polaris stainless steel look

Curtain rings with gliding inlay for Ø 20 mm



Metal, with pleating hooks,
inner Ø 27.5 mm, outer
Ø 34 mm, width 4 mm

			Art. Nr.	EAN
Stainless steel look	6 x 10		10011158	







Curtain rod set 1-track Ball stainless steel look

The curtain rod set Ø 19 mm in stainless steel look is available in the lengths 120, 160 and 220 cm. The set includes a curtain rod, modern end pieces, brackets, rings with pleating hooks and fixing material.

Set 1-track Ball Ø 19 mm



Metal, complete with metal
end pieces, brackets, rings
with pleating hooks and
fittings, from 220 cm with
3 brackets, bracket length
(wall distance of the curtain
rod) 7.5 cm

			Art. Nr.	EAN
Stainless steel look	4 x 1	120	32778	
	4 x 1	160	32779	
	4 x 1	220	32780	

Number of curtain rings with pleating hooks







120 cm	12 pieces
160 cm	16 pieces
220 cm	22 pieces

Curtain rod set 1-track Cylinder stainless steel look

Set 1-track Cylinder Ø 19 mm



Metal, complete with metal
end pieces, brackets, rings
with pleating hooks and
fittings, from 220 cm with
3 brackets, bracket length
(wall distance of the curtain
rod) 7.5 cm

			Art. Nr.	EAN
Stainless steel look	4 x 1	120	32781	
	4 x 1	160	32782	
	4 x 1	220	32783	

Number of curtain rings with pleating hooks

120 cm	12 pieces
160 cm	16 pieces
220 cm	22 pieces

Curtain rod set Ally stainless steel optic



The curtain rod set Ally Ø 19 mm is available in a stainless steel look as a 1- or 2-track set. The delivery includes curtain rods in lengths of 160 cm, 200 cm or 240 cm and brackets with fittings. Different finials and curtain rings are optionally available.

Ally 1-track Ø 19 mm



Metal, 1-track, including brackets and fittings, without rings, without finials, bracket length (wall distance of the curtain rod) 13 cm

Tip: Accessories for the product range Ally - different finial shapes and colour-coordinated rings.



		↔ x ↑ (cm)	Art. Nr.	EAN
Stainless steel look	1 x 1	160	32051	4 003018 326007
	1 x 1	200	32052	4 003018 326014
	1 x 1	240	32053	4 003018 326021

Ally 2-track Ø 19 mm



Metal, 2-track, including brackets and fittings, including metal end cap for the 2nd track, without rings, without finials, bracket length (wall distance of the curtain rod) 13/19 cm



Tip: Accessories for the product range Ally - different finial shapes and colour-coordinated rings.

		↔ x ↑ (cm)	Art. Nr.	EAN
Stainless steel look	1 x 1	160	32057	4 003018 326069
	1 x 1	200	32058	4 003018 326076
	1 x 1	240	32059	4 003018 326083

Finial Cylinder for Ø 19 mm





Metal

		↔ x ↑ (cm)	Art. Nr.	EAN
Stainless steel look	4 x 2	5,5	32063	4 003018 326120

Finial Ball for Ø 19 mm



Metal

		↔ x ↑ (cm)	Art. Nr.	EAN
Stainless steel look	4 x 2	5,5	32064	4 003018 326137







Curtain rod set Ally stainless steel optic

Finial Cone for Ø 19 mm







Metal

			Art. Nr.	EAN
Stainless steel look	4 x 2	4,6	32065	

Finial Point for Ø 19 mm







Metal

			Art. Nr.	EAN
Stainless steel look	4 x 2	5,08	32066	

Curtain rings with gliding inlay for Ø 19 mm



Metal, with pleating hooks and clips, inner Ø 27.5 mm, outer Ø 34 mm, width 4 mm

			Art. Nr.	EAN
Stainless steel look	6 x 10		32071	

Curtain rod set Ø 16/19 mm extendable






Curtain rod set 1-track Cylinder stainless steel look

The extendable curtain rod set 1-track Cylinder Ø 16/19 mm in a stainless steel look is available in lengths of 120-210 cm or 190-340 cm. The set consists of metal rods, finials, brackets and fittings. The bracket length is 8 cm. Matching rings are optionally available.

Cylinder 1-track Ø 16/19 mm



Metal, extendable, with metal brackets and metal finials, incl. fittings, excluding rings, bracket length (wall distance of the curtain rod) 8 cm





			Art. Nr.	EAN
Stainless steel look	4 x 1	120-210	30950	
	4 x 1	190-340	33660	

Curtain rod set 1-track Cylinder stainless steel look

Curtain rings



Metal, with pleating hooks, inner Ø 28 mm, outer Ø 34 mm, width 4 mm

			Art. Nr.	EAN
Stainless steel look	6 x 6		10011103	






Curtain rod set 1-track Ball stainless steel look

The extendable curtain rod set 1-track Ball Ø 16/19 mm in a stainless steel look is available in lengths of 120-210 cm or 190-340 cm. The set consists of metal rods, finials, brackets and fittings. The bracket length is 8 cm. Matching rings are optionally available.

Ball 1-track Ø 16/19 mm







Metal, extendable, with metal brackets and metal finials, incl. fittings, excluding rings, bracket length (wall distance of the curtain rod) 8 cm

			Art. Nr.	EAN
Stainless steel look	4 x 1	120-210	30951	
	4 x 1	190-340	33661	

Curtain rings



Metal, with pleating hooks, inner Ø 28 mm, outer Ø 34 mm, width 4 mm

			Art. Nr.	EAN
Stainless steel look	6 x 6		10011103	






Curtain rod set 1-track Ellipse stainless steel look

The extendable curtain rod set 1-track Ellipse Ø 16/19 mm in a stainless steel look is available in the lengths of 120-210 cm or 190-340 cm. The set consists of metal rods, finials, brackets and fittings. The brackets length is 8 cm. Matching rings are optionally available.

Ellipse 1-track Ø 16/19 mm



Metal, extendable, with metal brackets and metal finials, incl. fittings, excluding rings, bracket length (wall distance of the curtain rod) 8 cm

			Art. Nr.	EAN
Stainless steel look	4 x 1	120-210	30952	
	4 x 1	190-340	33662	







Curtain rod set 1-track Ellipse stainless steel look

Curtain rings



Metal, with pleating hooks,
inner Ø 28 mm, outer
Ø 34 mm, width 4 mm

			Art. Nr.	EAN
Stainless steel look	6 x 6		10011103	






Curtain rod set 1-track Cone stainless steel look

The extendable curtain rod set 1-track Cone Ø 16/19 mm in a stainless steel look is available in lengths of 120-210 cm or 190-340 cm. The set consists of metal rods, finials, brackets and fittings. The bracket length is 8 cm. Matching rings are optionally available.

Cone 1-track Ø 16/19 mm







Metal, extendable, with
metal brackets and metal
finials, incl. fittings, exclu-
ding rings, bracket length
(wall distance of the curtain
rod) 8 cm

			Art. Nr.	EAN
Stainless steel look	4 x 1	120-210	30953	
	4 x 1	190-340	33663	

Curtain rings



Metal, with pleating hooks,
inner Ø 28 mm, outer
Ø 34 mm, width 4 mm

			Art. Nr.	EAN
Stainless steel look	6 x 6		10011103	

Curtain rod set 1-track Elba






The curtain rod set Elba cylinder Ø 16/19 mm, in the colour champagne, is extendable. The set is available in lengths of 120-210 cm or 190-340 cm. A great advantage of the curtain rod set Elba is the practical clip support. Once fitted, the bracket makes it particularly quick and easy to remove and hang curtains without the use of tools, as the curtain rod is clicked into the bracket from above. Colour-coordinated curtain rings are optionally available.

Elba cylinder 1-track Ø 16/19 mm



Metal, extendable, incl. 3 brackets, fittings and finials, without curtain rings, bracket length (wall distance of the curtain rod) 7.5 cm





Tip: Accessories for the program Elba cylinder - colour-coordinated curtain rings.

		 (cm)	Art. Nr.	EAN
Champagne	4 x 1	120 - 210	36143	
	4 x 1	190 - 340	36144	

Elba curtain rings with gliding inlay



Metal, with gliding inlay and pleating hooks, inner Ø 29 mm, outer Ø 38 mm, width 3.5 mm

		 (cm)	Art. Nr.	EAN
Champagne	6 x 10		36149	

Curtain rod set 1-track Elba






The curtain rod set Elba cylinder Ø 16/19 mm, in the colour stone-grey, is extendable. The set is available in lengths of 120-210 cm or 190-340 cm. A great advantage of the curtain rod set Elba is the practical clip support. Once fitted, the bracket makes it particularly quick and easy to remove and hang curtains without the use of tools, as the curtain rod is clicked into the bracket from above. Colour-coordinated curtain rings are optionally available.

Elba cylinder 1-track Ø 16/19 mm



Metal, extendable, incl. 3 brackets, fittings and finials, without curtain rings, bracket length (wall distance of the curtain rod) 7.5 cm





Tip: Accessories for the program Elba cylinder - colour-coordinated curtain rings.

		 (cm)	Art. Nr.	EAN
stonegrey	4 x 1	120 - 210	36145	
	4 x 1	190 - 340	36146	

Elba curtain rings with gliding inlay



Metal, with gliding inlay and pleating hooks, inner Ø 29 mm, outer Ø 38 mm, width 3.5 mm

		 (cm)	Art. Nr.	EAN
stonegrey	6 x 10		36150	

Curtain rod set 1-track Elba





The curtain rod set Elba cylinder Ø 16/19 mm, in the colour ivory, is extendable. The set is available in lengths of 120-210 cm or 190-340 cm. A great advantage of the curtain rod set Elba is the practical clip support. Once fitted, the bracket makes it particularly quick and easy to remove and hang curtains without the use of tools, as the curtain rod is clicked into the bracket from above. Colour-coordinated curtain rings are optionally available.

Elba cylinder 1-track Ø 16/19 mm



Metal, extendable, incl. 3 brackets, fittings and finials, without curtain rings, bracket length (wall distance of the curtain rod) 7.5 cm




Tip: Accessories for the program Elba cylinder - colour-coordinated curtain rings.

		↔ x ↑↓ (cm)	Art. Nr.	EAN
ivory	4 x 1	120 - 210	36147	
	4 x 1	190 - 340	36148	

Elba curtain rings with gliding inlay



Metal, with gliding inlay and pleating hooks, inner Ø 29 mm, outer Ø 38 mm, width 3.5 mm

		↔ x ↑↓ (cm)	Art. Nr.	EAN
ivory	6 x 10		36151	

Curtain rod set 1-track Crete





The curtain rod set Crete cylinder Ø 16/19 mm in stainless steel look is extendable. The set is available in lengths of 120-210 cm or 190-340 cm. A great advantage of the curtain rod set Crete is the practical clip support. Once fitted, the bracket makes it particularly quick and easy to remove and hang curtains without the use of tools, as the curtain rod is clicked into the bracket from above. Colour-coordinated curtain rings are optionally available.

Kreta Cylinder 1-track Ø 16/19 mm



Metal, extendable, with 3 brackets and 2 metal finials Cylinder, incl. fittings, without curtain rings, bracket length (wall distance of the curtain rod) 7.5 cm

Tip: Accessories for the program Kreta - colour-coordinated curtain rings.

		↔ x ↑↓ (cm)	Art. Nr.	EAN
Stainless steel look	4 x 1	120-210	36152	
	4 x 1	190-340	36153	

Kreta curtain rings with gliding inlay



Metal, with gliding inlay and pleating hooks, curtain rings for curtain rods Ø 16-20 mm, inner Ø 28 mm, outer Ø 38 mm, width 3.5 mm

			Art. Nr.	EAN
Stainless steel look	6 x 10		36158	4 003018 358855

Curtain rod set 1-track Crete

The curtain rod set Crete cylinder Ø 16/19 mm in black-matt is extendable. The set is available in lengths of 120-210 cm or 190-340 cm. A great advantage of the curtain rod set Crete is the practical clip support. Once fitted, the bracket makes it particularly quick and easy to remove and hang curtains without the use of tools, as the curtain rod is clicked into the bracket from above. Colour-coordinated curtain rings are optionally available.

Kreta Cylinder 1-track Ø 16/19 mm



Metal, extendable, with 3 brackets and 2 metal finials Cylinder, incl. fittings, without curtain rings, bracket length (wall distance of the curtain rod) 7.5 cm

Tip: Accessories for the program Kreta - colour-coordinated curtain rings.

			Art. Nr.	EAN
black-matt	4 x 1	120-210	36154	4 003018 358817
	4 x 1	190-340	36155	4 003018 358824

Kreta curtain rings with gliding inlay



Metal, with gliding inlay and pleating hooks, curtain rings for curtain rods Ø 16-20 mm, inner Ø 28 mm, outer Ø 38 mm, width 3.5 mm

			Art. Nr.	EAN
black-matt	6 x 10		36159	4 003018 358862

Curtain rod set 1-track Crete

The curtain rod set Crete cylinder Ø 16/19 mm in white is extendable. The set is available in lengths of 120-210 cm or 190-340 cm. A great advantage of the curtain rod set Crete is the practical clip support. Once fitted, the bracket makes it particularly quick and easy to remove and hang curtains without the use of tools, as the curtain rod is clicked into the bracket from above. Colour-coordinated curtain rings are optionally available.

Kreta Cylinder 1-track Ø 16/19 mm



Metal, extendable, with 3 brackets and 2 metal finials Cylinder, incl. fittings, without curtain rings, bracket length (wall distance of the curtain rod) 7.5 cm

Tip: Accessories for the program Kreta - colour-coordinated curtain rings.

			Art. Nr.	EAN
white	4 x 1	120-210	36156	4 003018 358831
	4 x 1	190-340	36157	4 003018 358848



Kreta curtain rings with gliding inlay



Metal, with gliding inlay and pleating hooks, curtain rings for curtain rods Ø 16-20 mm, inner Ø 28 mm, outer Ø 38 mm, width 3.5 mm

			Art. Nr.	EAN
white	6 x 10		36160	4 003018 358879

Curtain rod set 1-track Sol

The curtain rod set Sol 1-track in stainless steel look consists of an extendable curtain rod and matching brackets. It is available in lengths of 120-210 cm and 190-340 cm. Optionally available are various end pieces as well as rings with gliding inlays and pleating hooks.

Sol 1-track Ø 16/19 mm



Metal, 1-track, extendable, with 3 open brackets with clip for fixing the curtain rod in the bracket, incl. fixing material, without curtain rings, without end pieces, bracket length (wall distance of curtain rod) 7.5 cm

Tip: Accessories for the Sol range - various end piece shapes and colour-coordinated curtain rings.

			Art. Nr.	EAN
Stainless steel look	4 x 1	120-210	36280	4 003018 363828
	4 x 1	190-340	36281	4 003018 363835

Finial Cylinder for Ø 16/19 mm



Metal

			Art. Nr.	EAN
Stainless steel look	4 x 2		36282	4 003018 363842

Finial Ball for Ø 16/19 mm







Metal

			Art. Nr.	EAN
Stainless steel look	4 x 2		36283	4 003018 363859

Finial Cap for Ø 16/19 mm







Metal

			Art. Nr.	EAN
Stainless steel look	4 x 2		36284	

Curtain rings with gliding inlay



Metal, with gliding inlay and pleating hooks, curtain rings for curtain rods Ø 16-20 mm, inner Ø 28 mm, outer Ø 38 mm, width 3.5 mm

			Art. Nr.	EAN
Stainless steel look	6 x 10		36285	

Curtain rod set 1-track Sol






The curtain rod set Sol 1-track in black-nickel consists of an extendable curtain rod and matching brackets. It is available in lengths of 120-210 cm and 190-340 cm. Optionally available are various end pieces as well as rings with gliding inlays and pleating hooks.

Sol 1-track Ø 16/19 mm



Metal, 1-track, extendable, with 3 open brackets with clip for fixing the curtain rod in the bracket, incl. fixing material, without curtain rings, without end pieces, bracket length (wall distance of curtain rod) 7.5 cm

Tip: Accessories for the Sol range - various end piece shapes and colour-coordinated curtain rings.

			Art. Nr.	EAN
Black nickel	4 x 1	120-210	36286	
	4 x 1	190-340	36287	

Finial Cylinder for Ø 16/19 mm



Metal

			Art. Nr.	EAN
Black nickel	4 x 2		36288	



Finial Ball for Ø 16/19 mm



Metal

			Art. Nr.	EAN
Black nickel	4 x 2		36289	

Finial Cap for Ø 16/19 mm



Metal

			Art. Nr.	EAN
Black nickel	4 x 2		36290	

Curtain rings with gliding inlay



Metal, with gliding inlay and pleating hooks, curtain rings for curtain rods Ø 16-20 mm, inner Ø 28 mm, outer Ø 38 mm, width 3.5 mm

			Art. Nr.	EAN
Black nickel	6 x 10		36291	

Curtain rod set 1-track Sol

The curtain rod set Sol 1-track in white consists of an extendable curtain rod and matching brackets. It is available in lengths of 120-210 cm and 190-340 cm. Optionally available are various end pieces as well as rings with gliding inlays and pleating hooks.

Sol 1-track Ø 16/19 mm



Metal, 1-track, extendable, with 3 open brackets with clip for fixing the curtain rod in the bracket, incl. fixing material, without curtain rings, without end pieces, bracket length (wall distance of curtain rod) 7.5 cm

Tip: Accessories for the Sol range - various end piece shapes and colour-coordinated curtain rings.





			Art. Nr.	EAN
white	4 x 1	120-210	36292	
	4 x 1	190-340	36293	

CURTAIN TECHNOLOGY Ø 19 MM

Finial Cylinder for Ø 16/19 mm







Metal

			Art. Nr.	EAN
white	4 x 2		36294	

Finial Ball for Ø 16/19 mm







Metal

			Art. Nr.	EAN
white	4 x 2		36295	

Finial Cap for Ø 16/19 mm







Metal

			Art. Nr.	EAN
white	4 x 2		36296	

Curtain rings with gliding inlay



Metal, with gliding inlay and pleating hooks, curtain rings for curtain rods Ø 16-20 mm, inner Ø 28 mm, outer Ø 38 mm, width 3.5 mm

			Art. Nr.	EAN
white	6 x 10		36297	



Individual Range Chicago Metal

Chicago stainless steel look


The individual Chicago range in the stainless steel look includes curtain rods made of metal with a diameter of 20 mm in lengths of 120 cm, 160 cm, 200 cm and 240 cm, different brackets for 1-track and 2-track drapery, finials, curtain rings, pleating hooks and curtain rod connectors.








Curtain rod Ø 20 mm



Metal

Info: for rod length exceeding 200 cm, use 3 brackets.



		↔ x ↑ (cm)	Art. Nr.	EAN
Stainless steel look	4 x 1	120	10011132	
	4 x 1	160	10011133	
	4 x 1	200	10011134	
	4 x 1	240	10011135	
	4 x 1	400	30900	







Curtain rod with inner track | Ø 20 mm



Metal, track channel approx. 6 mm, usable as curtain rod or curtain rod with inner track

Info: for curtain rod length 200 cm or more, use 3 brackets.



		↔ x ↑ (cm)	Art. Nr.	EAN
Stainless steel look	4 x 1	120	32270	
	4 x 1	160	32271	
	4 x 1	200	32272	
	4 x 1	240	32273	

Chicago stainless steel look








Curtain rod with inner track II Ø 20 mm



Metal, track channel approx. 6 mm

Info: for rod length exceeding 200 cm, use 3 brackets.







		$\leftrightarrow x \updownarrow$ (cm)	Art. Nr.	EAN
Stainless steel look	4 x 1	120	10011140	
	4 x 1	160	10011141	
	4 x 1	200	10011142	
	4 x 1	240	10011143	
	4 x 1	400	30903	

Bracket, open for Ø 20 mm



Metal, for drapery with a curtain rod or curtain rod with inner track (curtain rod fixed by screw), with metal mounting plate, incl. fittings, bracket length (wall distance of curtain rod) 8 cm






		$\leftrightarrow x \updownarrow$ (cm)	Art. Nr.	EAN
Stainless steel look	4 x 1		10011152	


Bracket extension



Metal

Note: For extension by 4 cm for bracket open 1-track art. no. 10011152.

		$\leftrightarrow x \updownarrow$ (cm)	Art. Nr.	EAN
Stainless steel look	4 x 1		31170	








Chicago stainless steel look

Double combined support, open, for Ø 20 mm



Metal, rotatable, for drapery with two curtain rods and/or curtain rods with inner track (curtain rod fixed by screw), with metal mounting plate, incl. fittings, bracket length (wall distance of curtain rods) 8 cm and 14 cm








			Art. Nr.	EAN
Stainless steel look	4 x 1		10011154	

Bracket, closed for Ø 20 mm



Metal, can be shortened, for drapery with a curtain rod, with metal mounting plate, incl. fittings, bracket length (wall distance of curtain rod) 12 cm








			Art. Nr.	EAN
Stainless steel look	4 x 1		10011148	

Double support closed for Ø 20 mm




Metal, can be shortened, for drapery with two curtain rods, with metal mounting plate, incl. fittings, bracket (wall distance of curtain rods) 12 cm and 18 cm







			Art. Nr.	EAN
Stainless steel look	4 x 1		10011150	

Chicago stainless steel look

Universal bracket 1 and 2-track for Ø 20 mm







Metal, can be used for individual Chicago product range, incl. one ring adapter each for curtain rods and one cross adapter for curtain rods with inner track, the universal bracket can be used for 1-track and 2-track drapes, the distances between track 1 and 2 can be adjusted as required, bracket length 15 cm, wall distance of curtain rod(s) approx. 7.5 cm - 13 cm

			Art. Nr.	EAN
Stainless steel look	4 x 1		33882	

Bracket extension for Universal bracket







Metal, suitable for larger wall clearances, also for drapery with eyelet tab-top curtains, suitable for 3-track drapery in combination with ring adapter or cross adapter

			Art. Nr.	EAN
Stainless steel look	4 x 1	18	33883	

Ring adapter for universal bracket for Ø 20 mm



Metal, for curtain rod and curtain rod with inner track Ø 20 mm

			Art. Nr.	EAN
Stainless steel look	4 x 2		33885	


Chicago stainless steel look

Cross adapter for universal bracket



Aluminium, for curtain rods with inner track I Ø 16, Ø 20 and Ø 25 mm as well as inner track II Ø 20 mm - can also be used as a connector

			Art. Nr.	EAN
Aluminium	4 x 2	3,7 x 2,6 x 0,9	33884	




Ceiling bracket for Ø 20 mm



Metal, for drapery with a curtain rod or curtain rod with inner track, with metal mounting plate, incl. fittings, ceiling distance of curtain rod 6 cm

			Art. Nr.	EAN
Stainless steel look	4 x 1		32747	

Tip: For 2-track drapery, use the ceiling bracket adapter art. no. 11283.




Ceiling bracket adapter for Ø 20 mm



Metal, rotatable, for curtain rods and curtain rods with inner track (curtain rod fixed by screw), incl. fittings, rod distance 6 cm

			Art. Nr.	EAN
Stainless steel look	4 x 1		11283	

Info: Can only be used in conjunction with closed bracket art. no. 1001148 or ceiling bracket art. no. 32747.








Chicago stainless steel look

Ceiling bracket short



Metal, for curtain rod with inner track II, incl. fittings, ceiling distance of curtain rod 3.6 cm





			Art. Nr.	EAN
Stainless steel look	4 x 1		33180	



Wall mount for Ø 20 mm







Metal, for mounting in the window niche, incl. fittings

			Art. Nr.	EAN
Stainless steel look	4 x 1		10011160	

Finial Ball for Ø 20 mm







Metal

			Art. Nr.	EAN
Stainless steel look	4 x 2		10011162	

Finial Point for Ø 20 mm



Metal

			Art. Nr.	EAN
Stainless steel look	4 x 2		10011164	







Chicago stainless steel look

■ Finial Siro for Ø 20 mm







Metal

			Art. Nr.	EAN
Stainless steel look	4 x 2		10011166	

■ Finial Cylinder for Ø 20 mm







Metal

			Art. Nr.	EAN
Stainless steel look	4 x 2		10011168	

■ Finial Apollo for Ø 20 mm







Metal

			Art. Nr.	EAN
Stainless steel look	4 x 2		10011170	

■ Finial Elypse for Ø 20 mm







Metal

			Art. Nr.	EAN
Stainless steel look	4 x 2		10011172	

■ Finial Edition Facet Tip for Ø 20 mm




Metal/glass look





			Art. Nr.	EAN
Stainless steel look	2 x 2		11205	

Chicago stainless steel look

End cap Ø 20 mm







Metal, as finial or end cap for second track

			Art. Nr.	EAN
Stainless steel look	4 x 2		33173	

Curtain rings with gliding inlay for Ø 20 mm



Metal, with pleating hooks, inner Ø 27.5 mm, outer Ø 34 mm, width 4 mm

			Art. Nr.	EAN
Stainless steel look	6 x 10		10011158	

Chicago black matt

The individual Chicago range in the colour black-matt includes metal curtain rods with inner track I with a diameter of 20 mm, various brackets for 1-track and 2-track drapery, end pieces and curtain rings.








Curtain rod with inner track I Ø 20 mm



Metal, track channel approx. 6 mm, usable as curtain rod or curtain rod with inner track

Info: for curtain rod length 200 cm or more, use 3 brackets.



			Art. Nr.	EAN
black-matt	4 x 1	120	36323	
	4 x 1	160	36324	
	4 x 1	200	36325	
	4 x 1	240	36326	








Chicago black matt

Bracket, open for Ø 20 mm



Metal, for drapery with a curtain rod or curtain rod with inner track (curtain rod fixed by screw), with metal mounting plate, incl. fittings, bracket length (wall distance of curtain rod) 8 cm








			Art. Nr.	EAN
black-matt	4 x 1		36332	

Double combined support, open, for Ø 20 mm



Metal, rotatable, for drapery with two curtain rods and/or curtain rods with inner track (curtain rod fixed by screw), with metal mounting plate, incl. fittings, bracket length (wall distance of curtain rods) 8 cm and 14 cm








			Art. Nr.	EAN
black-matt	4 x 1		36333	

Bracket, closed for Ø 20 mm



Metal, can be shortened, for drapery with a curtain rod, with metal mounting plate, incl. fittings, bracket length (wall distance of curtain rod) 12 cm




			Art. Nr.	EAN
black-matt	4 x 1		36331	





Chicago black matt

Universal bracket 1 and 2-track for Ø 20 mm



Metal, can be used for individual Chicago product range, incl. one ring adapter each for curtain rods and one cross adapter for curtain rods with inner track, the universal bracket can be used for 1-track and 2-track drapes, the distances between track 1 and 2 can be adjusted as required, bracket length 15 cm, wall distance of curtain rod(s) approx. 7.5 cm - 13 cm







			Art. Nr.	EAN
black-matt	4 x 1		36327	

Bracket extension for Universal bracket







Metal, suitable for larger wall clearances, also for drapery with eyelet tab-top curtains, suitable for 3-track drapery in combination with ring adapter or cross adapter

			Art. Nr.	EAN
black-matt	4 x 1	18	32242	

Ring adapter for universal bracket for Ø 20 mm



Metal, for curtain rod and curtain rod with inner track Ø 20 mm





			Art. Nr.	EAN
black-matt	4 x 2		36328	


Chicago black matt

Cross adapter for universal bracket



Aluminium, for curtain rods with inner track I Ø 16, Ø 20 and Ø 25 mm as well as inner track II Ø 20 mm - can also be used as a connector





			Art. Nr.	EAN
Aluminium	4 x 2	3,7 x 2,6 x 0,9	33884	




Ceiling bracket for Ø 20 mm



Metal, for drapery with a curtain rod or curtain rod with inner track, with metal mounting plate, incl. fittings, ceiling distance of curtain rod 6 cm

			Art. Nr.	EAN
black-matt	4 x 1		36330	





Tip: For 2-track drapes, use the ceiling bracket adapter art. no. 36334.




Ceiling bracket adapter for Ø 20 mm



Metal, rotatable, for curtain rods and curtain rods with inner track (curtain rod fixed by screw), incl. fittings, rod distance 6 cm

			Art. Nr.	EAN
black-matt	4 x 1		36334	

Info: Can only be used in conjunction with closed bracket art. no. 36331 or ceiling bracket art. no. 36330.







Chicago black matt

Wall mount for Ø 20 mm







Metal, for mounting in the window niche, incl. fittings

			Art. Nr.	EAN
black-matt	4 x 1		36336	

Finial Ball for Ø 20 mm







Metal

			Art. Nr.	EAN
black-matt	4 x 2		36337	

Finial Cylinder for Ø 20 mm







Metal

			Art. Nr.	EAN
black-matt	4 x 2		36339	

Finial Apollo for Ø 20 mm







Metal

			Art. Nr.	EAN
black-matt	4 x 2		36338	

End piece Gala for Ø 20 mm



Metal

			Art. Nr.	EAN
black-matt	4 x 2		36341	



Chicago black matt

End cap Ø 20 mm



Metal, as finial or end cap
for second track

			Art. Nr.	EAN
black-matt	4 x 2		36340	

Curtain rings with gliding inlay for Ø 20 mm



Metal, with pleating hooks,
inner Ø 27.5 mm, outer
Ø 34 mm, width 4 mm

			Art. Nr.	EAN
black-matt	6 x 10		36335	

Chicago titanium


The individual Chicago range in the colour titanium includes metal curtain rods, curtain rods with inner track I and curtain rods with inner track II with a diameter of 20 mm, various brackets for 1-track and 2-track drapery, end pieces and curtain rings.

Curtain rod Ø 20 mm



Metal

Info: for rod length
exceeding 200 cm, use 3
brackets.



			Art. Nr.	EAN
titanium	4 x 1	160	10011137	
	4 x 1	200	10011138	
	4 x 1	240	10011139	
	4 x 1	400	30901	

Chicago titanium







Curtain rod with inner track I Ø 20 mm



Metal, track channel approx. 6 mm, usable as curtain rod or curtain rod with inner track

Info: for curtain rod length 200 cm or more, use 3 brackets.



		↔ x ↑ (cm)	Art. Nr.	EAN
titanium	4 x 1	120	32274	
	4 x 1	160	32275	
	4 x 1	200	32276	
	4 x 1	240	32277	







Curtain rod with inner track II Ø 20 mm



Metal, track channel approx. 6 mm

Info: for rod length exceeding 200 cm, use 3 brackets.







		↔ x ↑ (cm)	Art. Nr.	EAN
titanium	4 x 1	160	10011145	
	4 x 1	200	10011146	
	4 x 1	240	10011147	
	4 x 1	400	30904	

Bracket, open for Ø 20 mm



Metal, for drapery with a curtain rod or curtain rod with inner track (curtain rod fixed by screw), with metal mounting plate, incl. fittings, bracket length (wall distance of curtain rod) 8 cm



		↔ x ↑ (cm)	Art. Nr.	EAN
titanium	4 x 1		10011153	








Chicago titanium

Double combined support, open, for Ø 20 mm



Metal, rotatable, for drapery with two curtain rods and/or curtain rods with inner track (curtain rod fixed by screw), with metal mounting plate, incl. fittings, bracket length (wall distance of curtain rods) 8 cm and 14 cm








			Art. Nr.	EAN
titanium	4 x 1		10011155	

Bracket, closed for Ø 20 mm



Metal, can be shortened, for drapery with a curtain rod, with metal mounting plate, incl. fittings, bracket length (wall distance of curtain rod) 12 cm








			Art. Nr.	EAN
titanium	4 x 1		10011149	

Double support closed for Ø 20 mm




Metal, can be shortened, for drapery with 2 curtain rods, with metal mounting plate, incl. fittings







			Art. Nr.	EAN
titanium	4 x 1		10011151	

Chicago titanium

Universal bracket 1 and 2-track for Ø 20 mm







Metal, can be used for individual Chicago product range, incl. one ring adapter each for curtain rods and one cross adapter for curtain rods with inner track, the universal bracket can be used for 1-track and 2-track drapes, the distances between track 1 and 2 can be adjusted as required, bracket length 15 cm, wall distance of curtain rod(s) approx. 7.5 cm - 13 cm

			Art. Nr.	EAN
titanium	4 x 1		32046	

Bracket extension for Universal bracket







Metal, suitable for larger wall clearances, also for drapery with eyelet tab-top curtains, suitable for 3-track drapery in combination with ring adapter or cross adapter

			Art. Nr.	EAN
titanium	4 x 1	18	32300	

Ring adapter for universal bracket for Ø 20 mm



Metal, for curtain rod and curtain rod with inner track Ø 20 mm





			Art. Nr.	EAN
titanium	4 x 2		32047	


Chicago titanium

■ Cross adapter for universal bracket



Aluminium, for curtain rods with inner track I Ø 16, Ø 20 and Ø 25 mm as well as inner track II Ø 20 mm - can also be used as a connector

			Art. Nr.	EAN
Aluminium	4 x 2	3,7 x 2,6 x 0,9	33884	








■ Ceiling bracket for Ø 20 mm



Metal, for drapery with a curtain rod or curtain rod with inner track, with metal mounting plate, incl. fittings, ceiling distance of curtain rod 6 cm

Tip: For 2-track drapery, use the ceiling bracket adapter art. no. 11284.





			Art. Nr.	EAN
titanium	4 x 1		32748	



■ Wall mount for Ø 20 mm



Metal, for mounting in the window niche, incl. fittings





			Art. Nr.	EAN
titanium	4 x 1		10011161	

Chicago titanium

Finial Ball for Ø 20 mm







Metal

			Art. Nr.	EAN
titanium	4 x 2		10011163	

Finial Siro for Ø 20 mm







Metal

			Art. Nr.	EAN
titanium	4 x 2		10011167	

Finial Cylinder for Ø 20 mm







Metal

			Art. Nr.	EAN
titanium	4 x 2		10011169	

Finial Apollo for Ø 20 mm







Metal

			Art. Nr.	EAN
titanium	4 x 2		10011171	

End cap Ø 20 mm



Metal, as finial or end cap
for second track

			Art. Nr.	EAN
titanium	4 x 2		33174	



Chicago titanium

Curtain rings with gliding inlay for Ø 20 mm



Metal, with pleating hooks,
inner Ø 27.5 mm, outer
Ø 34 mm, width 4 mm

			Art. Nr.	EAN
titanium	6 x 10		10011159	

Chicago white

The individual Chicago range in the colour white includes curtain rods made of metal with a diameter of 20 mm in lengths of 120 cm, 160 cm, 200 cm and 240 cm, different brackets for 1-track and 2-track drapery, finials, curtain rings, pleating hooks and curtain rod connectors.


Curtain rod Ø 20 mm



Metal

Info: for rod length
exceeding 200 cm, use 3
brackets.

			Art. Nr.	EAN
white	4 x 1	120	11260	
	4 x 1	160	11261	
	4 x 1	200	11262	
	4 x 1	240	11263	



Curtain rod with inner track I Ø 20 mm



Metal, track channel
approx. 6 mm, usable as
curtain rod or curtain rod
with inner track

Info: for curtain rod length
200 cm or more, use 3
brackets.

			Art. Nr.	EAN
white	4 x 1	120	32278	
	4 x 1	160	32279	
	4 x 1	200	32280	
	4 x 1	240	32281	









Chicago white

Curtain rod with inner track II Ø 20 mm



Metal, track channel approx. 6 mm

Info: for rod length exceeding 200 cm, use 3 brackets.





		 (cm)	Art. Nr.	EAN
white	4 x 1	160	11265	
	4 x 1	200	11266	
	4 x 1	240	11267	




Bracket, open for Ø 20 mm



Metal, for drapery with a curtain rod or curtain rod with inner track (curtain rod fixed by screw), with metal mounting plate, incl. fittings, bracket length (wall distance of curtain rod) 8 cm




		 (cm)	Art. Nr.	EAN
white	4 x 1		11270	




Double combined support, open, for Ø 20 mm



Metal, rotatable, for drapery with two curtain rods and/or curtain rods with inner track (curtain rod fixed by screw), with metal mounting plate, incl. fittings, bracket length (wall distance of curtain rods) 8 cm and 14 cm

		 (cm)	Art. Nr.	EAN
white	4 x 1		11271	






Chicago white

Bracket, closed for Ø 20 mm



Metal, can be shortened, for drapery with a curtain rod, with metal mounting plate, incl. fittings, bracket length (wall distance of curtain rod) 12 cm

			Art. Nr.	EAN
white	4 x 1		11268	




Universal bracket 1 and 2-track for Ø 20 mm



Metal, can be used for individual Chicago product range, incl. one ring adapter each for curtain rods and one cross adapter for curtain rods with inner track, the universal bracket can be used for 1-track and 2-track drapes, the distances between track 1 and 2 can be adjusted as required, bracket length 15 cm, wall distance of curtain rod(s) approx. 7.5 cm - 13 cm

			Art. Nr.	EAN
white	4 x 1		32048	



Bracket extension for Universal bracket



Metal, suitable for larger wall clearances, also for drapery with eyelet tab-top curtains, suitable for 3-track drapery in combination with ring adapter or cross adapter





			Art. Nr.	EAN
white	4 x 1	18	32301	

Chicago white

Ring adapter for universal bracket for Ø 20 mm







Metal, for curtain rod and curtain rod with inner track Ø 20 mm


			Art. Nr.	EAN
white	4 x 2		32049	

Cross adapter for universal bracket



Aluminium, for curtain rods with inner track I Ø 16, Ø 20 and Ø 25 mm as well as inner track II Ø 20 mm - can also be used as a connector





			Art. Nr.	EAN
Aluminium	4 x 2	3,7 x 2,6 x 0,9	33884	




Ceiling bracket for Ø 20 mm



Metal, for drapery with a curtain rod or curtain rod with inner track, with metal mounting plate, incl. fittings, ceiling distance of curtain rod 6 cm

			Art. Nr.	EAN
white	4 x 1		32749	



Tip: For 2-track drapery, use the ceiling bracket adapter art. no. 11273.




Chicago white

Ceiling bracket adapter for Ø 20 mm



Metal, rotatable, for curtain rods and curtain rods with inner track (curtain rod fixed by screw), incl. fittings, rod distance 6 cm

Info: Can only be used in conjunction with closed bracket art. no. 11268 or ceiling bracket art. no. 32749.



			Art. Nr.	EAN
white	4 x 1		11273	

Wall mount for Ø 20 mm



Metal, for mounting in the window niche, incl. fittings

			Art. Nr.	EAN
white	4 x 1		11276	

Finial Ball for Ø 20 mm



Metal

			Art. Nr.	EAN
white	4 x 2		11277	

Finial Point for Ø 20 mm



Metal





			Art. Nr.	EAN
white	4 x 2		11278	

Chicago white

Finial Siro for Ø 20 mm







Metal

			Art. Nr.	EAN
white	4 x 2		11279	

Finial Cylinder for Ø 20 mm







Metal

			Art. Nr.	EAN
white	4 x 2		11280	

End cap Ø 20 mm







Metal, as finial or end cap
for second track

			Art. Nr.	EAN
white	4 x 2		33175	

Curtain rings with gliding inlay for Ø 20 mm



Metal, with pleating hooks,
inner Ø 27.5 mm, outer
Ø 34 mm, width 4 mm

			Art. Nr.	EAN
white	6 x 10		11275	



Chicago black


The individual Chicago range in the colour black includes curtain rods made of metal with a diameter of 20 mm in lengths of 120 cm, 160 cm, 200 cm and 240 cm, different brackets for 1-track and 2-track drapery, finials, curtain rings, pleating hooks and curtain rod connectors.






Curtain rod Ø 20 mm



Metal

Info: for rod length exceeding 200 cm, use 3 brackets.



		↔ x ↑ (cm)	Art. Nr.	EAN
Black	4 x 1	160	31021	
	4 x 1	200	31022	
	4 x 1	240	31023	







Curtain rod with inner track | Ø 20 mm



Metal, track channel approx. 6 mm, usable as curtain rod or curtain rod with inner track

Info: for curtain rod length 200 cm or more, use 3 brackets.



		↔ x ↑ (cm)	Art. Nr.	EAN
Black	4 x 1	120	32282	
	4 x 1	160	32283	
	4 x 1	200	32284	
	4 x 1	240	32285	







Chicago black

Curtain rod with inner track II Ø 20 mm



Metal, track channel
approx. 6 mm

Info: for rod length
exceeding 200 cm, use 3
brackets.





		 (cm)	Art. Nr.	EAN
Black	4 x 1	160	31025	
	4 x 1	200	31026	
	4 x 1	240	31027	




Bracket, open for Ø 20 mm



Metal, for drapery with a
curtain rod or curtain rod
with inner track (curtain
rod fixed by screw), with
metal mounting plate, incl.
fittings, bracket length (wall
distance of curtain rod)
8 cm





		 (cm)	Art. Nr.	EAN
Black	4 x 1		31030	




Double combined support, open, for Ø 20 mm



Metal, rotatable, for
drapery with two curtain
rods and/or curtain rods
with inner track (curtain
rod fixed by screw), with
metal mounting plate, incl.
fittings, bracket length (wall
distance of curtain rods)
8 cm and 14 cm

		 (cm)	Art. Nr.	EAN
Black	4 x 1		31031	








Chicago black

Bracket, closed for Ø 20 mm



Metal, can be shortened, for drapery with a curtain rod, with metal mounting plate, incl. fittings, bracket length (wall distance of curtain rod) 12 cm





			Art. Nr.	EAN
Black	4 x 1		31028	




Universal bracket 1 and 2-track for Ø 20 mm



Metal, can be used for individual Chicago product range, incl. one ring adapter each for curtain rods and one cross adapter for curtain rods with inner track, the universal bracket can be used for 1-track and 2-track drapes, the distances between track 1 and 2 can be adjusted as required, bracket length 15 cm, wall distance of curtain rod(s) approx. 7.5 cm - 13 cm





			Art. Nr.	EAN
Black	4 x 1		32294	



Bracket extension for Universal bracket



Metal, suitable for larger wall clearances, also for drapery with eyelet tab-top curtains, suitable for 3-track drapery in combination with ring adapter or cross adapter





			Art. Nr.	EAN
Black	4 x 1	18	32302	

Chicago black

Ring adapter for universal bracket for Ø 20 mm







Metal, for curtain rod and curtain rod with inner track Ø 20 mm


			Art. Nr.	EAN
Black	4 x 2		32297	

Cross adapter for universal bracket



Aluminium, for curtain rods with inner track I Ø 16, Ø 20 and Ø 25 mm as well as inner track II Ø 20 mm - can also be used as a connector





			Art. Nr.	EAN
Aluminium	4 x 2	3,7 x 2,6 x 0,9	33884	




Ceiling bracket for Ø 20 mm



Metal, for drapery with a curtain rod or curtain rod with inner track, with metal mounting plate, incl. fittings, ceiling distance of curtain rod 6 cm

			Art. Nr.	EAN
Black	4 x 1		32750	



Tip: For 2-track drapery, use the ceiling bracket adapter art. no. 31034.


Chicago black





Ceiling bracket adapter for Ø 20 mm



Metal, rotatable, for curtain rods and curtain rods with inner track (curtain rod fixed by screw), incl. fittings, rod distance 6 cm

Info: Can only be used in conjunction with closed bracket art. no. 31028 or ceiling bracket art. no. 32750.







			Art. Nr.	EAN
Black	4 x 1		31034	

Wall mount for Ø 20 mm







Metal, for mounting in the window niche, incl. fittings

			Art. Nr.	EAN
Black	4 x 1		31036	

Finial Ball for Ø 20 mm







Metal

			Art. Nr.	EAN
Black	4 x 2		31037	

Finial Siro for Ø 20 mm



Metal





			Art. Nr.	EAN
Black	4 x 2		31039	

Chicago black

Finial Cylinder for Ø 20 mm







Metal

			Art. Nr.	EAN
Black	4 x 2		31040	

Finial Apollo for Ø 20 mm







Metal

			Art. Nr.	EAN
Black	4 x 2		31041	

End cap Ø 20 mm







Metal, as finial or end cap
for second track

			Art. Nr.	EAN
Black	4 x 2		33176	

Curtain rings with gliding inlay for Ø 20 mm



Metal, with pleating hooks,
inner Ø 27.5 mm, outer
Ø 34 mm, width 4 mm

			Art. Nr.	EAN
Black	6 x 10		31035	



Chicago chrome

The individual Chicago range in the colour chrome includes metal curtain rods, curtain rods with inner track I and curtain rods with inner track II with a diameter of 20 mm, various brackets for 1-track and 2-track drapery, end pieces and curtain rings.


Curtain rod Ø 20 mm



Metal

Info: for rod length exceeding 200 cm, use 3 brackets.

		↔ x ↑ (cm)	Art. Nr.	EAN
chrome	4 x 1	160	31044	4 003018 272427
	4 x 1	200	31045	4 003018 272434
	4 x 1	240	31046	4 003018 272441



Curtain rod with inner track I Ø 20 mm



Metal, track channel approx. 6 mm, usable as curtain rod or curtain rod with inner track

Info: for curtain rod length 200 cm or more, use 3 brackets.

		↔ x ↑ (cm)	Art. Nr.	EAN
chrome	4 x 1	120	32286	4 003018 330080
	4 x 1	160	32287	4 003018 330097
	4 x 1	200	32288	4 003018 330103
	4 x 1	240	32289	4 003018 330110









Chicago chrome

Curtain rod with inner track II Ø 20 mm



Metal, track channel approx. 6 mm

Info: for rod length exceeding 200 cm, use 3 brackets.





		 (cm)	Art. Nr.	EAN
chrome	4 x 1	160	31048	
	4 x 1	200	31049	
	4 x 1	240	31050	




Bracket, open for Ø 20 mm



Metal, for drapery with a curtain rod or curtain rod with inner track (curtain rod fixed by screw), with metal mounting plate, incl. fittings, bracket length (wall distance of curtain rod) 8 cm





		 (cm)	Art. Nr.	EAN
chrome	4 x 1		31053	




Double combined support, open, for Ø 20 mm



Metal, rotatable, for drapery with two curtain rods and/or curtain rods with inner track (curtain rod fixed by screw), with metal mounting plate, incl. fittings, bracket length (wall distance of curtain rods) 8 cm and 14 cm

		 (cm)	Art. Nr.	EAN
chrome	4 x 1		31054	










Chicago chrome

Bracket, closed for Ø 20 mm



Metal, can be shortened, for drapery with a curtain rod, with metal mounting plate, incl. fittings, bracket length (wall distance of curtain rod) 12 cm








			Art. Nr.	EAN
chrome	4 x 1		31051	

Double support closed for Ø 20 mm



Metal, can be shortened, for drapery with two curtain rods, with metal mounting plate, incl. fittings, bracket (wall distance of curtain rods) 12 cm and 18 cm








			Art. Nr.	EAN
chrome	4 x 1		31052	

Universal bracket 1 and 2-track for Ø 20 mm



Metal, can be used for individual Chicago product range, incl. one ring adapter each for curtain rods and one cross adapter for curtain rods with inner track, the universal bracket can be used for 1-track and 2-track drapes, the distances between track 1 and 2 can be adjusted as required, bracket length 15 cm, wall distance of curtain rod(s) approx. 7.5 cm - 13 cm







			Art. Nr.	EAN
chrome	4 x 1		32295	

Chicago chrome

Bracket extension for Universal bracket







Metal, suitable for larger wall clearances, also for drapery with eyelet tab-top curtains, suitable for 3-track drapery in combination with ring adapter or cross adapter

			Art. Nr.	EAN
chrome	4 x 1	18	32303	

Ring adapter for universal bracket for Ø 20 mm







Metal, for curtain rod and curtain rod with inner track Ø 20 mm


			Art. Nr.	EAN
chrome	4 x 2		32298	

Cross adapter for universal bracket



Aluminium, for curtain rods with inner track I Ø 16, Ø 20 and Ø 25 mm as well as inner track II Ø 20 mm - can also be used as a connector

			Art. Nr.	EAN
Aluminium	4 x 2	3,7 x 2,6 x 0,9	33884	




Chicago chrome

Ceiling bracket for Ø 20 mm



Metal, for drapery with a curtain rod or curtain rod with inner track, with metal mounting plate, incl. fittings, ceiling distance of curtain rod 6 cm

Tip: For 2-track drapery, use the ceiling bracket adapter art. no. 31057.




			Art. Nr.	EAN
chrome	4 x 1		32751	

Ceiling bracket adapter for Ø 20 mm



Metal, rotatable, for curtain rods and curtain rods with inner track (curtain rod fixed by screw), incl. fittings, rod distance 6 cm

Info: Can only be used in conjunction with closed bracket art. no. 31051 or ceiling bracket art. no. 32751.



			Art. Nr.	EAN
chrome	4 x 1		31057	

Wall mount for Ø 20 mm



Metal, for mounting in the window niche, incl. fittings





			Art. Nr.	EAN
chrome	4 x 1		31059	

Chicago chrome

Finial Ball for Ø 20 mm







Metal

			Art. Nr.	EAN
chrome	4 x 2		31060	

Finial Point for Ø 20 mm






Metal

			Art. Nr.	EAN
chrome	4 x 2		31061	

Finial Siro for Ø 20 mm







Metal

			Art. Nr.	EAN
chrome	4 x 2		31062	


Finial Cylinder for Ø 20 mm







Metal

			Art. Nr.	EAN
chrome	4 x 2		31063	

End cap Ø 20 mm



Metal, as finial or end cap
for second track

			Art. Nr.	EAN
chrome	4 x 2		33177	







Chicago chrome

Curtain rings with gliding inlay for Ø 20 mm



Metal, with pleating hooks,
inner Ø 27.5 mm, outer
Ø 34 mm, width 4 mm

			Art. Nr.	EAN
chrome	6 x 10		31058	

Chicago bronze








The individual Chicago range in the colour bronze includes metal curtain rods, curtain rods with inner track I and curtain rods with inner track II with a diameter of 20 mm, various brackets for 1-track and 2-track drapery, end pieces and curtain rings.


Curtain rod Ø 20 mm



Metal

Info: for rod length
exceeding 200 cm, use 3
brackets.

			Art. Nr.	EAN
bronze	4 x 1	120	31360	
	4 x 1	160	31361	
	4 x 1	200	31362	
	4 x 1	240	31363	










Curtain rod with inner track I Ø 20 mm



Metal, track channel
approx. 6 mm, usable as
curtain rod or curtain rod
with inner track

Info: for curtain rod length
200 cm or more, use 3
brackets.

			Art. Nr.	EAN
bronze	4 x 1	120	32290	
	4 x 1	160	32291	
	4 x 1	200	32292	
	4 x 1	240	32293	









Chicago bronze

Curtain rod with inner track II Ø 20 mm



Metal, track channel approx. 6 mm

Info: for rod length exceeding 200 cm, use 3 brackets.





			Art. Nr.	EAN
bronze	4 x 1	160	31365	
	4 x 1	200	31366	
	4 x 1	240	31367	




Bracket, open for Ø 20 mm



Metal, for drapery with a curtain rod or curtain rod with inner track (curtain rod fixed by screw), with metal mounting plate, incl. fittings, bracket length (wall distance of curtain rod) 8 cm





			Art. Nr.	EAN
bronze	4 x 1		31370	




Double combined support, open, for Ø 20 mm



Metal, rotatable, for drapery with two curtain rods and/or curtain rods with inner track (curtain rod fixed by screw), with metal mounting plate, incl. fittings, bracket length (wall distance of curtain rods) 8 cm and 14 cm

			Art. Nr.	EAN
bronze	4 x 1		31371	








Chicago bronze

Bracket, closed for Ø 20 mm



Metal, can be shortened, for drapery with a curtain rod, with metal mounting plate, incl. fittings, bracket length (wall distance of curtain rod) 12 cm





			Art. Nr.	EAN
bronze	4 x 1		31368	




Double support closed for Ø 20 mm



Metal, can be shortened, for drapery with two curtain rods, with metal mounting plate, incl. fittings, bracket (wall distance of curtain rods) 12 cm and 18 cm





			Art. Nr.	EAN
bronze	4 x 1		31369	




Universal bracket 1 and 2-track for Ø 20 mm



Metal, can be used for individual Chicago product range, incl. one ring adapter each for curtain rods and one cross adapter for curtain rods with inner track, the universal bracket can be used for 1-track and 2-track drapes, the distances between track 1 and 2 can be adjusted as required, bracket length 15 cm, wall distance of curtain rod(s) approx. 7.5 cm - 13 cm

			Art. Nr.	EAN
bronze	4 x 1		32296	







Chicago bronze

Bracket extension for Universal bracket







Metal, suitable for larger wall clearances, also for drapery with eyelet tab-top curtains, suitable for 3-track drapery in combination with ring adapter or cross adapter

			Art. Nr.	EAN
bronze	4 x 1	18	32215	

Ring adapter for universal bracket for Ø 20 mm







Metal, for curtain rod and curtain rod with inner track Ø 20 mm


			Art. Nr.	EAN
bronze	4 x 2		32299	

Cross adapter for universal bracket



Aluminium, for curtain rods with inner track I Ø 16, Ø 20 and Ø 25 mm as well as inner track II Ø 20 mm - can also be used as a connector

			Art. Nr.	EAN
Aluminium	4 x 2	3,7 x 2,6 x 0,9	33884	




Chicago bronze





Ceiling bracket for Ø 20 mm



Metal, for drapery with a curtain rod or curtain rod with inner track, with metal mounting plate, incl. fittings, ceiling distance of curtain rod 6 cm

Tip: For 2-track drapery, use the ceiling bracket adapter art. no. 31374.




			Art. Nr.	EAN
bronze	4 x 1		32752	




Ceiling bracket adapter for Ø 20 mm



Metal, rotatable, for curtain rods and curtain rods with inner track (curtain rod fixed by screw), incl. fittings, rod distance 6 cm

Info: Can only be used in conjunction with closed bracket art. no. 31368 or ceiling bracket art. no. 32752.







			Art. Nr.	EAN
bronze	4 x 1		31374	

Wall mount for Ø 20 mm



Metal, for mounting in the window niche, incl. fittings





			Art. Nr.	EAN
bronze	4 x 1		31376	

Chicago bronze

Finial Ball for Ø 20 mm







Metal

			Art. Nr.	EAN
bronze	4 x 2		31377	

Finial Point for Ø 20 mm







Metal

			Art. Nr.	EAN
bronze	4 x 2		31378	

Finial Siro for Ø 20 mm







Metal

			Art. Nr.	EAN
bronze	4 x 2		31379	


Finial Cylinder for Ø 20 mm







Metal

			Art. Nr.	EAN
bronze	4 x 2		31380	

End cap Ø 20 mm



Metal, as finial or end cap
for second track

			Art. Nr.	EAN
bronze	4 x 2		33179	



Chicago bronze

Curtain rings with gliding inlay for Ø 20 mm



Metal, with pleating hooks,
inner Ø 27.5 mm, outer
Ø 34 mm, width 4 mm

			Art. Nr.	EAN
bronze	6 x 10		31375	

Chicago

The individual Chicago range in the colour brass-matt includes metal curtain rods and curtain rods with inner track II with a diameter of 20 mm, various brackets for 1-track and 2-track drapery, end pieces and curtain rings.


Curtain rod Ø 20 mm



Metal

Info: for rod length
exceeding 200 cm, use 3
brackets.

			Art. Nr.	EAN
brass-matt	4 x 1	160	31476	
	4 x 1	200	31477	
	4 x 1	240	31478	



Curtain rod with inner track II Ø 20 mm



Metal, track channel ap-
prox. 6 mm

Info: for rod length
exceeding 200 cm, use 3
brackets.

			Art. Nr.	EAN
brass-matt	4 x 1	160	31480	
	4 x 1	200	31481	
	4 x 1	240	31482	




Chicago

Bracket, open for Ø 20 mm



Metal, for drapery with a curtain rod or curtain rod with inner track (curtain rod fixed by screw), with metal mounting plate, incl. fittings, bracket length (wall distance of curtain rod) 8 cm




			Art. Nr.	EAN
brass-matt	4 x 1		31485	

Double combined support, open, for Ø 20 mm



Metal, rotatable, for drapery with two curtain rods and/or curtain rods with inner track (curtain rod fixed by screw), with metal mounting plate, incl. fittings, bracket length (wall distance of curtain rods) 8 cm and 14 cm




			Art. Nr.	EAN
brass-matt	4 x 1		31486	

Bracket, closed for Ø 20 mm



Metal, can be shortened, for drapery with a curtain rod, with metal mounting plate, incl. fittings, bracket length (wall distance of curtain rod) 12 cm



			Art. Nr.	EAN
brass-matt	4 x 1		31483	


Chicago

Ceiling bracket for Ø 20 mm



Metal, for drapery with a curtain rod or curtain rod with inner track, with metal mounting plate, incl. fittings, ceiling distance of curtain rod 6 cm

Tip: For 2-track drapery, use the ceiling bracket adapter art. no. 31489.




			Art. Nr.	EAN
brass-matt	4 x 1		32753	

Ceiling bracket adapter for Ø 20 mm



Metal, rotatable, for curtain rods and curtain rods with inner track (curtain rod fixed by screw), incl. fittings, rod distance 6 cm

Info: Can only be used in conjunction with closed bracket art. no. 31483 or ceiling bracket art. no. 32753.



			Art. Nr.	EAN
brass-matt	4 x 1		31489	

Wall mount for Ø 20 mm



Metal, for mounting in the window niche, incl. fittings

			Art. Nr.	EAN
brass-matt	4 x 1		31491	

Chicago

Finial Ball for Ø 20 mm



Metal

			Art. Nr.	EAN
brass-matt	4 x 2		31492	

Finial Point for Ø 20 mm



Metal

			Art. Nr.	EAN
brass-matt	4 x 2		31493	


Finial Cylinder for Ø 20 mm



Metal

			Art. Nr.	EAN
brass-matt	4 x 2		31495	

End cap Ø 20 mm



Metal, as finial or end cap
for second track

			Art. Nr.	EAN
brass-matt	4 x 2		33178	

Curtain rings with gliding inlay for Ø 20 mm



Metal, with pleating hooks,
inner Ø 27.5 mm, outer
Ø 34 mm, width 4 mm

			Art. Nr.	EAN
brass-matt	6 x 10		31490	



Accessories for Chicago





The accessories for the individual Chicago range include curtain rod connectors, various pleating hooks and gliders as well as an end stop for curtain rods with inner runner I Ø 20 mm.


Connector for curtain rods for Ø 20 mm



Plastic

Info: Always position a bracket at the connection point.

		 x (cm)	Art. Nr.	EAN
white	4 x 1	8	11891	



Connector for curtain rods with internal runner II for Ø 20 mm




Aluminium, for extending curtain rails with inner track II, with M4 thread for middle bracket

Info: Always place bracket at connection point.

		 x (cm)	Art. Nr.	EAN
Metal	6 x 1		10969	








Connector for curtain rods with internal runner I for Ø 20 mm



Metal, for extension of curtain rods with inner track I

Info: always place bracket at the connection point.

		 x (cm)	Art. Nr.	EAN
galvanized	4 x 1		13010	







Accessories for Chicago

Pleating hook, POM quality



POM = Polyoxymethylene, particularly dimensionally stable, for curtain rings, Ø eyelet 5.3 mm





**PARTICULARLY
DIMENSIONALLY STABLE**

			Art. Nr.	EAN
raw white	15 x 10		10007185	

Pleating hook






Plastic, for curtain rings, Ø eyelet 5.3 mm


			Art. Nr.	EAN
transparent	15 x 10		4949	

Duo X-glider



Plastic, rotating head, therefore suitable for curtain rails and curtain rods with inner track and 4 or 6 mm track channel





			Art. Nr.	EAN
white	10 x 25		32175	



X glider



Plastic, with pleating hooks, for 6 mm track channel, suitable for panel curtain rails, 13 mm aluminium rails, aluminium curtain rails, curtain rods Luxor, curtain rods with inner track Ø 16, 20 and 25 mm

			Art. Nr.	EAN
white	15 x 25		4974	







Accessories for Chicago

X glider with clip



plastic/metal, rotating head, for 6 mm track channel, suitable for panel curtain rails, 13 mm aluminium rails, aluminium curtain rails, curtain rods Luxor, curtain rails with inner track Ø 16, 20 and 25 mm




			Art. Nr.	EAN
white	10 x 20		4984	

Click glider Maxi



Plastic, with pleating hook, for curtain rails and rods with track channel width 6 mm, suitable for aluminium rails 13 mm, aluminium curtain rails, Luxor curtain rods, curtain rods with inner track I Ø 16, 20 and 25 mm, curtain rods with inner track II Ø 19 and 20 mm

Info: Simply click into the track channel at any point.





			Art. Nr.	EAN
white	15 x 20		4979	


Click in-out glider



Plastic, with rotatable pleating hook, for curtain rails and rods with track channel width 6 mm, suitable for aluminium rails 13 mm, aluminium curtain rails, Luxor curtain rods, curtain rods with inner track I Ø 20 and 25 mm, curtain rods with inner track II Ø 19 and 20 mm

Info: Simply click into and out of the track channel at any point.

			Art. Nr.	EAN
white	10 x 20		36161	




Accessories for Chicago

Glider for 6 mm track channel







**PARTICULARLY
DIMENSIONALLY STABLE**




POM = Polyoxymethylene, particularly dimensionally stable, with rotatable pleating hook, suitable for aluminium rails 13 mm, aluminium curtain rails, Luxor curtain rails, curtain rails with inner track I Ø 16, 20 and 25 mm, curtain rails with inner runner II Ø 19 and 20 mm

Info: Simply screw into and out of the track channel at any point.





			Art. Nr.	EAN
white	10 x 20		31552	

Loop glider




Plastic, for draping tab-top curtains on curtain rods with inner track I Ø 16, 20 or 25 mm, inner track II Ø 19 and 20 mm, GE and P2Ü curtain rails, Luxor curtain rods, aluminium rails 13 mm, Atlanta panel fabric rails and aluminium curtain rails

Tip: Pleat curtains can be hung and removed without removing the loop gliders.





			Art. Nr.	EAN
white	6 x 10		10011067	

Loop glider with X gliders and rollers



Plastic, for draping tab-top curtains, rollers for use in curtain rails GE and P2Ü, X-gliders for use in curtain rods with inner track Ø 16, 20 and 25 mm, Luxor curtain rods, aluminium rails 13 mm, Atlanta panel curtain rails and aluminium curtain rails

Tip: tab-top curtains can be hung and removed without removing the loop gliders.

			Art. Nr.	EAN
white	6 x 10	5,9	148	



Accessories for Chicago

End stop



Metal/plastic, for curtain rods with inner track and Luxor, fixes the fabric at the desired position

			Art. Nr.	EAN
white	15 x 2		10972	

Individual Range Romana Metal

Romana silver satin

The individual Romana range in the colour silver satin includes curtain rods with inner track I made of metal with a diameter of 20 mm, different brackets for 1-track and 2-track drapery, different end pieces and curtain rings.

Curtain rod with inner track I Ø 20 mm



Metal, track channel approx. 6 mm, usable as curtain rod or curtain rod with inner track

Info: for curtain rod length 200 cm or more, use 3 brackets.

			Art. Nr.	EAN
silver satin	4 x 1	160	12981	
	4 x 1	200	12982	
	4 x 1	240	12983	




Bracket, open for Ø 20 mm



Metal, extendable, for drapery with a curtain rod or curtain rod with inner track, with metal mounting plate, incl. fittings, bracket length (wall distance of curtain rod) 10 cm - 14 cm

			Art. Nr.	EAN
silver satin	4 x 1		12988	








Romana silver satin

Double support open for Ø 20 mm



Metal, extendable, for drapery with two curtain rods and / or curtain rods with inner track, with metal mounting plate, incl. fittings, bracket length (wall distance of curtain rod) 10-14 cm, second curtain rod + 6 cm







			Art. Nr.	EAN
silver satin	4 x 1		12989	

Ceiling bracket 1-track or 2-track for Ø 20 mm



Metal, with adapter for 2-track, with metal mounting plate, incl. fittings, ceiling distance of curtain rod(s) 5 cm, rod distance 6 cm








			Art. Nr.	EAN
silver satin	4 x 1		12990	

Universal bracket 1 and 2-track for Ø 20 mm



Metal, can be used for individual Romana product range, incl. one ring adapter each for curtain rods and one cross adapter for curtain rods with inner track, the universal bracket can be used for 1-track and 2-track drapes, the distances between track 1 and 2 can be adjusted as required, bracket length 15 cm, wall distance of curtain rod(s) approx. 7.5 cm - 13 cm



			Art. Nr.	EAN
silver satin	4 x 1		33979	



Romana silver satin

Bracket extension for Universal bracket



Metal, suitable for larger wall clearances, also for drapery with eyelet tab-top curtains, suitable for 3-track drapery in combination with ring adapter or cross adapter


			Art. Nr.	EAN
silver satin	4 x 1	18	32307	

Cross adapter for universal bracket



Aluminium, for curtain rods with inner track I Ø 16, Ø 20 and Ø 25 mm as well as inner track II Ø 20 mm - can also be used as a connector

			Art. Nr.	EAN
Aluminium	4 x 2	3,7 x 2,6 x 0,9	33884	



Wall mount for Ø 20 mm



Metal, for mounting in the window niche, incl. fittings

			Art. Nr.	EAN
silver satin	4 x 1		12991	

End cap Ø 20 mm



Metal, as finial or end cap for second track





			Art. Nr.	EAN
silver satin	4 x 2		12998	

Romana silver satin

Finial Leaf for Ø 20 mm







Metal

			Art. Nr.	EAN
silver satin	4 x 2		12997	

Finial Cylinder for Ø 20 mm







Metal

			Art. Nr.	EAN
silver satin	4 x 2		12995	

Finial Cone for Ø 20 mm







Metal

			Art. Nr.	EAN
silver satin	4 x 2		12994	

Curtain rings with gliding inlay for Ø 20 mm



Metal, with pleating hooks and clips, inner Ø 27.5 mm, outer Ø 34 mm, width 4 mm

			Art. Nr.	EAN
silver satin	6 x 10		12992	



Accessories for Romana

The accessories for the individual Romana range include curtain rod connectors with inner track I Ø 20 mm, various pleating hooks and gliders as well as an end stop for curtain rods with inner track I Ø 20 mm.


Connector for curtain rods with internal runner I for Ø 20 mm



Metal, for extension of curtain rods with inner track I

Info: always place bracket at the connection point.

			Art. Nr.	EAN
galvanized	4 x 1		13010	



Pleating hook, POM quality



POM = Polyoxymethylene, particularly dimensionally stable, for curtain rings, Ø eyelet 5.3 mm

			Art. Nr.	EAN
raw white	15 x 10		10007185	

PARTICULARLY

DIMENSIONALLY STABLE

Pleating hook



Plastic, for curtain rings, Ø eyelet 5.3 mm





			Art. Nr.	EAN
transparent	15 x 10		4949	


Accessories for Romana

Duo X-glider



Plastic, rotating head, therefore suitable for curtain rails and curtain rods with inner track and 4 or 6 mm track channel





			Art. Nr.	EAN
white	10 x 25		32175	



X glider







Plastic, with pleating hooks, for 6 mm track channel, suitable for panel curtain rails, 13 mm aluminium rails, aluminium curtain rails, curtain rods Luxor, curtain rods with inner track Ø 16, 20 and 25 mm

			Art. Nr.	EAN
white	15 x 25		4974	

X glider with clip



plastic/metal, rotating head, for 6 mm track channel, suitable for panel curtain rails, 13 mm aluminium rails, aluminium curtain rails, curtain rods Luxor, curtain rails with inner track Ø 16, 20 and 25 mm




			Art. Nr.	EAN
white	10 x 20		4984	

Click glider Maxi




Plastic, with pleating hook, for curtain rails and rods with track channel width 6 mm, suitable for aluminium rails 13 mm, aluminium curtain rails, Luxor curtain rods, curtain rods with inner track I Ø 16, 20 and 25 mm, curtain rods with inner track II Ø 19 and 20 mm

Info: Simply click into the track channel at any point.

			Art. Nr.	EAN
white	15 x 20		4979	





Accessories for Romana

Click in-out glider



Plastic, with rotatable pleating hook, for curtain rails and rods with track channel width 6 mm, suitable for aluminium rails 13 mm, aluminium curtain rails, Luxor curtain rods, curtain rods with inner track I Ø 20 and 25 mm, curtain rods with inner track II Ø 19 and 20 mm


Info: Simply click into and out of the track channel at any point.

			Art. Nr.	EAN
white	10 x 20		36161	

Glider for 6 mm track channel







**PARTICULARLY
DIMENSIONALLY STABLE**




POM = Polyoxymethylene, particularly dimensionally stable, with rotatable pleating hook, suitable for aluminium rails 13 mm, aluminium curtain rails, Luxor curtain rails, curtain rails with inner track I Ø 16, 20 and 25 mm, curtain rails with inner runner II Ø 19 and 20 mm

Info: Simply screw into and out of the track channel at any point.





			Art. Nr.	EAN
white	10 x 20		31552	

Loop glider



Plastic, for draping tab-top curtains on curtain rods with inner track I Ø 16, 20 or 25 mm, inner track II Ø 19 and 20 mm, GE and P2Ü curtain rails, Luxor curtain rods, aluminium rails 13 mm, Atlanta panel fabric rails and aluminium curtain rails

Tip: Pleat curtains can be hung and removed without removing the loop gliders.


			Art. Nr.	EAN
white	6 x 10		10011067	

Accessories for Romana

Loop glider with X gliders and rollers



Plastic, for draping tab-top curtains, rollers for use in curtain rails GE and P2Ü, X-gliders for use in curtain rods with inner track Ø 16, 20 and 25 mm, Luxor curtain rods, aluminium rails 13 mm, Atlanta panel curtain rails and aluminium curtain rails



Tip: tab-top curtains can be hung and removed without removing the loop gliders.

			Art. Nr.	EAN
white	6 x 10	5,9	148	

End stop



Metal/plastic, for curtain rods with inner track and Luxor, fixes the fabric at the desired position

			Art. Nr.	EAN
white	15 x 2		10972	

Curtain rod set Ø 20 mm fixed length

Curtain rod set 1-track Cone stainless steel look

The 1-track Cone Ø 20 mm curtain rod set in the stainless steel look consists of a metal rod in lengths of 120 cm, 160 cm and 200 cm, metal finials, brackets, rings with pleating hooks and fittings. Further matching rings are optionally available as an accessory.

Cone 1-track Ø 20 mm



Metal, complete with metal finials, brackets, rings with pleating hooks and fittings, bracket length (wall distance of the curtain rod) 8 cm

			Art. Nr.	EAN
Stainless steel look	4 x 1	120	5815	
	4 x 1	160	5816	
	4 x 1	200	5817	

Number of curtain rings with pleating hooks

120 cm	12 pieces
160 cm	16 pieces
200 cm	20 pieces



Curtain rod set 1-track Cone stainless steel look

Curtain rings



Metal, with pleating hooks,
inner Ø 25 mm, outer
Ø 33 mm, width 4 mm

			Art. Nr.	EAN
Stainless steel look	6 x 6		5821	

Curtain rod set 1-track Cylinder stainless steel look

The 1-track Cylinder Ø 20 mm curtain rod set in the stainless steel look consists of a metal rod in lengths of 120 cm, 160 cm and 200 cm, metal finials, brackets, rings with pleating hooks and fittings. Further matching rings optionally available as an accessory.

Cylinder 1-track Ø 20 mm



Metal, complete with metal
finials, brackets, rings
with pleating hooks and
fittings, bracket length (wall
distance of the curtain rod)
8 cm

			Art. Nr.	EAN
Stainless steel look	4 x 1	120	5830	
	4 x 1	160	5831	
	4 x 1	200	5832	

Number of curtain rings with pleating hooks

120 cm	12 pieces
160 cm	16 pieces
200 cm	20 pieces

Curtain rings



Metal, with pleating hooks,
inner Ø 25 mm, outer
Ø 33 mm, width 4 mm

			Art. Nr.	EAN
Stainless steel look	6 x 6		5821	







Curtain rod set 1-track Cylinder brass-antique

The 1-track Cylinder Ø 20 mm curtain rod set in the colour brass-antique consists of a metal rod in lengths of 120 cm, 160 cm and 200 cm, metal finials, brackets, rings with pleating hooks and fittings. Further matching rings optionally available as an accessory.

Cylinder 1-track Ø 20 mm



Metal, complete with metal finials, brackets, rings with pleating hooks and fittings, bracket length (wall distance of the curtain rod) 8 cm

		 (cm)	Art. Nr.	EAN
brass-antique	4 x 1	120	5833	
	4 x 1	160	5834	
	4 x 1	200	5835	





Number of curtain rings with pleating hooks

120 cm	12 pieces
160 cm	16 pieces
200 cm	20 pieces

Curtain rings



Metal, with pleating hooks, inner Ø 25 mm, outer Ø 33 mm, width 4 mm

		 (cm)	Art. Nr.	EAN
brass-antique	6 x 6		5822	







Curtain rod set 1-track Line stainless steel look

The 1-track Line Ø 20 mm curtain rod set in the stainless steel look consists of a metal rod in lengths of 120 cm, 160 cm and 200 cm, metal finials, brackets, rings with pleating hooks and fittings. Further matching rings optionally available as an accessory.

Line 1-track Ø 20 mm



Metal, complete with metal finials, brackets, rings with pleating hooks and fittings, bracket length (wall distance of the curtain rod) 7.5 cm

		 (cm)	Art. Nr.	EAN
Stainless steel look	4 x 1	120	31328	
	4 x 1	160	31329	
	4 x 1	200	31330	

Number of curtain rings with pleating hooks

120 cm	12 pieces
160 cm	16 pieces
200 cm	20 pieces







Curtain rod set 1-track Line stainless steel look

Curtain rings



Metal, with pleating hooks,
inner Ø 25 mm, outer
Ø 33 mm, width 4 mm

			Art. Nr.	EAN
Stainless steel look	6 x 6		5821	







Curtain rod set 2-track Cylinder stainless steel look

The 2-track Cylinder Ø 20 mm curtain rod set in the stainless steel look consists of 2 metal rods in lengths of 160 cm, 200 cm and 240 cm, metal finials, brackets, rings with pleating hooks and fittings. Further matching rings optionally available as an accessory.

2-track Cylinder Ø 20 mm



Metal, 2-track, complete
with metal finials, brackets,
rings with pleating hooks
and fittings, rear track with
end caps, from 200 cm with
3 brackets, bracket length
(wall distance of the curtain
rod) 5.5 and 10.5 cm

			Art. Nr.	EAN
Stainless steel look	4 x 1	160	31325	
	4 x 1	200	31326	
	4 x 1	240	31327	



Number of curtain rings with pleating hooks

160 cm	32 pieces
200 cm	40 pieces
240 cm	48 pieces

Curtain rings



Metal, with pleating hooks,
inner Ø 25 mm, outer
Ø 33 mm, width 4 mm

			Art. Nr.	EAN
Stainless steel look	6 x 6		5821	



Curtain rod set 2-track Ball stainless steel look

The 2-track Ball Ø 20 mm curtain rod set in the stainless steel look consists of 2 metal rods in lengths of 120 cm, 160 cm and 200 cm, metal finials, brackets, rings with pleating hooks and fittings. Further matching rings optionally available as an accessory.

2-track Ball Ø 20 mm



Metal, 2-track, complete with metal finials, brackets, rings with pleating hooks and fittings, rear track with end caps, from 200 cm with 3 brackets, bracket length (wall distance of the curtain rod) 5.5 and 10.5 cm

		↔ x ↑ (cm)	Art. Nr.	EAN
Stainless steel look	4 x 1	160	31525	4 003018 282754
	4 x 1	200	31526	4 003018 282761
	4 x 1	240	31527	4 003018 282778



Number of curtain rings with pleating hooks

160 cm	32 pieces
200 cm	40 pieces
240 cm	48 pieces

Curtain rings



Metal, with pleating hooks, inner Ø 25 mm, outer Ø 33 mm, width 4 mm

		↔ x ↑ (cm)	Art. Nr.	EAN
Stainless steel look	6 x 6		5821	4 003018 200659



Curtain rod set 2-track Cone stainless steel look

The 2-track Cone Ø 20 mm curtain rod set in the stainless steel look consists of 2 metal rods in lengths of 120 cm, 160 cm and 200 cm, metal finials, brackets, rings with pleating hooks, X-joint gliders and fittings. The 2-track is a curtain rod with inner track. Further matching rings optionally available as an accessory.

2-track Cone Ø 20 mm



metal, 2-track, curtain rod Ø 20 mm and curtain rod with inner track Ø 20 mm, track channel approx. 6 mm, complete with metal finials, brackets, rings with pleating hooks, X gliders and fittings, rear track with end caps, from 200 cm with 3 brackets, bracket length (wall distance of curtain rods) 7/13 cm

		↔ x ↑ (cm)	Art. Nr.	EAN
Stainless steel look	4 x 1	160	33744	4 003018 312895
	4 x 1	200	33745	4 003018 312901
	4 x 1	240	33746	4 003018 312918

Number of curtain rings with pleating hooks / X gliders

160 cm	16 pieces / 22 pieces
200 cm	20 pieces / 28 pieces
240 cm	24 pieces / 34 pieces

Curtain rod set 2-track Cone stainless steel look

Curtain rings



Metal, with pleating hooks,
inner Ø 25 mm, outer
Ø 33 mm, width 4 mm

			Art. Nr.	EAN
Stainless steel look	6 x 6		5821	







Curtain rod set 1-track Isa stainless steel look

The curtain rod set Isa in the colour stainless steel look consists of an inner track II curtain rod Ø 20 mm in the lengths 160 cm, 180 cm or 220 cm, matching brackets, end pieces and X-gliders.

Isa 1-track with inner track II Ø 20 mm



Metal, with inner track II,
incl. brackets, end pieces,
fittings and X-gliders,
bracket length (wall dis-
tance of curtain rod) 7.5 cm

			Art. Nr.	EAN
Stainless steel look	4 x 1	160	36313	
	4 x 1	180	36314	
	4 x 1	220	36315	

Number of X-gliders	
160 cm	22 pieces
180 cm	25 pieces
220 cm	31 pieces







Curtain rod set 2-track Isa stainless steel look

The curtain rod set Isa in the colour stainless steel look consists of two inner track II curtain rods Ø 20 mm in the lengths 160 cm, 180 cm or 220 cm, matching brackets, end pieces and X-gliders.

Isa 2-track with inner track II Ø 20 mm



Metal, with inner track II,
incl. brackets, end pieces,
fittings and X-gliders,
bracket length (wall dis-
tance of curtain rods)
5.5 cm / 10.5 cm

			Art. Nr.	EAN
Stainless steel look	4 x 1	160	36320	
	4 x 1	180	36321	
	4 x 1	220	36322	

Number of X-gliders	
160 cm	44 pieces
180 cm	50 pieces
220 cm	62 pieces

Individual Range Country Wood

Country beech







The individual Country range in the colour beech includes curtain rods made of FSC-certified wood with a diameter of 25 mm in lengths of 160 cm, 200 cm and 240 cm, different brackets for 1-track and 2-track drapery, finials, curtain rings and pleating hooks.

Curtain rod Ø 25 mm



Wood





Info: for rod length exceeding 200 cm, use 3 brackets.


		 (cm)	Art. Nr.	EAN
beech	4 x 1	160	33130	
	4 x 1	200	33131	
	4 x 1	240	33132	

Bracket, open, for Ø 25 mm



Wood, for drapery with a curtain rod, incl. fittings, bracket length (wall distance of curtain rod) 12 cm





		 (cm)	Art. Nr.	EAN
beech	4 x 1		33135	




Bracket Rustic, open for Ø 25 mm



Wood, for drapery with a curtain rod, incl. fittings, bracket length (wall distance of curtain rod) 9 cm

		 (cm)	Art. Nr.	EAN
beech	4 x 1		33493	








Country beech

Bracket, short, closed for Ø 25 mm



Wood, for drapery with a curtain rod, incl. fittings, bracket length (wall distance of curtain rod) 5.5 cm





			Art. Nr.	EAN
beech	4 x 1		33494	




Bracket, closed for Ø 25 mm



Wood, for drapery with a curtain rod, incl. fittings, bracket length (wall distance of curtain rod) 17 cm





			Art. Nr.	EAN
beech	4 x 1		33133	




Double support closed for Ø 25 mm



Wood, for drapery with two curtain rods, incl. fittings, bracket length (wall distance of curtain rod) 10.5 cm and 17 cm

			Art. Nr.	EAN
beech	4 x 1		33134	







CURTAIN TECHNOLOGY Ø 25 MM

Country beech

Wall mount for Ø 25 mm







Wood, for mounting in the window recess, incl. fittings

			Art. Nr.	EAN
beech	4 x 1		33136	

End cap cone







Wood

			Art. Nr.	EAN
beech	4 x 2		33138	

Finial Ball for Ø 25 mm







Wood

			Art. Nr.	EAN
beech	4 x 2		33139	

Finial Bullet for Ø 25 mm







Wood

			Art. Nr.	EAN
beech	4 x 2		33140	

End cap for Ø 25 mm



Wood, as finial or end cap for second track

			Art. Nr.	EAN
beech	4 x 2		33141	

Country beech

Curtain rings for Ø 25 mm



Wood, with pleating hooks,
inner Ø 31 mm, outer
Ø 48 mm, width 8.5 mm

			Art. Nr.	EAN
beech	6 x 10		33137	

Pleating hook nature



Plastic, for curtain rings

			Art. Nr.	EAN
Nature	15 x 10		2347	

Pleating hook, crystal clear



Plastic, for curtain rings

			Art. Nr.	EAN
transparent	15 x 10		2350	

Pleating hook, white



Plastic, for curtain rings

			Art. Nr.	EAN
white	15 x 10		5879	

Pleating hook, POM quality



POM = Polyoxymethylene,
particularly dimensionally
stable, for curtain rings,
Ø eyelet 10 mm

			Art. Nr.	EAN
raw white	15 x 10		10007187	

**PARTICULARLY
DIMENSIONALLY STABLE**

Country Castell oak






The individual Country range in the colour castell oak includes curtain rods made of FSC-certified wood with a diameter of 25 mm in lengths of 160 cm, 200 cm and 240 cm, different brackets for 1-track and 2-track drapery, finials, curtain rings and pleating hooks.

Curtain rod Ø 25 mm



Wood




Info: for rod length exceeding 200 cm, use 3 brackets.


		↔ x ↑ (cm)	Art. Nr.	EAN
castell oak	4 x 1	160	33142	
	4 x 1	200	33143	
	4 x 1	240	33144	

Bracket, open, for Ø 25 mm



Wood, for drapery with a curtain rod, incl. fittings, bracket length (wall distance of curtain rod) 12 cm




		↔ x ↑ (cm)	Art. Nr.	EAN
castell oak	4 x 1		33147	




Bracket Rustic, open for Ø 25 mm



Wood, for drapery with a curtain rod, incl. fittings, bracket length (wall distance of curtain rod) 9 cm

		↔ x ↑ (cm)	Art. Nr.	EAN
castell oak	4 x 1		33496	








Country Castell oak

Bracket, short, closed for Ø 25 mm



Wood, for drapery with a curtain rod, incl. fittings, bracket length (wall distance of curtain rod) 5.5 cm





			Art. Nr.	EAN
castell oak	4 x 1		33497	




Bracket, closed for Ø 25 mm



Wood, for drapery with a curtain rod, incl. fittings, bracket length (wall distance of curtain rod) 17 cm





			Art. Nr.	EAN
castell oak	4 x 1		33145	




Double support closed for Ø 25 mm



Wood, for drapery with two curtain rods, incl. fittings, bracket length (wall distance of curtain rod) 10.5 cm and 17 cm

			Art. Nr.	EAN
castell oak	4 x 1		33146	







CURTAIN TECHNOLOGY Ø 25 MM

Country Castell oak

Wall mount for Ø 25 mm







Wood, for mounting in the window recess, incl. fittings

			Art. Nr.	EAN
castell oak	4 x 1		33148	

End cap cone







Wood

			Art. Nr.	EAN
castell oak	4 x 2		33150	

Finial Ball for Ø 25 mm







Wood

			Art. Nr.	EAN
castell oak	4 x 2		33151	

Finial Bullet for Ø 25 mm







Wood

			Art. Nr.	EAN
castell oak	4 x 2		33152	

End cap for Ø 25 mm



Wood, as finial or end cap for second track





			Art. Nr.	EAN
castell oak	4 x 2		33153	

Country Castell oak

Curtain rings for Ø 25 mm







Wood, with pleating hooks,
inner Ø 31 mm, outer
Ø 48 mm, width 8.5 mm

			Art. Nr.	EAN
castell oak	6 x 10		33149	

Pleating hook, crystal clear







Plastic, for curtain rings

			Art. Nr.	EAN
transparent	15 x 10		2350	

Pleating hook, white






Plastic, for curtain rings

			Art. Nr.	EAN
white	15 x 10		5879	

Pleating hook, POM quality



POM = Polyoxymethylene,
particularly dimensionally
stable, for curtain rings,
Ø eyelet 10 mm

			Art. Nr.	EAN
raw white	15 x 10		10007187	

**PARTICULARLY
DIMENSIONALLY STABLE**

Country nut tree brushed



The individual Country range in the colour nut tree brushed includes curtain rods made of FSC-certified wood with a diameter of 25 mm in lengths of 160 cm, 200 cm and 240 cm, different brackets for 1-track and 2-track drapery, finials, curtain rings and pleating hooks.

Curtain rod Ø 25 mm



Wood



Info: for rod length exceeding 200 cm, use 3 brackets.


		↔ x ↑ (cm)	Art. Nr.	EAN
nut tree brushed	4 x 1	160	31471	4 003018 282181
	4 x 1	200	31472	4 003018 282198
	4 x 1	240	31473	4 003018 282204

Bracket, open, for Ø 25 mm



Wood, for drapery with a curtain rod, incl. fittings, bracket length (wall distance of curtain rod) 12 cm



		↔ x ↑ (cm)	Art. Nr.	EAN
nut tree brushed	4 x 1		33156	4 003018 290018




Bracket Rustic, open for Ø 25 mm



Wood, for drapery with a curtain rod, incl. fittings, bracket length (wall distance of curtain rod) 9 cm

		↔ x ↑ (cm)	Art. Nr.	EAN
nut tree brushed	4 x 1		33476	4 003018 295136








Country nut tree brushed

Bracket, short, closed for Ø 25 mm



Wood, for drapery with a curtain rod, incl. fittings, bracket length (wall distance of curtain rod) 5.5 cm





			Art. Nr.	EAN
nut tree brushed	4 x 1		33477	




Bracket, closed for Ø 25 mm



Wood, for drapery with a curtain rod, incl. fittings, bracket length (wall distance of curtain rod) 17 cm





			Art. Nr.	EAN
nut tree brushed	4 x 1		33154	




Double support closed for Ø 25 mm



Wood, for drapery with two curtain rods, incl. fittings, bracket length (wall distance of curtain rod) 10.5 cm and 17 cm

			Art. Nr.	EAN
nut tree brushed	4 x 1		33155	







CURTAIN TECHNOLOGY Ø 25 MM

Country nut tree brushed

Wall mount for Ø 25 mm







Wood, for mounting in the window recess, incl. fittings

			Art. Nr.	EAN
nut tree brushed	4 x 1		33157	

End cap cone







Wood

			Art. Nr.	EAN
nut tree brushed	4 x 2		33159	

Finial Ball for Ø 25 mm







Wood

			Art. Nr.	EAN
nut tree brushed	4 x 2		33160	

Finial Bullet for Ø 25 mm







Wood

			Art. Nr.	EAN
nut tree brushed	4 x 2		33161	

End cap for Ø 25 mm



Wood, as finial or end cap for second track





			Art. Nr.	EAN
nut tree brushed	4 x 2		33162	

Country nut tree brushed

Curtain rings for Ø 25 mm







Wood, with pleating hooks,
inner Ø 31 mm, outer
Ø 48 mm, width 8.5 mm

			Art. Nr.	EAN
nut tree brushed	6 x 10		33158	

Pleating hook, crystal clear







Plastic, for curtain rings

			Art. Nr.	EAN
transparent	15 x 10		2350	

Pleating hook, white






Plastic, for curtain rings

			Art. Nr.	EAN
white	15 x 10		5879	

Pleating hook, POM quality



POM = Polyoxymethylene,
particularly dimensionally
stable, for curtain rings,
Ø eyelet 10 mm

			Art. Nr.	EAN
raw white	15 x 10		10007187	

**PARTICULARLY
DIMENSIONALLY STABLE**

Individual Range Windsor Metal

Windsor stainless steel look


The individual Windsor range in the stainless steel look includes curtain rods made of metal with a diameter of 25 mm in lengths of 120 cm, 160 cm, 200 cm and 240 cm, different brackets for 1-track and 2-track drapery, finials, curtain rings, pleating hooks and curtain rod connectors.








Curtain rod Ø 25 mm



Metal

Info: for rod length exceeding 200 cm, use 3 brackets.



		 (cm)	Art. Nr.	EAN
Stainless steel look	4 x 1	120	30400	
	4 x 1	160	30401	
	4 x 1	200	30402	
	4 x 1	240	30403	







Curtain rod with inner track I Ø 25 mm



Metal, track channel approx. 6 mm, usable as curtain rod or curtain rod with inner track

Info: for curtain rod length 200 cm or more, use 3 brackets.







		 (cm)	Art. Nr.	EAN
Stainless steel look	4 x 1	160	32200	
	4 x 1	200	32201	
	4 x 1	240	32202	


Windsor stainless steel look

Bracket, open, for Ø 25 mm



Metal, for drapery with a curtain rod, with metal mounting plate, incl. fittings, bracket length (wall distance of curtain rod) 8 cm





			Art. Nr.	EAN
Stainless steel look	4 x 1		30405	




Bracket 1-track, open for Ø 25 mm



Metal, for drapery with a curtain rod or curtain rod with inner track (fastening with screw), with metal mounting plate, incl. fittings, bracket length (wall distance of curtain rod) 8 cm





			Art. Nr.	EAN
Stainless steel look	4 x 1		32557	




Bracket Rustic, open for Ø 25 mm



Metal, can be shortened, for drapery with a curtain rod or curtain rod with inner track, with metal mounting plate, incl. fittings, bracket length (wall distance of curtain rod) 12 cm

			Art. Nr.	EAN
Stainless steel look	4 x 1		30404	








Windsor stainless steel look

Double combined support, open, for Ø 20/25 mm



Metal, rotatable, front track for curtain rod Ø 25 mm, rear track for curtain rod Ø 20 mm or for curtain rod with inner track Ø 20 mm (Chicago product range), with metal mounting plate, incl. fittings, bracket length (wall distance of curtain rods) 8 cm and 14.5 cm








			Art. Nr.	EAN
Stainless steel look	4 x 1		30406	

Bracket combined, 2-track, open, for Ø 25/25 mm



Metal, rotatable, for drapery with two curtain rods and/or curtain rods with inner track (fastening with screw), with metal mounting plate, incl. fittings, bracket length (wall distance of curtain rods) 8 cm and 14.5 cm








			Art. Nr.	EAN
Stainless steel look	4 x 1		32558	

Universal bracket 1 and 2-track for Ø 25 mm



Metal, can be used for individual Windsor product range, incl. one ring adapter each for curtain rod and one cross adapter for curtain rod with inner track, the universal bracket can be used for 1-track and 2-track drapes, the distances between track 1 and 2 can be adjusted as required, bracket length 15 cm, wall distance of curtain rod(s) approx. 7.5 cm - 13 cm







			Art. Nr.	EAN
Stainless steel look	4 x 1		32044	

Windsor stainless steel look

Bracket extension for Universal bracket







Metal, suitable for larger wall clearances, also for drapery with eyelet tab-top curtains, suitable for 3-track drapery in combination with ring adapter or cross adapter

			Art. Nr.	EAN
Stainless steel look	4 x 1	18	33883	

Ring-adapter for universal bracket for Ø 25 mm







Metal, for curtain rod and curtain rod with inner track Ø 25 mm


			Art. Nr.	EAN
Stainless steel look	4 x 2		32045	

Cross adapter for universal bracket



Aluminium, for curtain rods with inner track I Ø 16, Ø 20 and Ø 25 mm as well as inner track II Ø 20 mm - can also be used as a connector

			Art. Nr.	EAN
Aluminium	4 x 2	3,7 x 2,6 x 0,9	33884	








Windsor stainless steel look

Ceiling bracket for Ø 25 mm



Aluminium, for drapery with a curtain rod or curtain rod with inner track, with metal mounting plate, incl. fittings, ceiling distance of curtain rod 8 cm





			Art. Nr.	EAN
Stainless steel look	4 x 1		32602	



Wall mount for Ø 25 mm







Metal, for mounting in the window niche, incl. fittings

			Art. Nr.	EAN
Stainless steel look	4 x 1		30407	

Finial Cylinder for Ø 25 mm







Metal

			Art. Nr.	EAN
Stainless steel look	4 x 2		30411	

End cap cone



Metal





			Art. Nr.	EAN
Stainless steel look	4 x 2		30412	

Windsor stainless steel look

Finial Cone for Ø 25 mm







Metal

			Art. Nr.	EAN
Stainless steel look	4 x 2		30414	

Finial Cap for Ø 25 mm







Metal

			Art. Nr.	EAN
Stainless steel look	4 x 2		30478	

Finial Ball for Ø 25 mm







Metal

			Art. Nr.	EAN
Stainless steel look	4 x 2		32203	





End cap for Ø 25 mm

Metal, as finial or end cap
for second track

			Art. Nr.	EAN
Stainless steel look	4 x 2		32204	

Curtain rings with gliding inlay for Ø 25 mm

Metal, with pleating hooks,
inner Ø 33 mm, outer
Ø 42 mm, width 4 mm

			Art. Nr.	EAN
Stainless steel look	6 x 10		30408	

Windsor bronze



The individual Windsor range in the colour bronze includes curtain rods made of metal with a diameter of 25 mm, different brackets for 1-track and 2-track drapery, end pieces and curtain rings.


Curtain rod Ø 25 mm



Metal

Info: for rod length exceeding 200 cm, use 3 brackets.

		↔ x ↑ (cm)	Art. Nr.	EAN
bronze	4 x 1	160	30501	4 003018 252702
	4 x 1	200	30502	4 003018 252719
	4 x 1	240	30503	4 003018 252726





Curtain rod with inner track I Ø 25 mm



Metal, track channel approx. 6 mm, usable as curtain rod or curtain rod with inner track

Info: for curtain rod length 200 cm or more, use 3 brackets.



		↔ x ↑ (cm)	Art. Nr.	EAN
bronze	4 x 1	160	32210	4 003018 329367
	4 x 1	200	32211	4 003018 329374
	4 x 1	240	32212	4 003018 329381




Bracket, open, for Ø 25 mm



Metal, for drapery with a curtain rod, with metal mounting plate, incl. fittings, bracket length (wall distance of curtain rod) 8 cm

		↔ x ↑ (cm)	Art. Nr.	EAN
bronze	4 x 1		30505	4 003018 252740








Windsor bronze

Bracket 1-track, open for Ø 25 mm



Metal, for drapery with a curtain rod or curtain rod with inner track (fastening with screw), with metal mounting plate, incl. fittings, bracket length (wall distance of curtain rod) 8 cm





			Art. Nr.	EAN
bronze	4 x 1		32559	




Bracket Rustic, open for Ø 25 mm



Metal, can be shortened, for drapery with a curtain rod or curtain rod with inner track, with metal mounting plate, incl. fittings, bracket length (wall distance of curtain rod) 12 cm





			Art. Nr.	EAN
bronze	4 x 1		30504	




Double combined support, open, for Ø 20/25 mm



Metal, rotatable, front track for curtain rod Ø 25 mm, rear track for curtain rod Ø 20 mm or for curtain rod with inner track Ø 20 mm (Chicago product range), with metal mounting plate, incl. fittings, bracket length (wall distance of curtain rods) 8 cm and 14.5 cm

			Art. Nr.	EAN
bronze	4 x 1		30506	








Windsor bronze

Bracket combined, 2-track, open, for Ø 25/25 mm



Metal, rotatable, for drapery with two curtain rods and/or curtain rods with inner track (fastening with screw), with metal mounting plate, incl. fittings, bracket length (wall distance of curtain rods) 8 cm and 14.5 cm








			Art. Nr.	EAN
bronze	4 x 1		32560	

Universal bracket 1 and 2-track for Ø 25 mm




Metal, can be used for individual Windsor product range, incl. one ring adapter each for curtain rod and one cross adapter for curtain rod with inner track, the universal bracket can be used for 1-track and 2-track drapes, the distances between track 1 and 2 can be adjusted as required, bracket length 15 cm, wall distance of curtain rod(s) approx. 7.5 cm - 13 cm







			Art. Nr.	EAN
bronze	4 x 1		32213	

Bracket extension for Universal bracket



Metal, suitable for larger wall clearances, also for drapery with eyelet tab-top curtains, suitable for 3-track drapery in combination with ring adapter or cross adapter

			Art. Nr.	EAN
bronze	4 x 1	18	32215	

Windsor bronze

Ring adapter for universal bracket for Ø 25 mm



Metal, for curtain rod and curtain rod with inner track Ø 25 mm


			Art. Nr.	EAN
bronze	4 x 2		32214	

Cross adapter for universal bracket



Aluminium, for curtain rods with inner track I Ø 16, Ø 20 and Ø 25 mm as well as inner track II Ø 20 mm - can also be used as a connector

			Art. Nr.	EAN
Aluminium	4 x 2	3,7 x 2,6 x 0,9	33884	




Ceiling bracket for Ø 25 mm



Aluminium, for drapery with a curtain rod or curtain rod with inner track, with metal mounting plate, incl. fittings, ceiling distance of curtain rod 8 cm

			Art. Nr.	EAN
bronze	4 x 1		32603	







CURTAIN TECHNOLOGY Ø 25 MM

Windsor bronze

Wall mount for Ø 25 mm







Metal, for mounting in the window niche, incl. fittings

			Art. Nr.	EAN
bronze	4 x 1		30507	

Finial Cylinder for Ø 25 mm







Metal

			Art. Nr.	EAN
bronze	4 x 2		30511	

End cap cone







Metal

			Art. Nr.	EAN
bronze	4 x 2		30512	

Finial Cone for Ø 25 mm







Metal

			Art. Nr.	EAN
bronze	4 x 2		30514	

Finial Cap for Ø 25 mm



Metal





			Art. Nr.	EAN
bronze	4 x 2		30578	

Windsor bronze

Finial Ball for Ø 25 mm







Metal

			Art. Nr.	EAN
bronze	4 x 2		32216	





End cap for Ø 25 mm

Metal, as finial or end cap
for second track

			Art. Nr.	EAN
bronze	4 x 2		32217	

Curtain rings with gliding inlay for Ø 25 mm

Metal, with pleating hooks,
inner Ø 33 mm, outer
Ø 42 mm, width 4 mm

			Art. Nr.	EAN
bronze	6 x 10		30508	

Accessories





The accessories for the individual Windsor range made from metal include connectors for curtain rods and curtain rods with inner track I, various gliders and a matching end stop for the inner track I curtain rods.


Connector for curtain rods Ø 25 mm



Plastic

Info: Always position a
bracket at the connection
point.

			Art. Nr.	EAN
white	4 x 1		30526	



Accessories


Connector for curtain rods with inner track I for Ø 25 mm



Metal, for extension of curtain rods with inner track I

Info: always place bracket at the connection point.

			Art. Nr.	EAN
galvanized	4 x 1		32218	



Duo X-glider



Plastic, rotating head, therefore suitable for curtain rails and curtain rods with inner track and 4 or 6 mm track channel

			Art. Nr.	EAN
white	10 x 25		32175	



X glider



Plastic, with pleating hooks, for 6 mm track channel, suitable for panel curtain rails, 13 mm aluminium rails, aluminium curtain rails, curtain rods Luxor, curtain rods with inner track Ø 16, 20 and 25 mm





			Art. Nr.	EAN
white	15 x 25		4974	

Accessories

X glider with clip



plastic/metal, rotating head, for 6 mm track channel, suitable for panel curtain rails, 13 mm aluminium rails, aluminium curtain rails, curtain rods Luxor, curtain rails with inner track Ø 16, 20 and 25 mm





			Art. Nr.	EAN
white	10 x 20		4984	

Click glider Maxi



Plastic, with pleating hook, for curtain rails and rods with track channel width 6 mm, suitable for aluminium rails 13 mm, aluminium curtain rails, Luxor curtain rods, curtain rods with inner track I Ø 16, 20 and 25 mm, curtain rods with inner track II Ø 19 and 20 mm

Info: Simply click into the track channel at any point.

			Art. Nr.	EAN
white	15 x 20		4979	





Glider for 6 mm track channel




**PARTICULARLY
DIMENSIONALLY STABLE**

POM = Polyoxymethylene, particularly dimensionally stable, with rotatable pleating hook, suitable for aluminium rails 13 mm, aluminium curtain rails, Luxor curtain rails, curtain rails with inner track I Ø 16, 20 and 25 mm, curtain rails with inner runner II Ø 19 and 20 mm


Info: Simply screw into and out of the track channel at any point.

			Art. Nr.	EAN
white	10 x 20		31552	







Accessories

Loop glider




Plastic, for draping tab-top curtains on curtain rods with inner track I Ø 16, 20 or 25 mm, inner track II Ø 19 and 20 mm, GE and P2Ü curtain rails, Luxor curtain rods, aluminium rails 13 mm, Atlanta panel fabric rails and aluminium curtain rails

Tip: Pleat curtains can be hung and removed without removing the loop gliders.





			Art. Nr.	EAN
white	6 x 10		10011067	

Loop glider with X gliders and rollers



Plastic, for draping tab-top curtains, rollers for use in curtain rails GE and P2Ü, X-gliders for use in curtain rods with inner track Ø 16, 20 and 25 mm, Luxor curtain rods, aluminium rails 13 mm, Atlanta panel curtain rails and aluminium curtain rails





Tip: tab-top curtains can be hung and removed without removing the loop gliders.

			Art. Nr.	EAN
white	6 x 10	5,9	148	

End stop




Metal/plastic, for curtain rods with inner track and Luxor, fixes the fabric at the desired position

			Art. Nr.	EAN
white	15 x 2		10972	





Accessories

Click in-out glider



Plastic, with rotatable pleating hook, for curtain rails and rods with track channel width 6 mm, suitable for aluminium rails 13 mm, aluminium curtain rails, Luxor curtain rods, curtain rods with inner track I Ø 20 and 25 mm, curtain rods with inner track II Ø 19 and 20 mm

Info: Simply click into and out of the track channel at any point.

			Art. Nr.	EAN
white	10 x 20		36161	

Individual Range Industrial Home

Industrial Home black







Inspired by the design of water pipes and the current trend theme Industrial Home, the individual Industrial Home range in black offers plenty of room for implementing your own creative ideas. It includes curtain rods, brackets, wall brackets, corner pieces, T-pieces, end caps, curtain rings and S-hooks. The individual Industrial Home range inspires with a high level of attention to detail and diverse components that offer a multitude of combination and usage options.

Curtain rod Ø 25 mm



Metal





Info: For rod length of 200 cm or greater, use 3 supports

			Art. Nr.	EAN
Black	4 x 1	160	36233	
	4 x 1	200	36234	
	4 x 1	240	36235	

Bracket for Ø 25 mm



Metal, for drapery with a curtain rod, incl. fittings

			Art. Nr.	EAN
Black	4 x 1	10	36236	





CURTAIN TECHNOLOGY Ø 25 MM

Industrial Home black

Wall mount for Ø 25 mm





Metal, for mounting in the window niche, incl. fittings

			Art. Nr.	EAN
Black	4 x 1		36237	

End piece for Ø 25 mm







Metal, for Industrial Home curtain rod, 90° angle

			Art. Nr.	EAN
Black	4 x 1		36238	

T-piece for Ø 25 mm







Metal, for Industrial Home curtain rod

			Art. Nr.	EAN
Black	4 x 1		36239	

End cap for Ø 25 mm







Metal/plastic, as end piece

			Art. Nr.	EAN
Black	4 x 2		36240	

Curtain rings with gliding inlay for Ø 25 mm



Metal, with clips and pleating hooks, inner Ø 33 mm, outer Ø 42 mm, width 4 mm



			Art. Nr.	EAN
Black	6 x 10		36241	

Industrial Home black

S-hook for Ø 25 mm



Metal

			Art. Nr.	EAN
Black	6 x 10		36242	

Industrial Home silver







Inspired by the design of water pipes and the current trend theme Industrial Home, the individual Industrial Home range in silver offers plenty of room for implementing your own creative ideas. It includes curtain rods, brackets, wall brackets, corner pieces, T-pieces, end caps, curtain rings and S-hooks. The individual Industrial Home range inspires with a high level of attention to detail and diverse components that offer a multitude of combination and usage options.

Curtain rod Ø 25 mm



Metal

Info: For rod length of 200 cm or greater, use 3 supports





			Art. Nr.	EAN
silver	4 x 1	160	36244	
	4 x 1	200	36245	
	4 x 1	240	36246	

Bracket for Ø 25 mm



Metal, for drapery with a curtain rod, incl. fittings




Info: For fixing a curtain rod, a corner piece (art. no. 36249) or T-piece (art. no. 36250) is additionally required.

			Art. Nr.	EAN
silver	4 x 1	10	36247	

Wall mount for Ø 25 mm



Metal, for mounting in the window niche, incl. fittings

			Art. Nr.	EAN
silver	4 x 1		36248	





CURTAIN TECHNOLOGY Ø 25 MM

Industrial Home silver

End piece for Ø 25 mm







Metal, for Industrial Home curtain rod, 90° angle

			Art. Nr.	EAN
silver	4 x 1		36249	

T-piece for Ø 25 mm







Metal, for Industrial Home curtain rod

			Art. Nr.	EAN
silver	4 x 1		36250	

End cap for Ø 25 mm







Metal/plastic, as end piece

			Art. Nr.	EAN
silver	4 x 2		36251	

Curtain rings with gliding inlay for Ø 25 mm







Metal, with clips and pleating hooks, inner Ø 33 mm, outer Ø 42 mm, width 4 mm

			Art. Nr.	EAN
silver	6 x 10		36252	

S-hook for Ø 25 mm



Metal

			Art. Nr.	EAN
silver	6 x 10		36253	

Curtain rod set Ø 25 mm fixed length






Curtain rod set 1-track Boccia stainless steel look

The curtain rod set Boccia Ø 25 mm in stainless steel look includes end pieces and brackets incl. fixing material. Optionally available are colour-matched curtain rings with pleating hooks.

Boccia 1-track Ø 25 mm







Metal, including brackets, finials and fittings, without curtain rings, brackets extendable 10.5 to 12 cm

			Art. Nr.	EAN
Stainless steel look	4 x 1	160	31103	
	4 x 1	200	31104	

Curtain rings with gliding inlay for Ø 25 mm



Metal, with pleating hooks, inner Ø 33 mm, outer Ø 42 mm, width 4 mm

			Art. Nr.	EAN
Stainless steel look	6 x 10		30408	







Curtain rod set 1-track Belamy stainless steel look

The curtain rod set Belamy Ø 25 mm in stainless steel look is available in the lengths 160 cm, 200 cm and 240 cm. The scope of delivery includes end pieces and brackets incl. fixing material. Optionally available are colour-matched curtain rings with pleating hooks.

Belamy 1-track Ø 25 mm







Metal, including brackets, finials and fittings, without curtain rings, brackets extendable 10.5 to 12 cm

			Art. Nr.	EAN
Stainless steel look	4 x 1	160	31106	
	4 x 1	200	31107	
	4 x 1	240	31108	

Curtain rings with gliding inlay for Ø 25 mm



Metal, with pleating hooks, inner Ø 33 mm, outer Ø 42 mm, width 4 mm

			Art. Nr.	EAN
Stainless steel look	6 x 10		30408	

CURTAIN TECHNOLOGY Ø 25 MM

Curtain rod set Ø 22/25 mm extendable






Curtain rod set 1-track Cylinder stainless steel look

The extendable curtain rod set cylinder Ø 22/25 mm in stainless steel look contains brackets, end pieces and fixing material. Matching curtain rings with pleat hooks are optionally available.

Cylinder 1-track Ø 22/25 mm







metal, extendable, incl. brackets, end pieces and fittings, without curtain rings, from rod length 190-360 cm with 3 brackets, bracket length (wall distance of curtain rod) 9.5 cm

		 x (cm)	Art. Nr.	EAN
Stainless steel look	4 x 1	100-190	30222	
	4 x 1	190-360	33670	

Curtain rings with gliding inlay



Metal, with pleating hooks, inner Ø 32.5 mm, outer Ø 42 mm, width 4 mm

		 x (cm)	Art. Nr.	EAN
Stainless steel look	6 x 10		30226	






Curtain rod set 1-track Cylinder bronze

The extendable curtain rod set cylinder Ø 22/25 mm in bronze contains brackets, end pieces and fixing material. Matching curtain rings with pleat hooks are optionally available.

Cylinder 1-track Ø 22/25 mm







metal, extendable, incl. brackets, end pieces and fittings, without curtain rings, from rod length 190-360 cm with 3 brackets, bracket length (wall distance of curtain rod) 9.5 cm

		 x (cm)	Art. Nr.	EAN
bronze	4 x 1	100-190	30223	
	4 x 1	190-360	33671	

Curtain rings with gliding inlay



Metal, with pleating hooks, inner Ø 32.5 mm, outer Ø 42 mm, width 4 mm

		 x (cm)	Art. Nr.	EAN
bronze	6 x 10		30227	

Curtain rod set Ø 28 mm fixed length









Curtain rod set 1-track Lugano wood

The curtain rod set Lugano Ø 28 mm, made of wood in the colour nature, is available in lengths of 120 cm, 160 cm, 200 cm, 250 cm and 300 cm. The delivery includes finials, curtain rings and brackets with fittings. Further brackets, wall mountings, finials, curtain rings and scarf holders are optionally available.

Lugano Classic 1-track Ø 28 mm



Wood, complete with finials, brackets, rings with pleating hooks and fittings, from 250 cm with 3 brackets, bracket length (wall distance of the curtain rod) 17 cm

		 x (cm)	Art. Nr.	EAN
Nature	4 x 1	120	5600	
	4 x 1	160	5602	
	4 x 1	200	5793	
	4 x 1	250	5605	
	4 x 1	300	5606	





Number of curtain rings with pleating hooks


120 cm	12 pieces
160 cm	16 pieces
200 cm	20 pieces
250 cm	25 pieces
300 cm	30 pieces

Bracket, closed for Ø 28 mm



Wood, can be shortened, for drapery with a curtain rod, incl. fittings, bracket length (wall distance of curtain rod) 17 cm

		 x (cm)	Art. Nr.	EAN
Nature	6 x 1		5630	



Curtain rod set 1-track Lugano wood

Wall mount for Ø 28 mm



Wood, for mounting in the window recess, incl. fittings

			Art. Nr.	EAN
Nature	6 x 1 Pair		554	

Finial Lugano for Ø 28 mm



Wood

			Art. Nr.	EAN
Nature	6 x 1		4286	

Curtain rings for Ø 28 mm



Wood, with pleating hooks, inner Ø 37 mm, outer Ø 56 mm, width 9 mm

			Art. Nr.	EAN
Nature	10 x 10		462	

Wood holdback, with hook



Wood, with 2 transparent plastic hooks, incl. fittings

			Art. Nr.	EAN
Nature	10 x 1	8	433	

Pleating hook nature



Plastic, for curtain rings

			Art. Nr.	EAN
Nature	15 x 10		2347	

Curtain rod set 1-track Lugano wood

The curtain rod set Lugano Ø 28 mm, made of wood in the colour pine, is available in lengths of 120 cm, 160 cm, 200 cm, 250 cm and 300 cm. The delivery includes finials, curtain rings and brackets with fittings. Further brackets, wall mountings, finials, curtain rings and scarf holders are optionally available.

Lugano Classic 1-track Ø 28 mm



Wood, complete with finials, brackets, rings with pleating hooks and fittings, from 250 cm with 3 brackets, bracket length (wall distance of the curtain rod) 17 cm

		↔ x ↑ (cm)	Art. Nr.	EAN
pine	4 x 1	120	5780	4 003018 057802
	4 x 1	160	5782	4 003018 057826
	4 x 1	200	5784	4 003018 057840
	4 x 1	250	5787	4 003018 057871
	4 x 1	300	5788	4 003018 057888

Number of curtain rings with pleating hooks


120 cm	12 pieces
160 cm	16 pieces
200 cm	20 pieces
250 cm	25 pieces
300 cm	30 pieces

Bracket, closed for Ø 28 mm



Wood, can be shortened, for drapery with a curtain rod, incl. fittings, bracket length (wall distance of curtain rod) 17 cm

		↔ x ↑ (cm)	Art. Nr.	EAN
pine	6 x 1		5633	4 003018 056331



Wall mount for Ø 28 mm



Wood, for mounting in the window recess, incl. fittings





		↔ x ↑ (cm)	Art. Nr.	EAN
pine	6 x 1 Pair		494	4 003018 004943

CURTAIN TECHNOLOGY Ø 28 MM

Finial Lugano for Ø 28 mm







Wood

			Art. Nr.	EAN
pine	6 x 1		4288	

Curtain rings for Ø 28 mm







Wood, with pleating hooks,
inner Ø 37 mm, outer
Ø 56 mm, width 9 mm

			Art. Nr.	EAN
pine	10 x 10		463	

Pleating hook







Plastic, for curtain rings

			Art. Nr.	EAN
pine	15 x 10		2353	

Wood holdback, with hook



Wood, with 2 transparent
plastic hooks, incl. fittings

			Art. Nr.	EAN
pine	10 x 1	8	388	









Curtain rod set 1-track Lugano wood

The curtain rod set Lugano Ø 28 mm, made of wood in the colour colonial, is available in lengths of 120 cm, 160 cm, 200 cm, 250 cm and 300 cm. The delivery includes end pieces, curtain rings and brackets with fittings. Further brackets, wall brackets and curtain rings are optionally available.

Lugano Classic 1-track Ø 28 mm



Wood, complete with finials, brackets, rings with pleating hooks and fittings, from 250 cm with 3 brackets, bracket length (wall distance of the curtain rod) 17 cm

		 (cm)	Art. Nr.	EAN
nut tree	4 x 1	120	5635	
	4 x 1	160	5636	
	4 x 1	200	5637	
	4 x 1	250	5638	
	4 x 1	300	5607	




Number of curtain rings with pleating hooks


120 cm	12 pieces
160 cm	16 pieces
200 cm	20 pieces
250 cm	25 pieces
300 cm	30 pieces

Bracket, closed for Ø 28 mm



Wood, can be shortened, for drapery with a curtain rod, incl. fittings, bracket length (wall distance of curtain rod) 17 cm





		 (cm)	Art. Nr.	EAN
nut tree	6 x 1		5628	



Wall mount for Ø 28 mm



Wood, for mounting in the window recess, incl. fittings





		 (cm)	Art. Nr.	EAN
nut tree	6 x 1 Pair		5629	

Curtain rod set 1-track Lugano wood

Curtain rings for Ø 28 mm







Wood, with pleating hooks,
inner Ø 37 mm, outer
Ø 56 mm, width 9 mm

			Art. Nr.	EAN
nut tree	10 x 10		5627	

Pleating hook







Plastic, for curtain rings

			Art. Nr.	EAN
nut tree	15 x 10		2346	

Hook with clip







Plastic, for curtain rings
with Ø 28 mm, Ø eyelet
10 mm

			Art. Nr.	EAN
transparent	15 x 6		164	

Pleating hook, crystal clear







Plastic, for curtain rings

			Art. Nr.	EAN
transparent	15 x 10		2350	

Pleating hook, white



Plastic, for curtain rings





			Art. Nr.	EAN
white	15 x 10		5879	

Curtain rod set 1-track Lugano wood

Pleating hook, POM quality



POM = Polyoxymethylene, particularly dimensionally stable, for curtain rings, Ø eyelet 10 mm

			Art. Nr.	EAN
raw white	15 x 10		10007187	

PARTICULARLY
DIMENSIONALLY STABLE









Curtain rod set 1-track Bifo

The curtain rod set Bifo Ø 28 mm in the colour white, is available in lengths of 120 cm, 160 cm, 200 cm, 250 cm and 300 cm. The delivery includes finials, curtain rings and brackets with fittings. Further brackets, wall mountings, finials, curtain rings and scarf holders are optionally available.

Bifo 1-track Ø 28 mm



Metal (plastic coated), with plastic finials, brackets, rings with pleating hooks and fittings, bracket length (wall distance of the curtain rod) 17 cm

			Art. Nr.	EAN
white	4 x 1	120	2718	
	4 x 1	160	21	
	4 x 1	200	19	
	4 x 1	250	18	
	4 x 1	300	24	





Number of curtain rings with pleating hooks


120 cm	12 pieces
160 cm	16 pieces
200 cm	20 pieces
250 cm	25 pieces
300 cm	30 pieces

Bracket, closed for Ø 28 mm



Plastic, can be shortened, for drapery with a curtain rod, incl. fittings, bracket length (wall distance of curtain rod) 17 cm

			Art. Nr.	EAN
white	6 x 1		509	







Curtain rod set 1-track Bifo

Wall mount for Ø 28 mm







Plastic, for mounting in the window recess, incl. fittings

			Art. Nr.	EAN
white	6 x 1		1566	

Curtain rings for Ø 28 mm



Plastic, with pleating hooks, inner Ø 40 mm, outer Ø 56 mm, width 8 mm


			Art. Nr.	EAN
white	10 x 10		458	


Connector for curtain rods for Ø 28 mm



Plastic

Info: Always position a bracket at the connection point.





			Art. Nr.	EAN
white	10 x 1	8,3	2351	



Plastic holdback, with hook



Plastic, with 2 plastic hooks, incl. mounting material





			Art. Nr.	EAN
white	6 x 1	8	824	

Curtain rod set 1-track Bifo

Pleating hook, crystal clear







Plastic, for curtain rings

			Art. Nr.	EAN
transparent	15 x 10		2350	

Pleating hook, white







Plastic, for curtain rings

			Art. Nr.	EAN
white	15 x 10		5879	

Pleating hook, POM quality



POM = Polyoxymethylene,
particularly dimensionally
stable, for curtain rings,
Ø eyelet 10 mm

			Art. Nr.	EAN
raw white	15 x 10		10007187	

**PARTICULARLY
DIMENSIONALLY STABLE**









U-TYPE SLIDING RAIL METAL

U-type sliding rail white

U-type sliding rail







Metal, complete with plastic end caps, wheel rings and brackets for fixing as additional rail for curtain rod set LUGANO Ø 28 mm or BIFO Ø 28 mm, from 240 cm with 3 brackets

		 (cm)	Art. Nr.	EAN
white	4 x 1	110	2796	
	4 x 1	150	884	
	4 x 1	190	2788	
	4 x 1	240	887	
	4 x 1	290	888	

Ceiling bracket for U-type sliding rail







Metal, incl. fittings

		 (cm)	Art. Nr.	EAN
white	10 x 4		127	

Wall mount for U-type sliding rail



Metal, incl. fittings

		 (cm)	Art. Nr.	EAN
white	10 x 2		128	

Holder with end caps for U-type sliding rails



Plastic, for mounting U-type track rails to curtain rod brackets with shaft diameter 15 and 18 mm









		 (cm)	Art. Nr.	EAN
white	10 x 2 Sets		882	

U-type sliding rail beige

U-type sliding rail



Metal, complete with plastic end caps, wheel rings and brackets for fixing as additional rail for curtain rod set LUGANO Ø 28 mm or BIFO Ø 28 mm, from 240 cm with 3 brackets

		 (cm)	Art. Nr.	EAN
beige	4 x 1	110	2800	
	4 x 1	150	2802	
	4 x 1	190	2795	
	4 x 1	240	2805	
	4 x 1	290	2806	

Holder with end caps for U-type sliding rails



Plastic, for mounting U-type track rails to curtain rod brackets with shaft diameter 15 and 18 mm

			Art. Nr.	EAN
beige	10 x 2 Sets		2808	4 003018 028086

U-type sliding rail bronze

U-type sliding rail



Metal, complete with plastic end caps, wheel rings and brackets for fixing as additional rail for curtain rod set LUGANO Ø 28 mm or BIFO Ø 28 mm, from 240 cm with 3 brackets

			Art. Nr.	EAN
bronze	4 x 1	110	2797	4 003018 027973
	4 x 1	150	876	4 003018 008767
	4 x 1	190	2790	4 003018 027904
	4 x 1	240	2799	4 003018 027997
	4 x 1	290	878	4 003018 008781

Holder with end caps for U-type sliding rails



Plastic, for mounting U-type track rails to curtain rod brackets with shaft diameter 15 and 18 mm

			Art. Nr.	EAN
bronze	10 x 2 Sets		881	4 003018 008811

U-type sliding rail chrome

U-type sliding rail



Metal, complete with plastic end caps, wheel rings and brackets for fixing as additional rail for curtain rod set LUGANO Ø 28 mm or BIFO Ø 28 mm, from 240 cm with 3 brackets

			Art. Nr.	EAN
chrome	4 x 1	150	2882	4 003018 028826
	4 x 1	190	2884	4 003018 028840
	4 x 1	240	2886	4 003018 028864





U-TYPE SLIDING RAIL METAL

Accessories

Roll rings for U-type sliding rails







Plastic

			Art. Nr.	EAN
white	15 x 20		120	

Roll rings with clamp for U-type sliding rails







Plastic

			Art. Nr.	EAN
white	15 x 12		122	

End stop for U-rails







Plastic

			Art. Nr.	EAN
white	15 x 6		138	

Variable holder for U-type sliding rails



Plastic, for mounting U-type track rails to curtain rod brackets

			Art. Nr.	EAN
white	10 x 2		874	

Holder with end caps for U-type sliding rails



Plastic, for mounting U-type track rails to curtain rod brackets with shaft diameter 15 and 18 mm

			Art. Nr.	EAN
transparent	10 x 2 Sets		875	



TENSION WIRE SET

Tension Wire Set Ring chrome





The tension wire set Ring in the colour chrome is available in 5 m length and can be shortened individually. As the name Ring suggests, the ends on the right and left are ring-shaped. Fixing material for niche mounting is included in the scope of delivery.

Ring



Metal, for niche mounting, incl. mounting hardware, rope thickness approx. 1.9 mm

Info: Mount only on a solid surface!!

			Art. Nr.	EAN
chrome	5 x 1 Set	500	191	

Tension Wire Set Sidney chrome





The tension wire set Sydney in the colour chrome is available in 5 m length and can be shortened individually. The ends on the right and left are designed in a triangular shape. Fixing material for niche mounting is included in the scope of delivery.

Sidney



Metal, for niche mounting, incl. mounting hardware, rope thickness approx. 1.9 mm

Info: Mount only on a solid surface!!

			Art. Nr.	EAN
chrome	5 x 1 Set	500	240	

Tension Wire Set Pavo chrome





The tension wire set Pavo in the colour chrome is available in 5 m length and can be shortened individually. It is mounted by means of a wall bracket at a 90 degree angle.

Pavo 1-rod



Metal, for wall mounting, wall distance 4 cm, incl. mounting hardware, rope thickness approx. 1.9 mm

Info: Mount only on a solid surface!!

			Art. Nr.	EAN
chrome	5 x 1 Set	500	91	

TENSION WIRE SET

Tension Wire Set Bullet aluminium





The tension wire set Cartridge in the colour aluminium is available in 5 m length. The end on the right and left is designed in the shape of a cartridge. Fixing material for niche mounting is included in the scope of delivery. A bracket is optionally available that also enables wall or ceiling mounting.

Bullet



Metal, for niche mounting, incl. mounting hardware, rope thickness approx. 1.9 mm

Info: Mount only on a solid surface!!





			Art. Nr.	EAN
Aluminium	5 x 1 Set	500	241	


Bracket



Metal, for wall and ceiling mounting of the tension wire set Cartridge, incl. mounting hardware, wall distance 6 cm

Info: Mount only on a solid surface!

			Art. Nr.	EAN
Aluminium	5 x 2	6	295	



Tension Wire Set Race chrome





The tension wire set Race in the colour chrome is available in 5 m length. The ingenious technology with joint enables both wall and niche mounting. The angle to the bracket base at which the cable is tensioned is almost freely selectable.

Race



Metal, with joint, suitable for wall or niche mounting, wall distance with 90° angled joint approx. 2 cm, incl. fittings, cable thickness approx. 1.9 mm

Info: Mount only on solid surface!

			Art. Nr.	EAN
chrome	5 x 1 Set	500	2626	

Tension Wire Set Race silver-matt

The tension wire set Race in the colour silver-matt is available in 5 m length. The ingenious technology with joint enables both wall and niche mounting. The angle to the bracket base at which the cable is tensioned is almost freely selectable.

Race



Metal, with joint, suitable for wall or niche mounting, wall distance with 90° angled joint approx. 2 cm, incl. fittings, cable thickness approx. 1.9 mm

Info: Mount only on solid surface!

			Art. Nr.	EAN
Silver matt	5 x 1 Set	500	2627	4 003018 197911

Accessories

The accessories for tension wire sets include rope clamps and rope hooks made of metal in the colour nickel.

Cable clamp, nickel



Metal, for tension wire sets

			Art. Nr.	EAN
nickel	15 x 20		73	4 003018 000730

Cable hook, nickel



Metal, for tension wire sets

			Art. Nr.	EAN
nickel	15 x 20		75	4 003018 000754



ACCESSORIES





Deco spiral

The deco spiral made of metal in the colour silver-matt is attached to the wall and is ideal for draping curtains.

■ Silver matt



Metal, for drapery of curtains and drapes, outer Ø approx. 120 mm, length, approx. 250 mm, incl. fittings

			Art. Nr.	EAN
Silver matt	4 x 2	12 x 25	10005226	

Deco ring metal





The deco ring made of metal in the colour silver-matt is used to drape curtains and curtain fabrics. For example, when hung on a curtain rod, it is perfect for draping a beautiful fabric effectively over the window.


■ Silver matt



Metal, for drapery of curtains and drapes, outer Ø approx. 45/80 mm

Tip: Ideal for freehand draping.

			Art. Nr.	EAN
Silver matt	4 x 2	8 x 12,5	10005217	



ACCESSORIES

Deco ring with rod and magnet





The deco ring with stick and magnet in stainless steel look is ideal for draping curtains and curtain fabrics. It makes it easy to fix the curtains in the desired position.


Stainless steel look



Metal, for drapery of curtains and drapes, Ø 18 cm

Tip: The magnet holds the deco ring in the intended position and prevents it from sliding.

			Art. Nr.	EAN
Stainless steel look	4 x 1	18 x 18	10012262	







Deco ring oval

The oval plastic deco ring is available in silver-matt or dark brown. Curtain fabrics can be draped and fixed beautifully with it.

Silver matt







Plastic, for drapery of curtains and drapes, outer dimensions 15/18 cm, inner dimensions 9/12 cm

			Art. Nr.	EAN
Silver matt	4 x 1	15 x 18	5285	

Dark brown



Plastic, for drapery of curtains and drapes, outer dimensions 15/18 cm, inner dimensions 9/12 cm

			Art. Nr.	EAN
Dark brown	4 x 1	15 x 18	5286	





Deco ring oval wood

The oval wooden deco ring is available in the colour wenge. Curtain fabrics can be draped and fixed beautifully with it.

■ wenge



Wood, for drapery of curtains and drapes, outer dimensions 12/9.5 cm, inner dimensions 6/8 cm

			Art. Nr.	EAN
wenge	6 x 1	12 x 9,5	30556	





Deco ring round wood

The round wooden deco ring is available in the colour wenge. Curtain fabrics can be draped and fixed beautifully with it.

■ wenge



Wood, for drapery of curtains and drapes, outer dimensions Ø 12 cm

			Art. Nr.	EAN
wenge	6 x 1	12 x 12	30560	





Deco brooch ring

The deco brooch Ring made of metal is available in a stainless steel look. Curtain fabrics can be draped and fixed beautifully with it.

■ Stainless steel look



Metal, with rubber band for easy mounting and drapery of curtains and drapes, outer dimension Ø 12 cm

			Art. Nr.	EAN
Stainless steel look	6 x 1	12 x 12	31350	

ACCESSORIES





Deco brooch rhombus

The deco brooch Diamond made of metal is available in a stainless steel look. Curtain fabrics can be draped and fixed beautifully with it.

■ Stainless steel look



Metal, with rubber band for easy mounting and drapery of curtains and drapes, outer dimensions 10 x 10 cm

			Art. Nr.	EAN
Stainless steel look	6 x 1	10 x 10	31353	





Deco brooch Mars

The deco brooch Mars made of metal is available in a stainless steel look. Curtain fabrics can be gathered and fixed beautifully with it.

■ Deco brooch Mars



Metal, with rod, for drapery and gathering of curtains and drapes, outer dimensions Ø 14.5 cm

			Art. Nr.	EAN
Stainless steel look	6 x 1	14,5 x 14,5	32879	





Deco brooch Uranus

The deco brooch Uranus made of metal is available in a stainless steel look. Curtain fabrics can be draped and fixed beautifully with it.

■ Deco brooch Uranus



Metal, with rod, for drapery and gathering of curtains and drapes, outer dimensions 14.5 x 14.5 cm

			Art. Nr.	EAN
Stainless steel look	6 x 1	14,5 x 14,5	32880	

Holdback strip circle


The metal drapery cord with magnet for fixing is available in the colour silver antique. Curtain fabrics can be draped and fixed beautifully with it. The ribbon allows for individual adjustment, making it suitable for fabrics of different thicknesses.

Silver antique



Metal, with magnet, for easy mounting and drapery of curtains and drapes, individually adjustable, outer dimensions Ø 7.5 cm


			Art. Nr.	EAN
Silver antique	6 x 1	7,5 x 7,5	33060	



Gathering brooch - Structure

Gathering brooch Structure made of metal with magnet for fixing is available in the colour silver-antique. Curtain fabrics can be draped and fixed beautifully with it. A ribbon for fastening allows for individual adjustment, making it suitable for fabrics of different thicknesses.

Silver antique



Metal, with flexible tension strip, for easy mounting and drapery of curtains and drapes, individually adjustable, length 13.5 cm

			Art. Nr.	EAN
Silver antique	6 x 1	13,5 x 4	33064	

Gathering brooch Infinity

The Gathering brooch Infinity made of metal is available in a modern stainless steel look. Curtain fabrics can be draped and fixed beautifully with it.

Gathering brooch Infinity



Metal, with magnet, for drapery and gathering of curtains and drapes, length 13.5 cm

			Art. Nr.	EAN
Stainless steel look	6 x 1	13,5 x 5,5	32877	

ACCESSORIES


Gathering brooch Indira

The Gathering brooch Indira made of metal is available in a modern stainless steel look. Curtain fabrics can be draped and fixed beautifully with it.

Gathering brooch Indira




Metal, with magnet, for drapery and gathering of curtains and drapes, length 13 cm

			Art. Nr.	EAN
Stainless steel look	6 x 1	13 x 3	32878	





Deco clip flower

The Deco bracket Flower made of metal in the shape of a flower is available in silver-matt. Curtain fabrics can be draped and gathered beautifully with it.

Silver matt



Metal, for draping and gathering curtains, rotatable

			Art. Nr.	EAN
Silver matt	10 x 1		10005224	





Wood holdback, with hook

The wooden holdback is available in the colours pine and nature. The scope of delivery includes two transparent plastic hooks and fixing material.

pine



Wood, with 2 transparent plastic hooks, incl. fittings

			Art. Nr.	EAN
pine	10 x 1	8	388	

■ Nature



Wood, with 2 transparent plastic hooks, incl. fittings

			Art. Nr.	EAN
Nature	10 x 1	8	433	4 003018 004332

Plastic holdback, with hook

The plastic holdback is available in white. The scope of delivery includes two plastic hooks and fixing material.

■ white



Plastic, with 2 plastic hooks, incl. mounting material

			Art. Nr.	EAN
white	6 x 1	8	824	4 003018 008248

Holdback distance hook

The metal spaced tassel hook is available in a modern stainless steel look. Two metal hooks and fixing material are included in the delivery.

■ Stainless steel look



Metal, with 2 metal hooks, incl. fittings

			Art. Nr.	EAN
Stainless steel look	10 x 1	10	10011491	5 050685 114917

ACCESSORIES

Holdback, combinable





The combinable gathering hook made of metal is available in black-matt and silver-matt. Optionally, it can be combined with finials from the individual Memphis range.

black-matt




Metal, incl. mounting material

Tip: Dress the pleating hook with a finial from our Memphis product range.





			Art. Nr.	EAN
black-matt	4 x 1		11528	

Stainless steel look



Metal, incl. mounting hardware


Tip: Decorate the holdback with a finial from our Memphis selection

			Art. Nr.	EAN
Stainless steel look	4 x 1		11529	





Drape hook

The drape hook is available in the colour silver-matt and enables the gathering and draping of curtains and curtain fabrics.

Silver matt



Metal, for drapery of curtains and drapes, incl. fittings

			Art. Nr.	EAN
Silver matt	5 x 1 Pair	16	3360	

Holdback hook - self-adhesive

The self-adhesive tassel hook is available in white and chrome. It allows light curtain fabrics to be gathered and draped without drilling or screwing.

white



Plastic, for gathering and draping light curtain fabrics, self-adhesive, depth of hook approx. 2.5 cm

			Art. Nr.	EAN
white	10 x 2	1,7 x 2,5	3206	

chrome



Plastic, for gathering and draping light curtain fabrics, self-adhesive, depth of hook approx. 2.5 cm

			Art. Nr.	EAN
chrome	10 x 2	1,7 x 2,5	3208	

Holdback hook - Geo

The tassel hook Geo is available in white, brass-matt, silver-matt and chrome and can be used for gathering and draping light curtain fabrics.

white



Metal, for gathering and drapery of light curtain fabrics, incl. nails, depth of the hook approx. 2.5 cm

			Art. Nr.	EAN
white	10 x 2	1,1 x 5,0	3380	

brass-matt




Metal, for gathering and drapery of light curtain fabrics, incl. nails, depth of the hook approx. 2.5 cm

			Art. Nr.	EAN
brass-matt	10 x 2	1,1 x 5,0	3382	

ACCESSORIES


Silver matt



Metal, for gathering and drapery of light curtain fabrics, incl. nails, depth of the hook approx. 2.5 cm

			Art. Nr.	EAN
Silver matt	10 x 2	1,1 x 5,0	3383	4 003018 033837

chrome




Metal, for gathering and drapery of light curtain fabrics, incl. nails, depth of the hook approx. 2.5 cm

			Art. Nr.	EAN
chrome	10 x 2	1,1 x 5,0	3384	4 003018 033844

Holdback hook - Sina

The tassel hook Sina is available in stainless steel look and is used for gathering and draping light curtain fabrics. It is fastened with the nails supplied.

Stainless steel look



Metal, for gathering and drapery of light curtain fabrics, incl. nails, depth of the hook approx. 1.5 cm

			Art. Nr.	EAN
Stainless steel look	10 x 2	1 x 4	214	4 003018 002147

Decorative hook Baroque

The tassel hook Baroque is available in white and chrome. It comes with fixing material and is used for gathering and draping curtains and drapery fabrics.

white



Metal, for gathering and drapery of curtains and drapes, Ø 18 mm, incl. fittings, depth of the hook approx. 3 cm

			Art. Nr.	EAN
white	10 x 2	2 x 2	3252	4 003018 032526

■ chrome



Metal, for gathering and drapery of curtains and drapes, Ø 18 mm, incl. fittings, depth of the hook approx. 3 cm

			Art. Nr.	EAN
chrome	10 x 2	2 x 2	3254	4 003018 032540

Decorative hook Classic

The tassel hook Classic is available in white and chrome. It comes with fixing material and is used for gathering and draping curtains and drapery fabrics.

■ white



Metal, for gathering and drapery of curtains and drapes, Ø 38 mm, incl. fittings, depth of the hook approx. 4 cm

			Art. Nr.	EAN
white	10 x 1	3,8 x 3,8	3255	4 003018 032557

■ chrome



Metal, for gathering and drapery of curtains and drapes, Ø 38 mm, incl. fittings, depth of the hook approx. 4 cm

			Art. Nr.	EAN
chrome	10 x 1	3,8 x 3,8	3257	4 003018 032571

Decorative hook Lily

The tassel hook Lily is available in white, brass-polished and brass-browened. It comes with nails for fixing and is used for gathering and draping curtains and drapery fabrics.

■ white



Metal, for gathering and drapery of curtains and drapes, incl. nails, depth of the hook approx. 2.5 cm

			Art. Nr.	EAN
white	10 x 2	2,5 x 5,0	3305	4 003018 033059

ACCESSORIES

■ brass-polished



Metal, for gathering and drapery of curtains and drapes, incl. nails, depth of the hook approx. 2.5 cm

			Art. Nr.	EAN
brass-polished	10 x 2	2,5 x 5,0	3327	4 003018 033271

■ brass-browned



Metal, for gathering and drapery of curtains and drapes, incl. nails, depth of the hook approx. 2.5 cm

			Art. Nr.	EAN
brass-browned	10 x 2	2,5 x 5,0	3365	4 003018 033653

Clamping bracket with hook

The clamp bracket with hooks made of plastic is available in white. Among other things, it can be used on windows with rubber seals to attach bamboo or Roman blinds with eyelet suspension or window decorations.


■ white



Plastic, for bamboo and Roman blinds with eyelet suspension and for window decorations, adjustment range approx. 8-18 mm

			Art. Nr.	EAN
white	10 x 2		33069	4 003018 289043

Info: Clamp bracket only suitable for windows with rubber seal.



Deco hook


The decorative hook made of plastic is available in transparent. Among other things, it can be used to attach decorations to windows with rubber seals.




Deco hook



Plastic, for decorations at windows and doors, for casement thicknesses of approx. 12-16.5 mm, fixing without screws, drilling or glueing

Info: Only suitable for windows and doors with rubber seal.



			Art. Nr.	EAN
transparent	15 x 2	3,25 x 2	32946	4 003018 356202




Fabric eyelets

Fabric eyelets made of plastic are available in the colour silver-matt in two different sizes. In addition, hooks for fabric eyelets are available with interchangeable rollers and gliders that allow the use of eyelet scarves for curtain rails and curtain rods with inner tracks.

Fabric eyelets, large






Plastic, for curtains and drapes, outside Ø 55 mm, inside Ø 35 mm

			Art. Nr.	EAN
Silver matt	10 x 10	5,5 / 3,5	11251	4 003018 236375

Fabric eyelets, small






Plastic, for curtains and drapes, outside Ø 46 mm, inside Ø 28 mm

			Art. Nr.	EAN
Silver matt	10 x 10	4,6 / 2,8	11253	4 003018 236399

Hook for fabric eyelets



Plastic, with rollers and gliders, rollers and gliders are interchangeable, can be used for curtain rails and curtain rods with inner track

			Art. Nr.	EAN
transparent	10 x 10		32757	4 003018 343172

Allgemeine Geschäftsbedingungen

1. Allgemeines - Geltungsbereich

Soweit nicht anders ausdrücklich vereinbart, gelten die nachstehenden "Allgemeinen Geschäftsbedingungen" für alle gegenwärtigen und zukünftigen Geschäftsbeziehungen mit Nicht-Verbrauchern im Sinne des § 310 Abs. 1 BGB. Abweichende, entgegenstehende oder ergänzende Allgemeine Geschäftsbedingungen werden, selbst bei Kenntnis, nicht Vertragsbestandteil, es sei denn, ihrer Geltung wird ausdrücklich schriftlich zugestimmt.

2. Angebote und Vertragsabschluss

Unsere Angebote sind freibleibend. Technische Änderungen sowie Änderungen in Form, Farbe und/oder Gewicht bleiben im Rahmen des Zumutbaren vorbehalten.

Mit der Bestellung einer Ware erklärt der Kunde verbindlich, die bestellte Ware erwerben zu wollen. Wir sind berechtigt, das in der Bestellung liegende Vertragsangebot innerhalb von zwei Wochen nach Eingang bei uns anzunehmen. Die Annahme kann entweder schriftlich oder durch Auslieferung der Ware an den Kunden erklärt werden.

Soweit Angestellte mündliche Nebenabreden treffen oder Zusicherungen abgeben, die über den schriftlichen Kaufvertrag hinausgehen, bedürfen diese stets unserer schriftlichen Bestätigung. Mündliche Erklärungen, abgegeben von uns oder von Personen, die zu unserer Vertretung bevollmächtigt sind, bleiben von der vorstehenden Regelung unberührt.

3. Preise

Unsere Preise verstehen sich stets zuzüglich MwSt. Bei Unterschreitung des Mindestauftragswertes berechnen wir einen Mindermengenzuschlag. Die Höhe des Mindestauftragswertes und des Mindermengenzuschlags ergeben sich aus unseren Preislisten oder separaten Vereinbarungen. Wir nehmen nur bei entsprechender Vereinbarung diskontofähige Wechsel zahlungshalber an. Gutschriften über Wechsel und Schecks erfolgen vorbehaltlich des Eingangs abzüglich der Auslagen mit Wertstellung des Tages, an dem wir über den Gegenwert verfügen können. Bei Zahlungsverzug gelten die gesetzlichen Vorschriften.

4. Versand

Wir liefern generell ab Werk. Kosten für den Versand werden zusätzlich berechnet. Wenn in Sonderfällen Lieferung an Dritte erfolgen soll, können Versand- und Verpackungskosten gesondert berechnet werden.

5. Gewährleistung

Bei Mängeln der Ware leisten wir gegenüber dem Kunden zunächst nach unserer Wahl Gewähr durch Nachbesserung oder Ersatzlieferung.

Schlägt die Nacherfüllung fehl, kann der Kunde grundsätzlich nach seiner Wahl Herabsetzung der Vergütung (Minderung) oder Rückgängigmachung des Vertrages (Rücktritt) verlangen. Bei einer nur geringfügigen Vertragswidrigkeit, insbesondere bei nur geringfügigen Mängeln steht dem Kunden jedoch kein Rücktrittsrecht zu.

Der Kunde muss uns offensichtliche Mängel innerhalb einer Frist von zwei Wochen ab Empfang der Ware schriftlich anzeigen; andernfalls ist die Geltendmachung des Gewährleistungsanspruchs ausgeschlossen. Die Untersuchung der gelieferten Ware hat im Falle einer Montage durch den Kunden immer vor Ausführung der Montage zu erfolgen. Mehraufwendungen, insbesondere Transport-, Wege-, Arbeits-, und Materialkosten, die durch nicht rechtzeitige Untersuchung entstehen, werden nicht erstattet. Zur Fristwahrung genügt die rechtzeitige Absendung. Den Kunden trifft die volle Beweislast für sämtliche Anspruchsvoraussetzungen, insbesondere für den Mangel selbst, für den Zeitpunkt der Feststellung des Mangels und für die Rechtzeitigkeit der Mängelrüge.

Wählt der Kunde wegen eines Rechts- oder Sachmangels nach gescheiterter Nacherfüllung

den Rücktritt vom Vertrag, steht ihm daneben kein Schadenersatzanspruch wegen des Mangels zu.

Wählt der Kunde nach gescheiterter Nacherfüllung Schadenersatz, verbleibt die Ware beim Kunden, wenn ihm dies zumutbar ist. Der Schadenersatz beschränkt sich auf die Differenz zwischen Kaufpreis und Wert der mangelhaften Sache. Dies gilt nicht, wenn wir die Vertragsverletzung arglistig verursacht haben.

Sachmängelansprüche verjähren in einem Jahr ab Ablieferung der Ware. Dies gilt nicht, soweit das Gesetz gemäß §§ 438 Abs. 1 Nr. 2 (Bauwerke und Sachen für Bauwerke), § 479 Abs. 1 (Rückgriffsanspruch) und § 634 a Abs. 1 Nr. 2 (Baumängel) BGB längere Fristen vorschreibt. Dies gilt auch dann nicht, wenn der Kunde uns den Mangel nicht rechtzeitig angezeigt hat.

Rückgriffsansprüche gemäß §§ 478, 479 BGB bestehen nur, sofern die Inanspruchnahme durch den Verbraucher berechtigt war und nur im gesetzlichen Umfang, nicht dagegen für nicht mit uns abgestimmte Kulanzregelungen. Sie setzen im Übrigen die Beachtung eigener Pflichten des Rückgriffsberechtigten, insbesondere die Beachtung der Rügeobliegenheiten voraus.

Als Beschaffenheit der Ware gilt grundsätzlich nur die Produktbeschreibung des Herstellers als vereinbart. Öffentliche Äußerungen, Anpreisungen oder Werbung des Herstellers stellen daneben keine vertragsgemäße Beschaffenheitsangabe der Ware dar.

Erhält der Kunde eine mangelhafte Montageanleitung sind wir lediglich zur Lieferung einer mangelfreien Montageanleitung verpflichtet und dies auch nur dann, wenn der Mangel der Montageanleitung der ordnungsgemäßen Montage entgegensteht.

6. Zahlungsbedingungen

Bei Zahlung innerhalb von 10 Tagen nach Rechnungsdatum erhält der Kunde 3 % Skonto. Der Kunde verpflichtet sich, innerhalb von 30 Tagen nach Rechnungsdatum zu zahlen. Nach Ablauf dieser Frist kommt der Kunde in Zahlungsverzug. Das gleiche gilt für Reparaturen.

Werden uns nach Vertragsabschluss Tatsachen, insbesondere Zahlungsverzug hinsichtlich früherer Lieferungen, bekannt, die nach pflichtgemäßem kaufmännischen Ermessen darauf schließen lassen, dass der Kaufpreisanspruch durch mangelnde Leistungsfähigkeit des Kunden gefährdet wird, sind wir berechtigt, unter Setzung einer angemessenen Frist vom Kunden nach dessen Wahl Zug-um-Zug-Zahlung (Nachnahme/Vorkasse) oder entsprechende Sicherheiten zu verlangen und im Weigerungsfalle vom Vertrag zurückzutreten, wobei die Rechnungen für bereits erfolgte Teilleistungen sofort fällig gestellt werden.

Eine Aufrechnung ist nur mit von uns anerkannten oder rechtskräftig festgestellten Forderungen möglich.

7. Eigentumsvorbehalt

Wir behalten uns das Eigentum an der Ware bis zur vollständigen Begleichung aller Forderungen aus einer laufenden Geschäftsbeziehung vor.

Bei Zahlung mit Scheck-Wechsel (auch Finanzierungs-, Umkehr- oder Akzeptanten-Wechsel genannt), wird der Eigentumsvorbehalt dahingehend vereinbart, dass das Eigentum erst auf den Kunden übergeht, wenn nicht nur der Kaufpreis gezahlt ist, sondern auch wirksam feststeht, dass wir aus dem Wechsel nicht mehr in Anspruch genommen werden.

Der Kunde ist verpflichtet, uns einen Zugriff Dritter auf die Ware, etwa im Falle einer Pfändung, sowie etwaige Beschädigungen oder die Vernichtung der Ware unverzüglich mitzuteilen. Einen Besitzwechsel der Ware sowie den eigenen Wohnsitzwechsel hat uns der Kunde unverzüglich anzuzeigen.

Wir sind berechtigt, bei vertragswidrigem Verhalten des Kunden, insbesondere bei Zahlungsverzug, vom Vertrag zurückzutreten und die Ware heraus zu verlangen.

Der Kunde ist berechtigt, die Ware im ordentlichen Geschäftsgang weiter zu veräußern. Er tritt uns bereits jetzt alle Forderungen in Höhe des Rechnungsbetrages ab, die ihm durch die Weiterveräußerung gegen einen Dritten erwachsen. Wir nehmen die Abtretung an. Nach der Abtretung ist der Kunde zur Einziehung der Forderung ermächtigt. Wir behalten uns vor, die Forderung selbst einzuziehen, sobald der Kunde seinen Zahlungsverpflichtungen uns gegenüber nicht mehr ordnungsgemäß nachkommt und in Zahlungsverzug gerät.

Die Be- und Verarbeitung der Ware durch den Kunden erfolgt stets im Namen und im Auftrag für uns. Erfolgt eine Weiterverarbeitung mit uns nicht gehörenden Gegenständen, so erwerben wir an der neuen Sache das Miteigentum im Verhältnis zum Wert der von uns gelieferten Ware zu den sonstigen verarbeiteten Gegenständen. Dasselbe gilt, wenn die Ware mit anderen, uns nicht gehörenden Gegenständen vermischt ist.

Wird Vorbehaltsware vom Kunden als wesentlicher Bestandteil in das Grundstück, Schiff, Schiffsbauwerk oder Luftfahrzeug eines Dritten eingebaut, so tritt der Kunde schon jetzt die gegen den Dritten oder den es angeht entstehenden abtretbaren Forderungen aus Vergütung in Höhe des Wertes der Vorbehaltsware mit allen Nebenrechten einschließlich eines solchen auf Einräumung einer Sicherungshypothek mit Rang vor dem Rest ab; wir nehmen die Abtretung an.

Mit Zahlungseinstellung und/oder Antrag auf Eröffnung des Insolvenzverfahrens erlöschen das Recht zur Weiterveräußerung, zur Verwendung oder Einbau der Vorbehaltsware oder die Ermächtigung zum Einzug der abgetretenen Forderungen; bei einem Scheck- oder Wechselprotest erlischt die Einzugsermächtigung ebenfalls. Dies gilt nicht für die Rechte des Insolvenzverwalters.

Übersteigt der Wert der eingeräumten Sicherheiten die Forderung (ggf. vermindert um An- und Teilzahlungen) um mehr als 20 %, so sind wir insoweit zur Rückübertragung oder Freigabe nach unserer Wahl verpflichtet. Mit Tilgung aller unserer Forderungen aus der Geschäftsverbindung gehen das Eigentum an der Vorbehaltsware und die abgetretenen Forderungen auf den Kunden über.

Soweit auf den Wert der Vorbehaltsware abgestellt wird, ergibt sich dieser aus dem Betrag unserer Rechnungen (Faktura-Wert).

Ist zwecks Zentralregulierung mit oder ohne Übernahme einer Bürgschaft für Forderungsausfälle (Delkredere) ein Dritter vertraglich eingebunden, so werden Zahlungen an diesen nur dann mit schuldbefreiender Wirkung geleistet, soweit der Dritte die Zahlung auch an uns weiterleitet. Unser vorgenannter Eigentumsvorbehalt bleibt bis dahin voll bestehen.

8. Gerichtsstand und anzuwendendes Recht

Erfüllungsort und Gerichtsstand für Lieferungen und Zahlungen (einschließlich Scheck- und Wechselklagen) sowie sämtliche zwischen den Parteien sich ergebenden Streitigkeiten, ist, soweit der Kunde Kaufmann, juristische Person des öffentlichen Rechts oder öffentlich-rechtliches Sondervermögen ist, Isny im Allgäu. Wir sind jedoch berechtigt, den Kunden auch an seinem Firmensitz zu verklagen.

Es gilt das Recht der Bundesrepublik Deutschland. Die Bestimmungen des UN-Kaufrechts finden keine Anwendung.

Stand 02/2017